



Industrial marking solutions

2026 EDITION

OVER
70
YEARS

Industrial marking solutions

WARNINGS

The characteristics of the products contained in this catalogue are not binding for Cabur and can be changed, without prior notice, due to production requirements or to improve the products. Hence, please contact our technical-commercial network for any necessary confirmations or updates. You can find additional information about this and other Cabur products at our website www.cabur.eu

The Company

Founded in Italy in 1952, Cabur quickly conquered the role of leader amongst the national manufacturers of terminal blocks for electrical panels, always paying particular attention to the needs of installers and to cutting-edge technological solutions.

Today the company develops and manufactures a wide range of products for the electrotechnical and electronic industry which are renowned for their reliability even in extreme conditions of use.

The current production is the result of the many years of experience gained by Cabur as a partner of the main national bodies and companies, perfected through actions and collaborations abroad and includes:


- Connections for electrical panels
- Automation and control solutions
- Industrial marking systems
- E-mobility and Renewable Energy solutions

The wide and diversified offer guarantees a level of flexibility and unique ability to find solutions tailored to specific needs, which enables us to respond to the most varied and complex installation needs.

Always oriented towards the improvement of its products, in recent years Cabur has responded to the Industry 4.0 project with the expansion of production facilities and important product innovations.

In pursuing a corporate culture based on Total Quality, Cabur has adopted the main European directives of the reference market and collaborates with the most prestigious national and foreign Institutes and Laboratories.

Its products are the result of qualitative choices of particular relevance in the field of raw materials used that, in addition to providing an ample guarantee of functionality and reliability over time, also work in full compliance with all the Norms, Regulations, Laws and applicable requirements, binding and self-adopted, with full satisfaction of all compliance obligations.




INDUSTRIAL CONNECTIVITY SOLUTIONS



AUTOMATION AND CONTROL SOLUTIONS



INDUSTRIAL MARKING SOLUTIONS



E-MOBILITY AND RENEWABLE ENERGY SOLUTIONS

Cabur, in accordance with the main standards applicable to marking, carries out the following tests:

INDELIBILITY TESTS

CEI EN 62368-1: Audio/video, information and communication technology equipment - Part 1: Safety requirements (F.3.9 Durability, legibility, and permanence of markings and F.3.10 Test for the permanence of markings)

Compliance is verified by visual examination and by rubbing the markings for 15 seconds with a cloth soaked in water and then, on a different spot, for 15 seconds with a cloth soaked in petrol (gasoline). After these tests, the markings must still be legible. If the marking is on a removable label, the label must not curl up and must not be removable manually.

CEI EN 61010-1 Safety requirements for electrical equipment for measurement, control and laboratory use - Part 1: General requirements (5.3 Duration of markings)

The test is performed by rubbing for 30 seconds with a cloth soaked in commonly used industrial chemical agents.

Cabur uses isopropyl alcohol for this test and verifies that the markings remain clearly legible after the above treatment and that adhesive labels have not peeled off and do not have curled edges.

ENVIRONMENTAL TESTS

UNI EN ISO 9227 Corrosion tests in artificial atmospheres - Salt spray tests

This test, generally used for the corrosion testing of metals, is adapted here to simulate the use of our products in "marine" conditions or in a brackish atmosphere. Once subjected to the test, the samples are checked visually, and the markers must remain legible.

UNI EN ISO 4892-2 Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps

Although marking is generally used in environments not subjected to direct sunlight, the UV aging test (performed with the aid of a xenon lamp) allows for the simulation of use in environments with indirect light, typical of the automotive market. The physiological yellowing and/or resulting deterioration must not impair its use and legibility.

THERMAL TESTS (according to CEI 16-7)

The reference test for the market. The alternation between heating to the maximum operating temperature and subsequent cooling must not visually result in plastic deformations other than those physiological after this test.

SMARTPRINT PLUS SYSTEM

SMARTPRINT PLUS SYSTEM.....8	FLAT CABLE TAGS.....14	ADHESIVE LABELS FOR EQUIPMENTS.....21	ADHESIVE SAFETY IMPRINT TAGS.....28
MONOCHROMATIC RIBBONS.....10	WIRE-LABELLING CABLE TAGS.....15	TAGS FOR EQUIPMENTS AND TAG HOLDERS.....22	ADHESIVE AND PERFORATED TAGS FOR ELECTRICAL PANELS.....27
SMARTPRINT PLUS ACCESSORIES.....10	ADHESIVE CABLE-MARKING LABELS.....16	MODULAR STRIPS FOR RAILS AND ADHESIVE.....24	EMERGENCY BUTTONS.....28
PLATES FOR SMARTPRINT PLUS PRINTER.....11	TAGS FOR CABUR TERMINAL BLOCKS.....17	PANEL IDENTIFICATION TAGS.....25	TAGS FOR PLC SIEMENS.....29
MARKING PRO XT.....12	TAGS FOR OTHER TERMINAL BLOCKS.....18	ADHESIVE TAGS FOR ELECTRICAL PANELS.....26	METAL DETECTABLE PRODUCTS.....30
RIGID CABLE TAGS.....13	MODULAR TAGS FOR TERMINAL BLOCKS.....20		TABLES OF CORRESPONDANCES.....33

CABURJET SYSTEM

CABURJET SYSTEM.....38	WIRE-LABELLING CABLE TAGS.....42	LABELS FOR EQUIPMENT.....46	STRIPS FOR RAILS AND ADHESIVE STRIPS.....48
CABURJET ACCESSORIES.....39	TAGS FOR CABUR TERMINAL BLOCKS.....43	STRIPS FOR MODULAR SWITCHES.....46	ADHESIVE TAGS FOR ELECTRICAL PANELS.....49
MARKING PRO.....40	TAGS FOR OTHER TERMINAL BLOCKS.....44	TAGS FOR TAG HOLDERS AND RAILS.....47	PANEL IDENTIFICATION TAGS.....50
RIGID CABLE TAGS.....41	TAGS FOR CONTACTORS.....45		

SMARTROLL PLUS SYSTEM

SMARTROLL PLUS SYSTEM.....52
MONOCHROMATIC RIBBONS.....53
MARKING PRO XT.....54
FLAT CABLE TAGS.....55
ADHESIVE CABLE-MARKING LABELS.....56
ADHESIVE LABELS FOR EQUIPMENT.....57

MANUAL NUMBERING

CABUR FAST3 HOOKED TAGS.....60	IDENTIFYING TAG.....63
LINKED RINGS.....61	PENS FOR CB/CTL WRITING.....63
MANUAL NUMBERING FOR CABUR CSC SERIES	
TERMINAL BLOCKS.....62	

SUPPORTS

TRANSPARENT SLEEVES FOR RIGID CABLE TAGS.....66	TAGS HOLDERS FOR PUSH BUTTONS.....70
TRANSPARENT SLEEVESFOR FLAT CABLE TAGS.....67	TRASPARENT COVER.....71
TRASPARENT SLEEVES FOR PLASTIC TIE	TAGS HOLDERS DOR IDENTIFYING
AND WITH ADHESIVE.....68	TERMINAL BLOCK GROUPS.....72
RAILS FOR TAGS.....69	

ACCESSORIES

FERRULES.....74	BRAIDED SHEATH.....80
WIRE TERMINALS, PRE-INSULATED WITH PVC.....76	HEAT-SHRINK TUBES.....82
CRIMPER.....78	
SCREWDRIVERS.....79	

WARNINGS

WARNING LABELS FOR FACTORIES, BUILDING
SITES, PANELS AND INDUSTRIAL PLANTS.....86

PRE-PRINTED

PRE-PRINTED TAGS FOR CABUR
TERMINAL BLOCKS.....92
CUSTOMIZED PRINTING SERVICE.....94

CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGHT	WIDTH				
NUT12S	Tags for sleeves 4x12 mm	ABS	12	4	4x12	White	PLT06	1500

1

2

3

4

5

6

7

8

1. Product ordering code (present on the METEL platform)
2. Product description
3. Main product material
4. External dimensions of the single tag (overall dimensions) or tag size to be used with the indicated support
5. Maximum printable area
6. Main product color
7. Code of the plate to be used to print the tag with SmartPrint (only for products to be used with SmartPrint)
8. Number of individual tags per package

Thermal Transfer Printing Systems

Smart Print +

The new printer SmartPrint Plus with thermal transfer technology is Cabur's answer to the many different needs in the world of industrial marking. Ideal for identifying terminal blocks, cables and electrical components. It is characterized by an attractive and functional design that makes immediate, simple and intuitive use and it is lighter and more manageable thanks to a new ultra-resistant ABS thermoplastic polymer shell.

Reliable, versatile, precise and fast SmartPrint Plus allows to create high resolution prints for excellent quality and long-lasting markings.

With SmartPrint Plus you can print up to 100 tags in 6 seconds, identify terminal blocks made by Cabur and other manufacturers, single cables or bundles, buttons, electrical components and carry out the complete marking of the outside panel. Ribbons are the longest on the market, with a highly competitive price. The installation of the MarKing Pro XT software and the SmartPrint Plus printer on WINDOWS systems starting from WIN7 up to WIN10 is quick and easy and in seconds the printer will be ready for use.

The Multi-Page printing function allows to manage the printer directly by the buttons onboard the machine and allows easier and more practical use without having a PC nearby; the new multi-plate function allows to launch all the prints from pc at once and manage them directly from the printer, making the printing process faster and easier.

Equipped with a display and two control keys, SmartPrint enables the printing of alphanumeric texts, logos and graphic symbols on numerous marking media:

- sleeve tags to identify wires
- adhesive cable marking labels
- tags for terminal blocks
- tags for push-buttons
- tags for contactors/PLCs;
- modular strips for electrical distribution panels
- panel identification tags.



TECHNICAL DATA

Code	SMARTPRINTPLUS
Dimensions (DxLxH)	250 x 250 x 380 mm
Weight	9,5 kg
Display	LCD
Interface	USB 2.0
Resolution	300x600 dpi
Print Speed	19 mm/seconds
Windows support	Microsoft® Windows™ 7 o later
Power supply voltage	100-240Vac 50-60Hz
Current	1,5 A
Working temperature	+5°C +40°C
Print area	105 mm x 140 mm
Ribbon	high strength resin
Ribbon colours	Black, Blue, Red, Green, White

THE PACKAGE INCLUDES

- 1 SmartPrint Plus printer
- 1 USB cable
- 1 Power cable
- 1 Power supply
- 1 Ribbon code RSP300BK
- 1 MarKing Pro XT Software, complete with user manual in electronic format
- 1 Plate Kit made up of
 - 1 PLT06 support plate for cable tags code NUT12S/NUT18S;
 - 1 PLT01 support plate for FLAT series tags code NUT FL-TAP-TAV-TAM - TMM - SIM



Easy to use for professional printing performance



Loading the card



Print in 6 seconds



Recovering the card
when printing is finished

Easy and fast ribbon replacement



Inserting the ribbon



Winding and locking the ribbon

Monochromatic resin ribbons
for SmartPrint+ printer.

Rub resistance: CEI 16-7.

300 meters long print ribbon, fundamental to guarantee indelibility and resistance of text to UV rays according to the legislation. For more information please see page 4.



CODE	DESCRIPTION	MATERIAL	DIMENSION		COLOUR	PCS PACK
			LENGTH	WIDTH		
RSP300BK	SmartPrint 300 meters Black Ribbon Pantone Black C	resin	300 m	110 mm	Black	1
RSP300RD	SmartPrint 300 meters Ribbon Pantone® Red 186 C	resin	300 m	110 mm	Red	1
RSP300BL	SmartPrint 300 meters Ribbon Pantone® Blue 2935 C	resin	300 m	110 mm	Blue	1
RSP300GR	SmartPrint 300 meters Ribbon Pantone® Green 354 C	resin	300 m	110 mm	Green	1
RSP300WH	SmartPrint 300 meters Ribbon White	resin	300 m	110 mm	White	1

SmartPrint Power Supply:
• AC input: 100-240V - 2,5A

• Approvals:



SmartPrint+ Trolley:
plastic trolley to transport
the SmartPrint printer



Kit allows you to make the SmartPrint Plus portable to use it even in environments without electrical power sources.


- Tablet with Windows 10 operating system and MarkingPro XT
- Portable AC battery
- Trolley



ACCESSORIES SP

CODE	DESCRIPTION	PCS BOX
SMARTTROLLEY	Trolley for SmartPrint	1
SMARTPOWER	SmartPrint power supply 90W	1
SMARTPRINTPLUSKT	Tablet, battery, trolley and SmartPrint Plus	1
SPPKITLIGHT	Tablet, battery and trolley	1

Support plates for printing SmartPrint+ consumables



Anchorage support of modules containing the tags/labels, fitted with a recognition system that prevents printing in the event of incorrect selection of the article in the MarkingPro XT software, with respect to the plate selected.

CABLE TAGS

CODE	MODEL	DESCRIPTION	PCS BOX
PLT06	NUT12S	Rigid cable tags, length 12mm	1
PLT06	NUT18S	Rigid cable tags, length 18mm	1
PLT08	NUT15S	Rigid cable tags, length 15mm	1
PLT09	NUT23S	Rigid cable tags, length 23mm	1
PLT07	TMC16040WS/YS	Wire-labelling tag, L 16mm diameter 2,6-4,2	1
PLT16	TMC101632WS/YS	Wire-labelling tag, L 10mm diameter 1,6-3,2	1
PLT16	TMC102044WS/YS	Wire-labelling tag, L 10mm diameter 2,0-4,4	1
PLT16	TMC151632WS/YS	Wire-labelling tag, L 15mm diameter 1,6-3,2	1
PLT16	TMC152044WS/YS	Wire-labelling tag, L 15mm diameter 2,0-4,4	1

TAGS FOR TERMINAL BLOCKS

CODE	MODEL	DESCRIPTION	PCS BOX
PLT11	NU0550S	Terminal Block Tag BPL-TPL e WDU	1
PLT00	NU1051S	Terminal Block Tag Cabur EFC-CBC-CBD-HMM	1
PLT00	NU1061S	Terminal Block Tag Cabur EFC-CBC-CBD-HMM	1
PLT17	NU1035S	Tags for Cabur terminal blocks CBC-CBD-HMM-EFC	1
PLT17	NU0835S	Tags for Cabur terminal blocks CBC-CBD-HMM-EFC	1
PLT13	SH004S	Terminal Block Tag Cabur HMM1	1
PLT05	NUL1061S	Terminal Block Tag Legrand-Wieland-Schneider	1
PLT04	NUPUTUK50S	Terminal Block Tag Phoenix UT-UK-ST - Wago280	1
PLT03	NUWDK50S	Terminal Block Tag Weidmuller WDK-ZDK	1
PLT02	NUWDU50S	Terminal Block Tag Weidmuller WDU-ZDU	1
PLT12	NUWG051S	Terminal Block Tag Wago	1
PLT15	NU0851S	Terminal Block Tag Cabur EFC-CBC-CBD-HMM	1

FLAT PVC AND VINYL TAGS - RIGID PANEL IDENTIFICATION TAGS

CODE	MODEL	DESCRIPTION	PCS BOX
PLT01	-	Flat tags Plate	1




Software for marking for SmartPrint+ and SmartRoll+ printing systems

MarKing Pro XT is a software application for printing characters and images on tags and cards. It can be used with the SmartPrint+ and SmartRoll printers.

The software can support the use of both devices, also at the same time, and using it does not require particular IT skills. The programme, which is easy to use and extremely versatile, allows the user to define the marking parameters, with character and symbol sequences that can be adjusted to meet the needs of the user, and prints them on Cabur tags, which can be selected from a database included in the software.

MarKing Pro XT allows direct extraction of data from Excel, csv, txt etc. files and supports the Unicode format.

Thanks to its intuitive interface and visual elements, MarKing Pro XT is easy to use, and enables previewing of the end result before printing. Cabur offers a marking service, which can be provided on the basis of files created in MarKing Pro XT by the customer. Send Cabur your MarKing Pro XT files to receive a quotation and service that provides the utmost in efficiency and guarantees reliable results.



Technical requirements for installation:

Platform: PC

Operating system:

- for use with SmartPrint+: Microsoft® Windows™ 7 or later;
 - for use with SmartRoll: Microsoft® Windows™ 7 or later;
- Memory: min. 2 Gb RAM

Tags for sleeves, available in lengths from 12 to 23 mm, yellow or white, for use with TUB series sleeves.

Can be printed with **SmartPrint+**, **CaburJet**.


- Material: PC/ABS thickness 1.6 mm halogen free.
- Working temperature: -40°/+80°C.
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0

For standard compliance see page 4

For use with TUB Series sleeves (see page 66)




CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
NUT12S	Tags for sleeves 4x12 mm	PC/ABS	12	4	4x12	White	PLT06	1500
NUT12YS	Tags for sleeves 4x12 mm	PC/ABS	12	4	4x12	Yellow	PLT06	1500
NUT15S	Tags for sleeves 4x15 mm	PC/ABS	15	4	4x15	White	PLT08	1500
NUT15YS	Tags for sleeves 4x15 mm	PC/ABS	15	4	4x15	Yellow	PLT08	1500
NUT18S	Tags for sleeves 4x18 mm	PC/ABS	18	4	4x18	White	PLT06	1500
NUT18YS	Tags for sleeves 4x18 mm	PC/ABS	18	4	4x18	Yellow	PLT06	1500
NUT23S	Tags for sleeves 4x23 mm	PC/ABS	23	4	4x23	White	PLT09	1500
NUT23YS	Tags for sleeves 4x23 mm	PC/ABS	23	4	4x23	Yellow	PLT09	1500



TAG CARD L. 12 mm



TAG CARD L. 15 mm



TAG CARD L. 18 mm



TAG CARD L. 23 mm



NUMBER OF CHARACTERS PRINTABLE ESTIMATED BASED ON THE MOST COMMON FONTS

TAG LENGTH	NUMBER OF STANDARD CHARACTERS	NUMBER OF COMPRESSED CHARACTERS
10 mm	7	12
12 mm	8	14
15 mm	10	18
18 mm	12	20
23 mm	16	28
30 mm	20	34

Pre-punched flat cable tags, available in lengths from 10 to 30 mm, in the colours white and yellow. Can be printed with **SmartPrint+**.

- Material: Semi-rigid PVC thickness 0.5 mm
- Self-extinguishing of material: UL94-V0
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- New **EasyPlug** System, which simplifies insertion of the tag in the sleeve.

For standard compliance see page 4


For use with TUB Series sleeves (see page 67)

NOTE ON USE:

place the module on the PLT with the smooth side upwards




CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
NUT10FL	Flat sleeve tag 4x10 mm	PVC	10	4	4x10	White	PLT01	4900
NUT10FLY	Flat sleeve tag 4x10 mm	PVC	10	4	4x10	Yellow	PLT01	4900
NUT12FL	Flat sleeve tag 4x12 mm	PVC	12	4	4x12	White	PLT01	3500
NUT12FLY	Flat sleeve tag 4x12 mm	PVC	12	4	4x12	Yellow	PLT01	3500
NUT15FL	Flat sleeve tag 4x15 mm	PVC	15	4	4x15	White	PLT01	3500
NUT15FLY	Flat sleeve tag 4x15 mm	PVC	15	4	4x15	Yellow	PLT01	3500
NUT18FL	Flat sleeve tag 4x18 mm	PVC	18	4	4x18	White	PLT01	2800
NUT18FLY	Flat sleeve tag 4x18 mm	PVC	18	4	4x18	Yellow	PLT01	2800
NUT23FL	Flat sleeve tag 4x23 mm	PVC	23	4	4x23	White	PLT01	2800
NUT23FLY	Flat sleeve tag 4x23 mm	PVC	23	4	4x23	Yellow	PLT01	2800
NUT30FL	Flat sleeve tag 4x30 mm	PVC	30	4	4x30	White	PLT01	2100
NUT30FLY	Flat sleeve tag 4x30 mm	PVC	30	4	4x30	Yellow	PLT01	2100



Wire-labelling cable tags available in length 10 mm - 15 mm - 16 mm. Direct insertion on the wire with no need sleeves. Colours: white and yellow. Can be printed with **SmartPrint+**.


- Material: PC/ABS halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0

For standard compliance see page 4




SMARTPRINT+


CODE	DESCRIPTION	MATERIAL	SIZE mm		CABLE ϕ mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TMC16040WS	Wire-labelling cable tags diameter from 2.6 to 4.2 mm	PC/ABS	16	5,2	2,6-4,2	White	PLT07	1080
TMC16040YS	Wire-labelling cable tags diameter from 2.6 to 4.2 mm	PC/ABS	16	5,2	2,6-4,2	Yellow	PLT07	1080
TMC101632WS	Wire-labelling cable tags diameter from 1.6 to 3.2 mm	PC/ABS	10	4	1,6-3,2	White	PLT16	1920
TMC101632YS	Wire-labelling cable tags diameter from 1.6 to 3.2 mm	PC/ABS	10	4	1,6-3,2	Yellow	PLT16	1920
TMC102044WS	Wire-labelling cable tags diameter from 2.0 to 4.4 mm	PC/ABS	10	4	2,0-4,4	White	PLT16	1920
TMC102044YS	Wire-labelling cable tags diameter from 2.0 to 4.4 mm	PC/ABS	10	4	2,0-4,4	Yellow	PLT16	1920
TMC151632WS	Wire-labelling cable tags diameter from 1.6 to 3.2 mm	PC/ABS	15	4	1,6-3,2	White	PLT16	1920
TMC151632YS	Wire-labelling cable tags diameter from 1.6 to 3.2 mm	PC/ABS	15	4	1,6-3,2	Yellow	PLT16	1920
TMC152044WS	Wire-labelling cable tags diameter from 2.0 to 4.4 mm	PC/ABS	15	4	2,0-4,4	White	PLT16	1920
TMC152044YS	Wire-labelling cable tags diameter from 2.0 to 4.4 mm	PC/ABS	15	4	2,0-4,4	Yellow	PLT16	1920




TMC101632




TMC102044



TMC151632



TMC1512044



TMC16040



For a correct choice of the product, check the diameter of the cable which, for the same section, may vary depending on the type and manufacturer


Cable-marking labels suitable for marking cables and sleeves.
Can be printed on module with **SmartPrint+**.

- Material: Adhesive Vynil
- Working temperature: -40°C/+80°C
- Rub resistance: CEI 16-7.

For standard compliance see page 4

NOTE ON USE:

place the module on the PLT with the smooth side upwards




CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
ESA3815W	adhesive cable-marking label, wrappable diameter 4.3-7mm	Vinyl	38	15	10x15	White	PLT01	120
ESA3815Y	adhesive cable-marking label, wrappable diameter 4.3-7mm	Vinyl	38	15	10x15	Yellow	PLT01	120
ESA3823W	adhesive cable-marking label, wrappable diameter 4.3-7mm	Vinyl	38	23	10x23	White	PLT01	80
ESA3823Y	adhesive cable-marking label, wrappable diameter 4.3-7mm	Vinyl	38	23	10x23	Yellow	PLT01	80
ESA5015W	adhesive cable-marking label, wrappable diameter 6-10 mm	Vinyl	50	15	15x15	White	PLT01	120
ESA5015Y	adhesive cable-marking label, wrappable diameter 6-10 mm	Vinyl	50	15	15x15	Yellow	PLT01	120
ESA5023W	adhesive cable-marking label, wrappable diameter 6-10 mm	Vinyl	50	23	15x23	White	PLT01	80
ESA5023Y	adhesive cable-marking label, wrappable diameter 6-10 mm	Vinyl	50	23	15x23	Yellow	PLT01	80
ESA7515W	adhesive cable-marking label, wrappable diameter 8-14mm	Vinyl	75	15	25x15	White	PLT01	60
ESA7515Y	adhesive cable-marking label, wrappable diameter 8-14mm	Vinyl	75	15	25x15	Yellow	PLT01	60
ESA7523W	adhesive cable-marking label, wrappable diameter 8-14mm	Vinyl	75	23	25x23	White	PLT01	40
ESA7523Y	adhesive cable-marking label, wrappable diameter 8-14mm	Vinyl	75	23	25x23	Yellow	PLT01	40
ESA10015W	adhesive cable-marking label, wrappable diameter 12-20mm	Vinyl	100	15	25x15	White	PLT01	60
ESA10015Y	adhesive cable-marking label, wrappable diameter 12-20mm	Vinyl	100	15	25x15	Yellow	PLT01	60
ESA10023W	adhesive cable-marking label, wrappable diameter 12-20mm	Vinyl	100	23	25x23	White	PLT01	40
ESA10023Y	adhesive cable-marking label, wrappable diameter 12-20mm	Vinyl	100	23	25x23	Yellow	PLT01	40

* Available request

Tie-on tags ties for cable

- Material: semi-rigid PVC
- Working temperature: -40 ° / + 80 ° C
- Resistance to rubbing: CEI 16-7
- Self-extinguishing material: UL94-V0




CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TAF5512W	tie-on tags	PVC	55	12	35x10	White	PLT01	140
TAF5512Y	tie-on tags	PVC	55	12	35x10	Yellow	PLT01	140

White tags for terminal blocks, available in lengths from 8 to 10 mm, suitable for all Cabur terminal blocks. To be used with **SmartPrint+, CaburJet**.


- Material: PC/ABS thickness 1.6 mm halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0

For standard compliance see page 4




SMARTPRINT+


CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
NU0851S	tags for Cabur terminal blocks CBC-CBD-HMM-EFC multiple mounting on CBC.2, single tags on all other sections	PC/ABS	8	5	8x5	White	PLT15	1500
NU1051S	tags for Cabur terminal blocks CBC-CBD-HMM-EFC multiple mounting on CBC.2, single tags on all other sections	PC/ABS	10	5	10x5	White	PLT00	1500
NU1061S	tags for Cabur terminal blocks CBC-CBD-HMM_EFC multiple mounting on CBC.4, single tags on all other sections	PC/ABS	10	5	10x5	White	PLT00	1200
SH004S	pitch tags for Cabur HMM.1 terminal blocks	PC/ABS	10	4,2	10x4,2	White	PLT13	1500
NU0835S	tags for Cabur terminal blocks CBC-CBD-HMM-EFC multiple mounting on CBC.2, single tags on all other sections	PC/ABS	8	3,5	3,5x8	White	PLT17	1875
NU1035S	tags for Cabur terminal blocks CBC-CBD-HMM-EFC multiple mounting on CBC.2, single tags on all other sections	PC/ABS	10	3,5	3,5x10	White	PLT17	1875
NU1065S*	tags for Cabur terminal blocks CBC-CBD-HMM multiple mounting on CBD.4, single tags on all other sections	PC/ABS	10	5	10x5	White		1200
NU1055S*	tags for Cabur terminal blocks CBC-CBD-HMM multiple mounting on CBD.2, single tags on all other sections	PC/ABS	10	5	10x5	White		1350




NU0851S




NU1051S




NU1061S



NU1055S



NU1065S



SH004S


For the correct choice of the appropriate tag, check in the table on page 33

White terminal block tags, available in lengths from 5 to 10mm, suitable for use on Contactclip, Entrelec, Klemsan, Legrand, Morsettitalia, Phoenix, Wago, Weidmuller, and Wieland terminal blocks.


To be used with **SmartPrint+, CaburJet.**

- Material: PC/ABS thickness 1.6 mm halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0


For standard compliance see page 4



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
NUWDU50S	tag for Weidmuller terminal blocks, WDU-ZDU series, Klemsan, Contactclip, Connectwell, and Wago 870, multiple mounting on 2.5 sections, single tag on all other section	PC/ABS	10	5	5x10	White	PLT02	1500
NUWDK50S	tag for Weidmuller terminal blocks, WDK-ZDK series, multiple mounting on 2.5 sections, single tags on all other sections	PC/ABS	10	5	5x10	White	PLT03	1500
NUPUTUK50S	tag for Phoenix terminal blocks, UT-UK-ST series, multiple on Entrelec and Wago 280 2.5 sections, single tags on all other sections	PC/ABS	10	5	5x10	White	PLT04	1500
NU0550S	tag for BPL-TPL terminal blocks, multiple mounting on WDU2.5	PC/ABS	5	5	5x5	White	PLT11	1500
NUL1061S	tag for Legrand, Telemecanique-Schneider, Wieland terminal blocks, multiple mounting on 4 mm2 sections, single tags on all other sections.	PC/ABS	10	5	5x10	White	PLT05	1275
NUWG051S	universal tag for WAGO terminal blocks	PC/ABS	10	5	5x10	White	PLT12	1408



NUWDU50S




NUWDK50S



NUPUTUK50S




NU0550S



NUL1061S



NUWG050



NUWG051 - NUWG051S

For the correct choice of the appropriate tag, check in the table on page 33



1

Remove the stem from the card.



2

Remove the pre-notched heads from the stem.



3

Insert the tags directly into the terminal block series using light pressure.





4

Remove the remaining stem, turning it downwards.

NUMBER OF CHARACTERS PRINTABLE ESTIMATED ON THE BASIS OF THE MOST COMMON FONTS FOR CABUR AND OTHER BRANDS' TAGS

LENGTH	NUMBER OF STANDARD CHARACTERS	NUMBER OF COMPRESSED CHARACTERS
05 mm	4	5
08 mm	6	8
10 mm	7	10



Each marking card for the entire series of terminal blocks was designed for batteries of terminal blocks and can be broken into elements appropriate for use in areas with limited space. The stem can be torn only for tags for Cabur terminal blocks


Tags in semi-rigid PVC to be used only with **SmartPrint+**

- Material: Semi-rigid PVC 0,3mm halogen free
- Working temperature: -30°C/+60°C
- Rub resistance: CEI 16-7
- Adhesive: 3M 99786

For standard compliance see page 4

NOTE ON USE:

place the module on the PLT with the smooth side upwards



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TMM102105W	Modular tag for Cabur EFC terminal block	PVC	105	10,2	10,2x105	White	PLT01	100
TMM102105Y	Modular tag for Cabur EFC terminal block	PVC	105	10,2	10,2x105	Yellow	PLT01	100
TMM102105AW	Modular tag for Cabur EFC terminal block	Adhesive PVC	105	10,2	10,2x105	White	PLT01	100
TMM102105AY	Modular tag for Cabur EFC terminal block	Adhesive PVC	105	10,2	10,2x105	Yellow	PLT01	100
TMM97105W	Modular tag for Phoenix terminal block	PVC	105	9,7	9,7x105	White	PLT01	100
TMM97105Y	Modular tag for Phoenix terminal block	PVC	105	9,7	9,7x105	Yellow	PLT01	100
TMM97105AW	Modular tag for Phoenix terminal block	Adhesive PVC	105	9,7	9,7x105	White	PLT01	100
TMM97105AY	Modular tag for Phoenix terminal block	Adhesive PVC	105	9,7	9,7x105	Yellow	PLT01	100
TMM62105W	Modular tag for Phoenix terminal block	PVC	105	6,2	6,2x105	White	PLT01	160
TMM62105Y	Modular tag for Phoenix terminal block	PVC	105	6,2	6,2x105	Yellow	PLT01	160
TMM62105AW	Modular tag for Phoenix terminal block	Adhesive PVC	105	6,2	6,2x105	White	PLT01	160
TMM62105AY	Modular tag for Phoenix terminal block	Adhesive PVC	105	6,2	6,2x105	Yellow	PLT01	160
TMM105105W	Modular tag for Wago TopJob terminal block	PVC	105	10,5	10,5x105	White	PLT01	100
TMM105105Y	Modular tag for Wago TopJob terminal block	PVC	105	10,5	10,5x105	Yellow	PLT01	100
TMM105105AW	Modular tag for Wago TopJob terminal block	Adhesive PVC	105	10,5	10,5x105	White	PLT01	100
TMM105105AY	Modular tag for Wago TopJob terminal block	Adhesive PVC	105	10,5	10,5x105	Yellow	PLT01	100
TMM81105AW	Modular tag for Weidmuller Push-in terminal block	Adhesive PVC	105	8,1	8,1x105	White	PLT01	120
TMM81105AY	Modular tag for Weidmuller Push-in terminal block	Adhesive PVC	105	8,1	8,1x105	Yellow	PLT01	120
TMM40105AW	Modular tag for PCB terminal block	Adhesive PVC	105	4	4x105	White	PLT01	260
TMM40105AY	Modular tag for PCB terminal block	Adhesive PVC	105	4	4x105	Yellow	PLT01	260
TMM50105AW	Modular tag for PCB terminal block	Adhesive PVC	105	5	5x105	White	PLT01	200
TMM50105AY	Modular tag for PCB terminal block	Adhesive PVC	105	5	5x105	Yellow	PLT01	200



For the correct choice of the appropriate tag, check in the table on page 33


Vinyl adhesive labels for use only with **SmartPrint+**.

- Material: Adhesive Vynil halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.

For standard compliance see page 4

NOTE ON USE:

place the module on the PLT with the smooth side upwards



SMARTPRINT+

CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TAV156AW	vinyl label for equipment 6x15 mm	Vinyl	6	15	6x15	White	PLT01	1050
TAV156AY	vinyl label for equipment 6x15 mm	Vinyl	6	15	6x15	Yellow	PLT01	1050
TAV207AW	vinyl label for equipment 7x20 mm	Vinyl	7	20	7x20	White	PLT01	600
TAV207AY	vinyl label for equipment 7x20 mm	Vinyl	7	20	7x20	Yellow	PLT01	600
TAV128AW	vinyl label for equipment 8x12 mm	Vinyl	8	12	8x12	White	PLT01	960
TAV128AY	vinyl label for equipment 8x12 mm	Vinyl	8	12	8x12	Yellow	PLT01	960
TAV178AW	vinyl label for equipment 8x17 mm	Vinyl	8	17	8x17	White	PLT01	720
TAV178AY	vinyl label for equipment 8x17 mm	Vinyl	8	17	8x17	Yellow	PLT01	720
TAV159AW	vinyl label for equipment 9x15 mm	Vinyl	9	15	9x15	White	PLT01	770
TAV159AY	vinyl label for equipment 9x15 mm	Vinyl	9	15	9x15	Yellow	PLT01	770
TAV209AW	vinyl label for equipment 9x20 mm	Vinyl	9	20	9x20	White	PLT01	550
TAV209AY	vinyl label for equipment 9x20 mm	Vinyl	9	20	9x20	Yellow	PLT01	550
TAV359AW	vinyl label for equipment 9x35 mm	Vinyl	9	35	9x35	White	PLT01	220
TAV359AY	vinyl label for equipment 9x35 mm	Vinyl	9	35	9x35	Yellow	PLT01	220
TAV359AM	vinyl label for equipment 9x35 mm	Vinyl	9	35	9x35	Metal	PLT01	220
TAV2715AW	vinyl label for equipment 15x27 mm	Vinyl	15	27	15x27	White	PLT01	280
TAV2550AY	Adhesive labels for equipments 50x25 mm	Vinyl	50	25	25x50	Yellow	PLT01	80
TAV2550AM	Adhesive labels for equipments 50x25 mm	Vinyl	50	25	25x50	Metal	PLT01	80
TAV2715AY	vinyl label for equipment 15x27 mm	Vinyl	15	27	15x27	Yellow	PLT01	280
TAV4915AW	vinyl label for equipment 15x49 mm	Vinyl	15	49	15x49	White	PLT01	140
TAV4915AY	vinyl label for equipment 15x49 mm	Vinyl	15	49	15x49	Yellow	PLT01	140
TAV6715AW	vinyl label for equipment 15x67 mm	Vinyl	15	67	15x67	White	PLT01	70
TAV6715AY	vinyl label for equipment 15x67 mm	Vinyl	15	67	15x67	Yellow	PLT01	70




Semi-rigid PVC tags for use only with **SmartPrint+**.

- Material: Semi-rigid PVC 0.5 mm halogen free
- Working temperature: -30°/60°C
- Rub resistance: CEI 16-7.
- Adhesive: 3M 99786



For standard compliance see page 4

NOTE ON USE:

place the module on the PLT with the smooth side upwards



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TAP159W	tag for rails or sleeves h=9mm 9x15 mm	PVC	9	15	9x15	White	PLT01	770
TAP179W	tag for rails or sleeves h=9mm 9x17 mm	PVC	9	17	9x17	White	PLT01	770
TAP179Y	tag for rails or sleeves h=9mm 9x17 mm	PVC	9	17	9x17	Yellow	PLT01	770
TAP209W	tag for rails or sleeves h=9mm 9x20 mm	PVC	9	20	9x20	White	PLT01	550
TAP209Y	tag for rails or sleeves h=9mm 9x20 mm	PVC	9	20	9x20	Yellow	PLT01	550
TAP359W	tag for rails or sleeves h=9mm 9x35 mm	PVC	9	35	9x35	White	PLT01	330
TAP359Y	tag for rails or sleeves h=9mm 9x35 mm	PVC	9	35	9x35	Yellow	PLT01	330
TAP730W	tag for special components 7x30 mm	PVC	7	30	7x30	White	PLT01	450
TAP730Y	tag for special components 7x30 mm	PVC	7	30	7x30	Yellow	PLT01	450
TAP2715WN	Tag for TUB2715	PVC	14,8	27	14,8x27	White	PLT01	240
TAP2715W	tag for tag holder single sheet 15x27 mm	PVC	15	27	15x27	White	PLT01	240
TAP2715Y	tag for tag holder single sheet 15x27 mm	PVC	15	27	15x27	Yellow	PLT01	240
TAP2715M	tag for tag holder single sheet 15x27 mm	PVC	15	27	15x27	Metal	PLT01	240
TAP4915WN	Tag for TUB5015	PVC	14,8	49	14,8x49	White	PLT01	120
TAP4915W	tag for tag holder single sheet 15x49 mm	PVC	15	49	15x49	White	PLT01	120
TAP4915Y	tag for tag holder single sheet 15x49 mm	PVC	15	49	15x49	Yellow	PLT01	120
TAP4915M	tag for tag holder single sheet 15x49 mm	PVC	15	49	15x49	Metal	PLT01	120
TAP6715WN	Tag for TUB6715	PVC	14,8	67	14,8x67	White	PLT01	60
TAP6715W	tag for tag holder single sheet 15x67 mm	PVC	15	67	15x67	White	PLT01	60
TAP6715Y	tag for tag holder single sheet 15x67 mm	PVC	15	67	15x67	Yellow	PLT01	60
TAP6715M	tag for tag holder single sheet 15x67 mm	PVC	15	67	15x67	Metal	PLT01	60
TAP2718W	tag for tag holder single sheet 18x27 mm	PVC	18	27	18x27	White	PLT01	200
TAP2718Y	tag for tag holder single sheet 18x27 mm	PVC	18	27	18x27	Yellow	PLT01	200
TAP2718M	tag for tag holder single sheet 18x27 mm	PVC	18	27	18x27	Metal	PLT01	200
TAP207AW	adhesive tag for equipment single sheet 7x20 mm	PVC	7	20	7x20	White	PLT01	600
TAP207AY	adhesive tag for equipment single sheet 7x20 mm	PVC	7	20	7x20	Yellow	PLT01	600
TAP128AW	adhesive tag for equipment single sheet 8x12 mm	PVC	8	12	8x12	White	PLT01	960
TAP128AY	adhesive tag for equipment single sheet 8x12 mm	PVC	8	12	8x12	Yellow	PLT01	960
TAP178AW	adhesive tag for equipment single sheet 8x17 mm	PVC	8	17	8x17	White	PLT01	720
TAP178AY	adhesive tag for equipment single sheet 8x17 mm	PVC	8	17	8x17	Yellow	PLT01	720
TAP159AW	adhesive tag for equipment single sheet 9x15 mm	PVC	9	15	9x15	White	PLT01	770
TAP156AW	adhesive tag for equipment single sheet 6x15 mm	PVC	6	15	6x15	White	PLT01	119
TAP156AY	adhesive tag for equipment single sheet 6x15 mm	PVC	6	15	6x15	Yellow	PLT01	119
TAP159AY	adhesive tag for equipment single sheet 9x15 mm	PVC	9	15	9x15	Yellow	PLT01	770
TAP209AW	adhesive tag for equipment single sheet 9x20 mm	PVC	9	20	9x20	White	PLT01	550
TAP209AY	adhesive tag for equipment single sheet 9x20 mm	PVC	9	20	9x20	Yellow	PLT01	550
TAP359AW	adhesive tag for equipment single sheet 9x35 mm	PVC	9	35	9x35	White	PLT01	330
TAP359AY	adhesive tag for equipment single sheet 9x35 mm	PVC	9	35	9x35	Yellow	PLT01	330



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TAP2718AW	adhesive tag for button single sheet 18x27 mm	PVC	18	27	18x27	White	PLT01	200
TAP2715AW	adhesive tag for button single sheet 15x27 mm	PVC	15	27	15x27	White	PLT01	240
TAP2715AY	adhesive tag for button single sheet 15x27 mm	PVC	15	27	15x27	Yellow	PLT01	240
TAP2715AM	adhesive tag for button single sheet 15x27 mm	PVC	15	27	15x27	Metal	PLT01	240
TAP4915AW	adhesive tag for button single sheet 15x49 mm	PVC	15	49	15x49	White	PLT01	120
TAP4915AY	adhesive tag for button single sheet 15x49 mm	PVC	15	49	15x49	Yellow	PLT01	120
TAP4915AM	adhesive tag for button single sheet 15x49 mm	PVC	15	49	15x49	Metal	PLT01	120
TAP6715AW	adhesive tag for button single sheet 15x67 mm	PVC	15	67	15x67	White	PLT01	60
TAP6715AY	adhesive tag for button single sheet 15x67 mm	PVC	15	67	15x67	Yellow	PLT01	60
TAP6715AM	adhesive tag for button single sheet 15x67 mm	PVC	15	67	15x67	Metal	PLT01	60
TAP10015AW	PVC adhesive tag 15x100 mm	PVC	15	100	15x100	White	PLT01	60
TAP10015ABL	PVC adhesive tag 15x100 mm	PVC	15	100	15x100	Blue	PLT01	60
TAP10015AR	PVC adhesive tag 15x100 mm	PVC	15	100	15x100	Red	PLT01	60
TAP10015AB	PVC adhesive tag 15x100 mm	PVC	15	100	15x100	Black	PLT01	60
TAP9015AW	adhesive PVC tag 15x90 mm	PVC	15	90	15x90	White	PLT01	60
TAP9015AB	adhesive PVC tag 15x90 mm	PVC	15	90	15x90	Black	PLT01	60
TAP9015ABL	adhesive PVC tag 15x90 mm	PVC	15	90	15x90	Blue	PLT01	60
TAP9015AR	adhesive PVC tag 15x90 mm	PVC	15	90	15x90	Red	PLT01	60
TAP2525AW	adhesive tag for equipment single sheet 25x25 mm	PVC	25	25	25x25	White	PLT01	160
TAP2525AY	adhesive tag for equipment single sheet 25x25 mm	PVC	25	25	25x25	Yellow	PLT01	160
TAP5050AW	adhesive tag for equipment single sheet 50x50 mm	PVC	50	50	50x50	White	PLT01	40
TAP5050AY	adhesive tag for equipment single sheet 50x50 mm	PVC	50	50	50x50	Yellow	PLT01	40
TAP5050AM	adhesive tag for equipment single sheet 50x50 mm	PVC	50	50	50x50	Metal	PLT01	40
TAP5085W	tag for equipment single sheet 50x85 mm	PVC	50	85	50x85	White	PLT01	20
TAP407AW	tag for tag holder PTMS CABUR 7x40 mm	PVC	40	7	7x40	White	PLT01	280
TAP1640AW	tag for tag holder PTM CABUR 16x40 mm	PVC	40	16	16x40	White	PLT01	120
TAC5313WT	tag for intercom semitransparent 53x13 mm	PVC	53	13	52x12	White	PLT01	160
TAC6615WT	tag for intercom semitransparent 66x15 mm	PVC	66	15	65x14	White	PLT01	70



Semi-rigid PVC tags for use only with **SmartPrint+**.

- Material: Semi-rigid PVC 0.7 mm halogen free
- Working temperature: -30°/60°C
- Rub resistance: CEI 16-7.
- Adhesive: 3M 99786

For standard compliance see page 4

NOTE ON USE:

place the module on the PLT with the smooth side upwards.
To mark more than 6 modules, we recommend using the TAM1715;
the software will automatically start a new line, creating a continuous line.




CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TAM1715W	modular strip for rail N°Module 1	PVC	15	17,5	15x107,5	White	PLT01	360
TAM1715Y	modular strip for rail N°Module 1	PVC	15	17,5	15x107,5	Yellow	PLT01	360
TAM1715M	modular strip for rail N°Module 1	PVC	15	17,5	15x107,5	Metal	PLT01	360
TAM1715RE	modular strip for rail N°Module 1	PVC	15	17,5	15x107,5	Red	PLT01	360
TAM1715B	modular strip for rail N°Module 1	PVC	15	17,5	15x107,5	Black	PLT01	360
TAM3515W	modular strip for rail N°Module 2	PVC	15	35	15x107,5	White	PLT01	180
TAM3515Y	modular strip for rail N°Module 2	PVC	15	35	15x107,5	Yellow	PLT01	180
TAM3515M	modular strip for rail N°Module 2	PVC	15	35	15x107,5	Metal	PLT01	180
TAM3515RE	modular strip for rail N°Module 2	PVC	15	35	15x107,5	Red	PLT01	180
TAM3515B	modular strip for rail N°Module 2	PVC	15	35	15x107,5	Black	PLT01	180
TAM5215W	modular strip for rail N°Module 3	PVC	15	52,5	15x107,5	White	PLT01	120
TAM5215Y	modular strip for rail N°Module 3	PVC	15	52,5	15x107,5	Yellow	PLT01	120
TAM5215M	modular strip for rail N°Module 3	PVC	15	52,5	15x107,5	Metal	PLT01	120
TAM5215RE	modular strip for rail N°Module 3	PVC	15	52,5	15x107,5	Red	PLT01	120
TAM5215B	modular strip for rail N°Module 3	PVC	15	52,5	15x107,5	Black	PLT01	120
TAM7015W	modular strip for rail N°Module 4	PVC	15	70	15x107,5	White	PLT01	60
TAM7015Y	modular strip for rail N°Module 4	PVC	15	70	15x107,5	Yellow	PLT01	60
TAM7015M	modular strip for rail N°Module 4	PVC	15	70	15x107,5	Metal	PLT01	60
TAM7015RE	modular strip for rail N°Module 4	PVC	15	70	15x107,5	Red	PLT01	60
TAM7015B	modular strip for rail N°Module 4	PVC	15	70	15x107,5	Black	PLT01	60
TAM8715W	modular strip for rail N°Module 5	PVC	15	87,5	15x107,5	White	PLT01	60
TAM8715Y	modular strip for rail N°Module 5	PVC	15	87,5	15x107,5	Yellow	PLT01	60
TAM8715M	modular strip for rail N°Module 5	PVC	15	87,5	15x107,5	Metal	PLT01	60
TAM10512W	non-adhesive strip for BT DIN, Bticino and Legrand	PVC	12	10,5	12x105	White	PLT01	70
TAM10715W	modular strip for rail N°Module 6	PVC	15	107,5	15x107,5	White	PLT01	60
TAM10715Y	modular strip for rail N°Module 6	PVC	15	107,5	15x107,5	Yellow	PLT01	60
TAM10715M	modular strip for rail N°Module 6	PVC	15	107,5	15x107,5	Metal	PLT01	60
TAM3515AW	adhesive modular strip N° Module 2	PVC	15	35	15x107,5	White	PLT01	180
TAM5215AW	adhesive modular strip N° Module 3	PVC	15	52,5	15x107,5	White	PLT01	120
TAM7015AW	adhesive modular strip N° Module 4	PVC	15	70	15x107,5	White	PLT01	60
TAM8715AW	adhesive modular strip N° Module 5	PVC	15	87,5	15x107,5	White	PLT01	60
TAM10512AW	adhesive modular strip for BT DIN, Bticino e Legrand	PVC	12	10,5	12x105	White	PLT01	70
TAM10715AW	adhesive modular strip N° Module 6	Adhesive PVC	15	107,5	15x107,5	White	PLT01	60
TAM10715AY	adhesive modular strip N° Module 6	Adhesive PVC	15	107,5	15x107,5	Yellow	PLT01	60
TAM10715AM	adhesive modular strip N° Module 6	Adhesive PVC	15	107,5	15x107,5	Metal	PLT01	60

The tag part can be printed with **SmartPrint+, CaburJet**. Using MarkingPro or MarkingPro XT is possible to insert information, logos, and symbols with print characters.

- Material: PC/ABS thickness 1.6 mm halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0

Trasparent Cover on page 71

For standard compliance see page 4



SMARTPRINT+

CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH	mm			
TA100060WS	panel identification tag 60x100 mm	PC/ABS	100	60	60x100	White	PLT01	10
TA100060YS	panel identification tag 60x100 mm	PC/ABS	100	60	60x100	Yellow	PLT01	10
TA100090WS	panel identification tag 90x100 mm	PC/ABS	100	90	90x100	White	PLT01	10
TA100090YS	panel identification tag 90x100 mm	PC/ABS	100	90	90x100	Yellow	PLT01	10




Semi-rigid PVC tags for use only with **SmartPrint+**.

- Material: Semi-rigid PVC 0.5 mm halogen free
- Working temperature: -30°/60°C
- Rub resistance: CEI 16-7.
- Adhesive: 3M 99786

For standard compliance see page 4

NOTE ON USE:

place the module on the PLT with the smooth side upwards



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TAP10020AW	adhesive PVC tag 100x20 mm	PVC	20	100	100x20	White	PLT01	50
TAP10020AG	adhesive PVC tag 100x20 mm	PVC	20	100	100x20	Green	PLT01	50
TAP10020ABL	adhesive PVC tag 100x20 mm	PVC	20	100	100x20	Blue	PLT01	50
TAP10020AB	adhesive PVC tag 100x20 mm	PVC	20	100	100x20	Black	PLT01	50
TAP10020AR	adhesive PVC tag 100x20 mm	PVC	20	100	100x20	Red	PLT01	50
TAP7020AW	adhesive PVC tag 70x20 mm	PVC	20	70	70X20	White	PLT01	50
TAP7020AG	adhesive PVC tag 70x20 mm	PVC	20	70	70X20	Green	PLT01	50
TAP7020ABL	adhesive PVC tag 70x20 mm	PVC	20	70	70X20	Blue	PLT01	50
TAP7020AB	adhesive PVC tag 70x20 mm	PVC	20	70	70X20	Black	PLT01	50
TAP7020AR	adhesive PVC tag 70x20 mm	PVC	20	70	70X20	Red	PLT01	50
TAP5020AW	PVC adhesive tags 20x50 mm	PVC	20	50	50x20	White	PLT01	100
TAP5020AG	PVC adhesive tags 20x50 mm	PVC	20	50	50x20	Green	PLT01	100
TAP5020ABL	PVC adhesive tags 20x50 mm	PVC	20	50	50x20	Blue	PLT01	100
TAP5020AB	PVC adhesive tags 20x50 mm	PVC	20	50	50x20	Black	PLT01	100
TAP5020AR	PVC adhesive tags 20x50 mm	PVC	20	50	50x20	Red	PLT01	100
TAP3520AW	adhesive PVC tag 20*35 mm	PVC	20	35	35x20	White	PLT01	150
TAP3520ABL	adhesive PVC tag 20*35 mm	PVC	20	35	35x20	Blue	PLT01	150
TAP3520AG	adhesive PVC tag 20*35 mm	PVC	20	35	35x20	Green	PLT01	150
TAP3520AB	adhesive PVC tag 20*35 mm	PVC	20	35	35x20	Black	PLT01	150
TAP3520AR	adhesive PVC tag 20*35 mm	PVC	20	35	35x20	Red	PLT01	150
TAP2080AW	adhesive PVC tag 20x80 mm	PVC	20	80	20x80	White	PLT01	50
TAP2080AY	adhesive PVC tag 20x80 mm	PVC	20	80	20x80	Yellow	PLT01	50
TAP2080AM	adhesive PVC tag 20x80 mm	PVC	20	80	20x80	Metal	PLT01	50
TAP3070AW	adhesive PVC tag 30x70 mm	PVC	30	70	30x70	White	PLT01	30
TAP3070AY	adhesive PVC tag 30x70 mm	PVC	30	70	30x70	Yellow	PLT01	30
TAP3070AM	adhesive PVC tag 30x70 mm	PVC	30	70	30x70	Metal	PLT01	30
TAP3070AB	adhesive PVC tag 30x70 mm	PVC	30	70	30x70	Black	PLT01	30
TAP4090AW	adhesive PVC tag 40x90 mm	PVC	40	90	40x90	White	PLT01	20
TAP4090AY	adhesive PVC tag 40x90 mm	PVC	40	90	40x90	Yellow	PLT01	20
TAP4090AM	adhesive PVC tag 40x90 mm	PVC	40	90	40x90	Metal	PLT01	20
TAP9030AW	adhesive PVC tag 30*90 mm	PVC	30	90	30x90	White	PLT01	30
TAP9030ABL	adhesive PVC tag 30*90 mm	PVC	30	90	30x90	Blue	PLT01	30
TAP9030AR	adhesive PVC tag 30*90 mm	PVC	30	90	30x90	Red	PLT01	30
TAP9030AB	adhesive PVC tag 30*90 mm	PVC	30	90	30x90	Black	PLT01	30
TAP60100AW	adhesive PVC tag 60x100 mm	PVC	60	100	60x100	White	PLT01	10
TAP60100AY	adhesive PVC tag 60x100 mm	PVC	60	100	60x100	Yellow	PLT01	10
TAP60100AM	adhesive PVC tag 60x100 mm	PVC	60	100	60x100	Metal	PLT01	10
TAP60100AG	adhesive PVC tag 60x100 mm	PVC	60	100	60x100	Green	PLT01	10
TAP60100AR	adhesive PVC tag 60x100 mm	PVC	60	100	60x100	Red	PLT01	10
TAP60100AB	adhesive PVC tag 60x100 mm	PVC	60	100	60x100	Black	PLT01	10
TAP80100AW	adhesive PVC tag 80x100 mm	PVC	80	100	80x100	White	PLT01	10
TAP80100AY	adhesive PVC tag 80x100 mm	PVC	80	100	80x100	Yellow	PLT01	10
TAP80100AM	adhesive PVC tag 80x100 mm	PVC	80	100	80x100	Metal	PLT01	10
TAP50105AW	adhesive PVC tag 50x105 mm	PVC	50	10,5	50x105	White	PLT01	20
TAP50105AB	adhesive PVC tag 50x105 mm	PVC	50	10,5	5, 50x10	Black	PLT01	20
TAP50105AY	adhesive PVC tag 50x105 mm	PVC	50	10,5	50x105	Yellow	PLT01	20
TAP50105AM	adhesive PVC tag 50x105 mm	PVC	50	10,5	50x105	Metal	PLT01	20
TAP105120AW	adhesive PVC tag 105x120 mm	PVC	105	120	105x120	White	PLT01	10
TAP105120AY	adhesive PVC tag 105x120 mm	PVC	105	120	105x120	Yellow	PLT01	10
TAP105120AM	adhesive PVC tag 105x120 mm	PVC	105	120	105x120	Metal	PLT01	10


ADHESIVE AND PERFORATED TAGS FOR ELECTRICAL PANELS



Vinyl adhesive labels for use only with **SmartPrint+**.

- Material: Adhesive Vynil halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.

For standard compliance see page 4



SMARTPRINT+

CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH	mm			
TAV60100AB	adhesive vinyl tag ID for electrical panel 60x100 mm	Vinyl	60	100	60x100	Black	PLT01	10
TAV60100AR	adhesive vinyl tag ID for electrical panel 60x100 mm	Vinyl	60	100	60x100	Red	PLT01	10
TAV60100AG	adhesive vinyl tag ID for electrical panel 60x100 mm	Vinyl	60	100	60x100	Green	PLT01	10
TAV60100AW	adhesive vinyl tag ID for electrical panel 60x100 mm	Vinyl	60	100	60x100	White	PLT01	10
TAV60100AY	adhesive vinyl tag ID for electrical panel 60x100 mm	Vinyl	60	100	60x100	Yellow	PLT01	10
TAV60100AM	adhesive vinyl tag ID for electrical panel 60x100 mm	Vinyl	60	100	60x100	Metal	PLT01	10
TAV105120AW	adhesive vinyl tag ID for electrical panel 105x120 mm	Vinyl	105	120	105x120	White	PLT01	10
TAV105120AB	adhesive vinyl tag ID for electrical panel 105x120 mm	Vinyl	105	120	105x120	Black	PLT01	10

Transparent Methacrylate Labels to be used only with **SmartPrint+**

- Material: Methacrylate 0,7mm
- Working temperature: -30°C/+60°C
- Rub resistance: CEI 16-7

NOTE ON USE:

place the module on the PLT with the smooth side upwards




CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH	mm			
TAME2715W	tag for tag holder single sheet 27x15 mm	Methacrylate	15	27	27x15	White	PLT01	240
TAME4915W	tag for tag holder single sheet 49x15 mm	Methacrylate	15	49	49x15	White	PLT01	120
TAME6715W	tag for tag holder single sheet 67x15 mm	Methacrylate	15	67	67x15	White	PLT01	60
TAME3070W	perforated label 30x70 mm	Methacrylate	30	70	28x55	White	PLT01	30
TAME3070T	Transparent perforated label 30x70 mm	Methacrylate	30	70	28x55	Transparent	PLT01	30
TAME3474T	Transparent perforated label 34x74 mm	Methacrylate	34	74	32x57	Transparent	PLT01	30
TAME60100W	perforated label 60x100 mm	Methacrylate	60	100	58x85	White	PLT01	10
TAME60100T	Transparent perforated label 60x100 mm	Methacrylate	60	100	58x85	Transparent	PLT01	10
TAME80100W	perforated label 80x100 mm	Methacrylate	80	100	65x94	White	PLT01	10
TAME80100T	Checked adhesive tag with safety imprint 80x100 mm	Methacrylate	80	100	65x94	Metal	PLT01	10

Safety imprint tags

Adhesive Polyester tags use only with **SmartPrint+**

- White material: VOID 3M 7866
- Working temperature: -40°C +120°C
- Grey material: VOID 3M 76971
- Working temperature: -40°C + 87°C
- Rub resistance: CEI 16-7



NOTE ON USE:

place the module on the PLT with the smooth side upwards

CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
SAT209AW	VOID adhesive tag with safety imprint 20x9 mm	Polyester	20	9	20x9	White	PLT01	550
SAT209AM	Checkered adhesive tag with safety imprint 20x9 mm	Polyester	20	9	20x9	Metal	PLT01	550
SAT2715AW	VOID adhesive tag with safety imprint 27x15 mm	Polyester	27	15	27x15	White	PLT01	240
SAT2715AM	Checkered adhesive tag with safety imprint 27x15 mm	Polyester	27	15	27x15	Metal	PLT01	240
SAT50105AW	VOID adhesive tag with safety imprint 50x105 mm	Polyester	50	10,5	50x105	White	PLT01	20
SAT50105AM	Checkered adhesive tag with safety imprint 50x105 mm	Polyester	50	10,5	50x105	Metal	PLT01	20
SAT60100AW	VOID adhesive tag with safety imprint 60x100 mm	Polyester	60	100	60x100	White	PLT01	10
SAT60100AM	Checkered adhesive tag with safety imprint 60x100 mm	Polyester	60	100	60x100	Metal	PLT01	10
SAT80100AW	VOID adhesive tag with safety imprint 80x100 mm	Polyester	80	100	80x100	White	PLT01	10
SAT80100AM	Checkered adhesive tag with safety imprint 80x100 mm	Polyester	80	100	80x100	Metal	PLT01	10

Semi-rigid PVC tags for use only with **SmartPrint+**.

- Material: Semi-rigid PVC halogen free
- Working temperature: -30°/60°C
- Rub resistance: CEI 16-7.

For standard compliance see page 4



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TAEM062Y	tag for emergency size 62 mm, hole diameter 22.5 mm	PVC	-	-	-	Yellow	PLT01	10
TAEM090Y	tag for emergency size 90 mm, hole diameter 22.5 mm	PVC	-	-	-	Yellow	PLT01	10

Semi-rigid PVC tags for use only with **SmartPrint+**.

- Material: Semi-rigid PVC 0.3 mm halogen free
- Working temperature: -30°/60°C
- Rub resistance: CEI 16-7.

For standard compliance see page 4

NOTE ON USE:

place the module on the PLT with the smooth side upwards



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
SIM2550W	tag for PLC Siemens Simatic 6ES7 White	PVC	25,6	50	25,6x50	White	PLT01	80
SIM2550Y	tag for PLC Siemens Simatic 6ES7 Yellow	PVC	25,6	50	25,6x50	Yellow	PLT01	80
SIM2550SG	tag for PLC Siemens Simatic 6ES7 Green	PVC	25,6	50	25,6x50	Siemens green	PLT01	80
SIM13109W	tag for PLC Siemens Simatic S7-1500 Kompakt White	PVC	12,7	109	12,7X109	White	PLT01	80
SIM13109Y	tag for PLC Siemens Simatic S7-1500 Kompakt Yellow	PVC	12,7	109	12,7X109	Yellow	PLT01	80
SIM13109SG	tag for PLC Siemens Simatic S7-1500 Kompakt Green	PVC	12,7	109	12,7X109	Siemens green	PLT01	80
SIM23109W	tag for PLC Siemens Simatic S7-1500 White	PVC	22,75	109	22,75X109	White	PLT01	40
SIM23109Y	tag for PLC Siemens Simatic S7-1500 Yellow	PVC	22,75	109	22,75X109	Yellow	PLT01	40
SIM23109SG	tag for PLC Siemens Simatic S7-1500 Green	PVC	22,75	109	22,75X109	Siemens green	PLT01	40
SIM1230W	tag for PLC Siemens Simatic S7 ET-200SP White	PVC	12,7	31	12,7X31	White	PLT01	240
SIM1230Y	tag for PLC Siemens Simatic S7 ET-200SP Yellow	PVC	12,7	31	12,7X31	Yellow	PLT01	240
SIM1230SG	tag for PLC Siemens Simatic S7 ET-200SP Green	PVC	12,7	31	12,7X31	Siemens green	PLT01	240
SIM23103W	tag for PLC Siemens Simatic S7-300 White	PVC	22,75	103,5	22,75X103,5	White	PLT01	40
SIM23103Y	tag for PLC Siemens Simatic S7-300 Yellow	PVC	22,75	103,5	22,75X103,5	Yellow	PLT01	40
SIM23103SG	tag for PLC Siemens Simatic S7-300 Green	PVC	22,75	103,5	22,75X103,5	Siemens green	PLT01	40
SIM18103W	tag for PLC Siemens Simatic S7-300 White	PVC	17,5	103,5	17,5X103,5	White	PLT01	60
SIM18103Y	tag for PLC Siemens Simatic S7-300 Yellow	PVC	17,5	103,5	17,5X103,5	Yellow	PLT01	60
SIM18103SG	tag for PLC Siemens Simatic S7-300 Green	PVC	17,5	103,5	17,5X103,5	Siemens green	PLT01	60
SIM1350W	tag I/O Siemens Simatic ET200S White	PVC	12,7	50	12,7X50	White	PLT01	160
SIM1350Y	tag I/O Siemens Simatic ET200S Yellow	PVC	12,7	50	12,7X50	Yellow	PLT01	160
SIM1350SG	tag I/O Siemens Simatic ET200S Green	PVC	12,7	50	12,7X50	Siemens green	PLT01	160




Products detectable by metal detector for industrial marking. That is, a wide range of cards that can be marked with the SMARTPRINT PLUS system for the identification of the various parts of the electrical panel that, if they accidentally ended up inside food or medicines, would be traced by metal detectors and thus blocked and discarded. This is thanks to the formula of the raw material containing a metal dissolved within the ABS. Furthermore, thanks to its blue colour, it can also be easily seen by the operator or by the control camera, thus complying with international regulations and also the HACCP system.

For use only with **SmartPrint+, CaburJet.**

- Material: metal detectable ABS
- Working temperature: -40/+80°C
- Rub resistance: CEI 16-7.

For standard compliance see page 4



TAGS FOR SLEEVES

Tags for sleeves, available in lengths from 12 to 18 mm, blue color, for use with TUB series sleeves.
Can be printed with **SmartPrint+ e CaburJet.**



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
NUT12SMD	Metal detectable tags for sleeves 12X4mm	Metal detectable ABS	12	4	4x12	Blue	PLT06	1500
NUT15SMD	Metal-detectable rigid tag for sleeve 4x15mm	Metal detectable ABS	15	4	4x15	Blue	PLT06	1500
NUT18SMD	Metal-detectable rigid tag for sleeve 4x18mm	Metal detectable ABS	18	4	4x18	Blue	PLT06	1500

WIRE-LABELLING CABLE TAGS

Wire-labelling cable tags available in length 10 mm.
Direct insertion on the wire with no need sleeves.
Colour: blue. Can be printed with **SmartPrint+**




CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
TMC101632SMD	Metal detectable wire-labelling cable tags diameter from 1,6-3,2mm	Metal detectable ABS	10	4	4x10	Blue	PLT16	1920
TMC102044SMD	Metal detectable wire-labelling cable tags diameter from 2,0-4,4mm	Metal detectable ABS	10	4	4x10	Blue	PLT16	1920

TAGS FOR CABUR TERMINAL BLOCKS

Blue tags for terminal blocks, available in lengths from 8 to 10 mm, suitable for all Cabur terminal blocks. To be used with **SmartPrint+, CaburJet**.

For standard compliance see page 4



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH	mm			
NU0851SMD	tags for Cabur terminal blocks CBC-CBD-HMM-EFC multiple mounting on CBC.2, single tags on all other sections	Metal detectable ABS	8	5	8x5	Blue	PLT15	1500
NU1051SMD	tags for Cabur terminal blocks CBC-CBD-HMM-EFC multiple mounting on CBC.2, single tags on all other sections	Metal detectable ABS	10	5	10x5	Blue	PLT00	1500
NU1061SMD	tags for Cabur terminal blocks CBC-CBD-HMM_EFC multiple mounting on CBC.4, single tags on all other sections	Metal detectable ABS	10	5	10x5	Blue	PLT00	1200
SH004SMD	pitch tags for Cabur HMM.1 terminal blocks	Metal detectable ABS	10	4,2	10x4,2	Blue	PLT13	1500
NU0835SMD	tags for Cabur terminal blocks CBC-CBD-HMM-EFC multiple mounting on CBC.2, single tags on all other sections	Metal detectable ABS	8	3,5	3,5x8	Blue	PLT17	1875
NU1035SMD	tags for Cabur terminal blocks CBC-CBD-HMM-EFC multiple mounting on CBC.2, single tags on all other sections	Metal detectable ABS	10	3,5	3,5x10	Blue	PLT17	1875

TAGS FOR OTHER TERMINAL BLOCKS



Blue terminal block tags, available in lengths from 5 to 10mm, suitable for use on Contactclip, Entrelec, Klemmsan, Legrand, Morsettitalia, Phoenix, Wago, Weidmuller, and Wieland terminal blocks. To be used with **SmartPrint+, CaburJet**.

For standard compliance see page 4


CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH	mm			
NUWDU50SMD	tag for Weidmuller terminal blocks, WDU-ZDU series, Klemmsan, Contactclip, Connectwell, and Wago 870, multiple mounting on 2.5 sections, single tag on all other section	Metal detectable ABS	10	5	5x10	Blue	PLT02	1500
NUWDK50SMD	tag for Weidmuller terminal blocks, WDK-ZDK series, multiple mounting on 2.5 sections, single tags on all other sections	Metal detectable ABS	10	5	5x10	Blue	PLT03	1500
NUPUTUK-50SMD	tag for Phoenix terminal blocks, UT-UK-ST series, multiple on Entrelec and Wago 280 2.5 sections, single tags on all other sections	Metal detectable ABS	10	5	5x10	Blue	PLT04	1500
NU0550SMD	tag for BPL-TPL terminal blocks, multiple mounting on WDU2.5	Metal detectable ABS	5	5	5x5	Blue	PLT11	1500
NUL1061SMD	tag for Legrand, Telemecanique-Schneider, Wieland terminal blocks, multiple mounting on 4 mm ² sections, single tags on all other sections.	Metal detectable ABS	10	5	5x10	Blue	PLT05	1275
NUWG051SMD	universal tag for WAGO terminal blocks	Metal detectable ABS	10	5	5x10	Blue	PLT12	1408

TAG HOLDER FOR PUSH-BUTTONS

Adhesive tags holders for push buttons



CODE	DESCRIPTION	MATERIAL	SIZE mm		PRINT AREA mm	COLOUR	PLATE	PCS PK.
			LENGTH	WIDTH				
PT3017AMD	Metal detectable adhesive tag holder for tags	Metal detectable ABS	27	15	TAP2715W/Y/M	TA2715W/Y	Blue	270
PT5217AMD	Metal detectable adhesive tag holder for tags	Metal detectable ABS	50	15	TAP4915W/Y/M	TA5015W/Y	Blue	150
PT7017AMD	Metal detectable adhesive tag holder for tags	Metal detectable ABS	67	15	TAP6715W/Y/M	TA6715W/Y	Blue	75
PTD022AMD	Metal detectable adhesive tag holder for push-buttons Ø 22	Metal detectable ABS	27	15	TAP2715W/Y/M	TA2715W/Y	Blue	270
PTD225AMD	Metal detectable adhesive tag holder for push-buttons Ø 22.5	Metal detectable ABS	27	15	TAP2715W/Y/M	TA2715W/Y	Blue	270



Guide to select the card from the terminal block

S= single use

P= use in step

A= multiple adhesive use

I= multiple interlocking use (also with adhesive)

CABUR																	
Terminal Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NULL061S	NUWG051S	NU1065*	NU1065*	TMM10210S	TMM6210S	TMM8110S	TMM9710S	TMM10510S
EFC2	P	P	S							S	S		I				
EFC4	S	S	P							S	S		I				
EFD2	P	P	S							S	S		A				
EFD4	S	S	P							S	S		A				
EFT2	P	P	S							S	S		A				
EFS2	P	P	S							S	S		A				
EFS4	S	S	P							S	S		A				
EFF4	S	S	P							S	S		A				
ABC...	S	S	S							S	S		S	P	A		
AFO...	S	S	S							S	P		A				
BPL.4					S												
BT/2	S	S	S							S	S						
BT/3	S	S	S							S	S						
BTO	S	S	S							S	S						
BTU	S	S	S							S	S					A	
CAM...	S	S	S							S	S					A	
CBC.2	P	P	S							S	S					A	
CBC.4	S	S	P							S	S					A	
CBC.6	S	S	S							S	S					A	
CBC.10	S	S	S							S	S					A	
CBC.16	S	S	S							S	S					A	
CBC.35	S	S	S							S	S					A	
CBD.2	S	S	S							P	S					A	
CBD.4	S	S	S							S	P					A	
CBD.6	S	S	S							S	S					A	
CBD.10	S	S	S							S	S					A	
CBD.16	S	S	S							S	S					A	
CBD.35	S	S	S							S	S					A	
CBD.50	S	S	S							S	S					A	
CBD.70	S	S	S							S	S					A	
CBE.2	P	P	S							S	S					A	
CBF.4	S													A		A	
CBR.2	P													A			
CBS.2	P	P	S							S	S					A	
CBS.4	S	S	P							S	S					A	
CHP.2	P	P	S							S	S					A	
CHTE.2	P	P	S							S	S						
CPF/5	S																
CVF.4	S	S	P							S	S					A	
DAS.4	S														A		
DBC.2	P	P	S							S	S					A	
DBC.4	S	S	P							S	S					A	
DSF.4	S	S	S							S	S					A	
DSFA.4	S	S	P							S	S					A	
DSS.4	S	S	P							S	S					A	
FPC.10	S	S	S							S	S					A	
FPL.10	S	S	S							S	S					A	
FVS.4	S	S	S							S	P					A	
GPA...	S	S	S							S	S						
GPM...	S	S	S							S	S						
HCD.1	S	S	S							S	S					A	
HDE.2	P	P	S							S	S					A	
HFR.4	S	S	S							S	S					A	
HLD.2	P	P	S							S	S					A	
HMD.1				P													A
HMD.2	P	P	S							S	S					A	
HMFA.2	S	S	P							S	S					A	
HMM.1				P													A
HMM.2	P	P	S							S	S					A	A
HMM.4	S	S	P							S	S					A	A
HMM.10	S	S	S							S	S					A	A
HMM.16	S	S	S							S	S					A	A
HMS.2	P	P	S							S	S					A	

CABUR																	
Terminal Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NULL061S	NUWG051S	NU1065*	NU1065*	TMM10210S	TMM6210S	TMM8110S	TMM9710S	TMM10510S
HSCB.4	S	S	P							S	S						A
HSCB.6	S	S	S							S	S						A
HTE.1				P										A			
HTE.2	P	P	S							S	S					A	
HTE.4	S	S	P							S	S					A	
HTE.6	S	S	S							S	S					A	
HTE.10	S	S	S							S	S					A	
HTE.16	S	S	S							S	S					A	
HTTE.2	P	P	S							S	S					A	A
HVPC.2	P	P	S							S	S					A	A
HVTE.2	P	P	S							S	S					A	A
MAC.6	S	S	S							S	S						A
MBL...	S	S	S							S	S						
MPFA.4	S	S	P							S	S					A	A
MPS.4	S	S	P							S	S						
PDF.2	S	S	S							S	P					A	
QBLOK...	S	S	S							S	S						
RN.2	P																
RP.4	S																A
SCB.10	S	S	S							S	S						A
SCB.4	S	S	S							S	P					A	
SCB.6	S	S	S							S	S					A	
SFR.4	S	S	S							S	S						A
SFR.4	S	S	S							S	S						A
SFR.6	S	S	S							S	S						A
SFR.6	S	S	S							S	S						A
TC/PO	S	S	S							P	S						A
TDE.2	S	S	S							S	S					A	
TE...	S	S	S							S	S						A
TEC...	S	S	S							S	S						A
TED.4	S	S	S							S	S						A
TEO.2	S	S	S							P	S						A
TEO.4	S	S	S							S	P						A
TH...	S	S	S							S	S						
TLD.2	S	S	S							S	S						A
TLE.2	S	S	S							S	S						A
TLS.2	S	S	S							S	S						A
TPL.4					S												
TR.2	S																
TR.4	S																A
VPC.2	S	S	S							S	S						A
VPD.2	S	S	S							S	S						A
RN.1																	
HPP.2																	
HPC.2																	

COD. SN008 TO ORDER PRE-PRINTED
 COD. SH001 TO ORDER PRE-PRINTED
 COD. SH001 TO ORDER PRE-PRINTED
 COD. SH001 TO ORDER PRE-PRINTED

Guide to select the card from the terminal block

S= single use

P= use in step

A= multiple adhesive use

I= multiple interlocking use (also with adhesive)

ALLEN BRADLEY / ROCKWELL AUTOMATION

Terminal Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM10210S	TMM6210S	TMM8110S	TMM9710S	TMM10510S	
1492-J3						P	P											
1492-J4						S	S											
1492-J6							S											
1492-J10						S	S											
1492-J16						S	S											
1492-J35						S	S											
1492-JD3						P	P											
1492-JD4						S	S											
1492-WTF3						P	P						A					
1492-WTS3						P	P											
1492-J3P						P	P											
1492-JD3P						P	P											
1492-H...							S											
1492-WFB4...					S												A	
1492-L2																		
1492-L3						P	P											
1492-L4						S	S											
1492-L6						S	S											
1492-L10						S	S											
1492-L16						S	S											
1492-L35						S	S											
1492-LD3						S	S											
1492-LD4						S	S											
1492-LTF3							P											
1492-LS...							P											
1492-LKD3							P											
1492-L3P							P											
1492-RFB4...							S											
1492-RAFBA...							S											
1492-LAFB6...							S											

CONNECTWELL

Terminal Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM10210S	TMM6210S	TMM8110S	TMM9710S	TMM10510S	
ADL2.5...	S							S										
CTS2.5UN	S							P										
CTS4UN	S							S										
CTS6U	S							S										
CTS10U	S							S										
CTS16U	S							S										
CTS25U	S							S										
CTS35U	S							S										
CTS50U						S												
CTS95U						S												
CSCG...	S							S										
CSFL4...	S							S										
CSC...	S							S										
CA202	S							S										
CA702	S							S										
CA802	S							S										
CGT...	S							S										

CONTACLIP

Terminal Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM10210S	TMM6210S	TMM8110S	TMM9710S	TMM10510S	
RK...						S	S											A
SRK...						S	S											A
IK...						S	S											
SL...						S	S											A
TSK...						S	S											
ZRK...						S	S											
ZSL...						S	S											
ZSRK...						S	S							I	A			
ZVMAK...						S	S											

ENTRELEC

Terminal Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM10210S	TMM6210S	TMM8110S	TMM9710S	TMM10510S	
D 2,5						P												
D ...						S												I
MA ...						S												I
ZS ...																		A

LEGRAND

Terminal Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM10210S	TMM6210S	TMM8110S	TMM9710S	TMM10510S	
WIKING 3 ...									S/P									

KLEMSAN

Terminal Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM10210S	TMM6210S	TMM8110S	TMM9710S	TMM10510S	
AVK 2,5						P	P											A
AVK ...						S	S											A
MVK ...						S	S											
PYK ...						S	S											A
YBK ...						S	S											A
MYK ...						S	S											
PIK ...						S	S											
WGL ...						S	S											
WGD ...						S	S											
KD ...						S	S											

MORSETTITALIA

Terminal Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM10210S	TMM6210S	TMM8110S	TMM9710S	TMM10510S	
EURO 2,5						P	P											
EURO ...						S	S											A
EURO Q 2.5																		

The table for the Guide to Choice, is for indicative purposes and may have differences due to the change of shape by the various producers

* only for CaburJet

Guide to select the card from the terminal block

S= single use

P= use in step

A= multiple adhesive use

I= multiple interlocking use (also with adhesive)

PHOENIX CONTACT																	
Termina Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM102105	TMM62105	TMM81105	TMM97105	TMM105105
PT1,5																	
PT2,5																	
PT ...																	
ST1,5																	
ST2,5																	
ST ...																	
QT1,5																	
QT ...																	
UT1,5																	
UT2,5																	
UT ...																	
UK1,5																	
UK2,5																	
UK ...																	
ZFK ...																	

SCHNEIDER ELECTRIC																	
Codice Morsetto	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM102105	TMM62105	TMM81105	TMM97105	TMM105105
NSYTRV ...								S/P									
NSYTRR ...								S/P									
NSYTRP ...								S/P									

WAGO																		
Termina Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM40105A	TMM102105	TMM62105	TMM81105	TMM97105	TMM105105
TOP-JOB 2000					S	S				S								I
TOP-JOB 2001					S	S	S			S								
TOP-JOB 2002					S	S	S			S			A					I
TOP-JOB 2003					S	S	S			S			A	A				
TOP-JOB 2004					S	S				S			A					I
280 - ...								S		S			A				A	
281 - ...								S		S			A					
282 - ...								S		S			A					
283 - ...								S		S			A					
284 - ...								S		S			A					
285 - ...								S		S			A					
290 - ...								S		S							A	
750 - ...							S	S		S								
870 - ...				S			S	S		S								

WEIDMULLER																	
Termina Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM102105	TMM62105	TMM81105	TMM97105	TMM105105
A series 1,5																	A
A series 2,5						P	P										A
A series ...					S	S	S								A		
AKZ ...					S	S	S										
DL ... 2,5					P	S	S										
DL ...					S	S	S										
IDK ...					S	S	S										
SAK 2,5					P	S	S										
SAK ...					S	S	S										
WDK 2,5								P									
WDK ...					S	S	S								I		
WDU 2,5					P												A
WDU ...					S	S	S										A
WFF ...					S	S	S										
WNT 2,5					P	S	S										
WNT ...					S	S	S										
WPE 2,5					P	S	S										
WPE ...					S	S	S										
ZDK 2,5					S	P	S										
ZDK ...															I		
ZDU 2,5					P										I		
ZDU ...					S	S	S								I		
ZP 2,5					P										I		
ZP ...					S	S	S										
ZS ...					S	S	S										
ZT ...					S	S	S										
ZVL 1,5					S	S	S										

WIELAND																	
Termina Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM102105	TMM62105	TMM81105	TMM97105	TMM105105
WT 2,5																	
WT ...									P								
WTP 2,5									S								
WTP ...									S								
WK 2,5									P								A
WK ...									S								A

WOERTZ																	
Termina Block Code	NU0851S	NU1051S	NU1061S	SH004S	NU0550S	NUWDU50S	NUWDK50S	NUPUTUK50S	NUL1061S	NUWG051S	NU1055*	NU1065*	TMM102105	TMM62105	TMM81105	TMM97105	TMM105105
30 ...						S	S										

The table for the Guide to Choice, is for indicative purposes and may have differences due to the change of shape by the various producers


* only for CaburJet

Cabur, through the software Marking Pro and Marking Pro XT, enables you to personalise your panel tag.

Send your request for:

- Personalised panel tags with **your Company's logo in colour** on codes TA100060-TA100090 (page 25) and TAP (page 26).
- Panel tags with **custom dimensions** at your request (max printing area 105x120 mm).

The Marking Pro and Marking Pro XT programmes will help you to personalise the tag* generating the custom tag file.



* function active through the NEW key in the formats section available for each code

Colours available: **blue, red and green.**



Tags compliant with the standards indicated on page 25.
For further information, please contact the Cabur sales office on 039-019-589991 and/or the local agency.

Ink-Jet Systems

CaburJet

Code: CABURJET - ID code: CABURJET

The CaburJet inkjet printer has a smaller size to reduce bulk and offers an innovative design, aimed at making it fast and easy to use, with no maintenance problems.

It's the ideal solution for continuous, automatic, and fast printing of:

- sleeve tags to identify wires
- tags for terminal blocks;
- tags for push-buttons;
- tags for contactors;
- modular strips for electrical distribution panels
- panel identification tags.
- **MarKing Pro** management software

This is a highly innovative solution, created to meet multiple needs **in the industrial field**, at a competitive price.

The printer has an automatic integrated feeder (SEPARATOR), which accepts all of the above mentioned products - even mixed. It is also possible to print on individual stems by simply placing them at the bottom of the feeder like a normal sheet of paper.

The feeder can hold 50 cards for a total of 3,000 NUT12 series tags (tags for 12 mm long sleeves).

After just an hour of printing, 24,000 tags are ready for use. The material used (self-extinguishing polycarbonate) for production of the cards, together with the ink, means that the card can be used almost immediately after printing, and is indelible in accordance with CEI 16-7.



CABURJET

TECHNICAL DATA

Print technology	monochromatic inkjet printing
Interface	USB 2.0
Resolution	360 Dpi
Ink	refillable bottles
Print Speed	24,000 tags per hour
Windows support	for PC systems with Windows 98 SP2 and later
Dimensions (LxWxH)	330 x 370 x 220 mm
Weight	approx. 12 Kg.
Electricity consumption	during printing, 24W max. with compressor on, 35W
Power supply voltage	115-230V

THE PACKAGE INCLUDES:

- 1 CaburJet printer
- 1 USB cable
- 1 Power cable
- 2 80 ml bottle of ink
- 1 250 ml bottle of cleaner
- 1 copy of MarKing Pro software; including a licence for 5 installations, and a digital user manual



Inserting cards into the automatic feeder and printing remnants

All cards use the automatic feeder, except for adhesive tags and plates. The feeder is very easy to use: a key on the side of the feeder guarantees articles are loaded in one way only. The last stem in the table must be present on the incomplete card in order for it to be used, and the central peg must be positioned in the groove at the centre of the printing surface. It does not need to be aligned exactly. The pushers will convey and, if necessary, straighten the incomplete card.




1 Insert the material in the feeder.



2 Print.

Inserting single sheet labels (e.g. remnants, adhesive tags and tags)

To print onto remnants or articles that cannot be used with the automatic feeder (e.g. adhesive labels), place the articles directly onto the printing surface past the pushers.



3 Print remnants.



4 Place the labels directly onto the printing surface.

ACCESSORIES AND SPARE PARTS

CODE	ID CODE	DESCRIPTION
INKBJET	INKBJET	black ink in hermetically sealed 80 ml containers
CLNRJET	CLNRJET	cleaner in hermetically sealed 250 ml containers



ADVANTAGES

PLUG & PRINT TECHNOLOGY

DOES NOT REQUIRE INSTALLATION OR CONFIGURATION

SO EASY TO USE THAT NO USER MANUAL IS NEEDED

SMALL: REDUCED SIZE FOR MINIMUM BULK

PRINTS REMNANTS

MADE FROM DURABLE STEEL AND ALUMINIUM

UNIVERSAL FEEDER

EASY ACCESS TO CHANGE THE INK - SEPARATOR

Software for marking for CaburJet and CaburPlot printing systems

MarKing Pro is an application to be used to print characters and images on tags and cards, monochromatically. It can be used with the CaburJet printer and CaburPlot plotter, among others.

The program, **which is easy to use and extremely versatile**, allows the user to define the marking parameters, with character and symbol sequences that can be adjusted to meet the needs of the users, and prints them on Cabur tags, which can be selected from a database inserted with the software.

The software allows automatic importing of data for marking of wires, terminal blocks, and equipment in general for the most common electric CADs, such as SPAC Automazione, IGE-XAO, and ELETTRON GRAPHICS.

The MarKing System makes it possible to use both the Plotter and CaburJet systems simultaneously. If used with the plotter system, the software can manage up to a maximum of 5 peripherals.

If used with Caburjet, the maximum number of peripherals that can be managed depends on the number of USB ports available on the PC.

Thanks to its **intuitive interface** and visual elements, MarKing Pro is easy to use, makes it possible to view the end result before printing, and does not require any special technical skills.

Cabur also offers a **labelling creation service**, which can be provided on the basis of files created in MarKing Pro by the customer. Send Cabur your MarKing Pro files to receive a quotation and service that provides the utmost in efficiency as well as reliable results.

Technical requirements for installation:


Platform: PC

Operating system:

- for use with CaburJet: Microsoft® Windows™ 98 SP2 or later;
- for use with CaburPlot: Microsoft® Windows™ 95 or later;

Memory: 512 MB RAM min.

Space available on hard disk: minimum 50 MB



Advantages offered by MarKing Pro

1. Quick and easy importing from electric CAD and xls, csv and txt files
2. Thanks to the universal feeder, several print jobs can be sent in a single batch
3. Option of identifying favourites and frequently used articles, to avoid choosing them each time from the general list.




Tags for sleeves, available in lengths from 12 to 23 mm, yellow or white, for use with TUB series sleeves.

Can be printed with **SmartPrint, CaburJet**.


- Material: PC/ABS thickness 1.6 mm halogen free.
- Working temperature: -40°/+80°C.
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0

For standard compliance see page 4


For use with TUB Series sleeves (see page 66)




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
NUT12S	Tags for sleeves 4x12 mm	PC/ABS	12	4	4x12	White	1500
NUT12YS	Tags for sleeves 4x12 mm	PC/ABS	12	4	4x12	Yellow	1500
NUT15S	Tags for sleeves 4x15 mm	PC/ABS	15	4	4x15	White	1500
NUT15YS	Tags for sleeves 4x15 mm	PC/ABS	15	4	4x15	Yellow	1500
NUT18S	Tags for sleeves 4x18 mm	PC/ABS	18	4	4x18	White	1500
NUT18YS	Tags for sleeves 4x18 mm	PC/ABS	18	4	4x18	Yellow	1500
NUT23S	Tags for sleeves 4x23 mm	PC/ABS	23	4	4x23	White	1500
NUT23YS	Tags for sleeves 4x23 mm	PC/ABS	23	4	4x23	Yellow	1500



TAG CARD L. 12 mm



TAG CARD L. 15 mm



TAG CARD L. 18 mm



TAG CARD L. 23 mm



TUB12



TUB15



TUB18



TUB23


NUMBER OF CHARACTERS PRINTABLE ESTIMATED BASED ON THE MOST COMMON FONTS

TAG LENGTH	NUMBER OF STANDARD CHARACTERS	NUMBER OF COMPRESSED CHARACTERS
10 mm	6	7
12 mm	7	10
15 mm	8	12
18 mm	10	14
23 mm	15	18
30 mm	20	34


Wire-labelling cable tags available in length 10 mm - 15 mm - 16 mm. Direct insertion on the wire without the need for a sleeve.
Colours: white and yellow. Can be printed with **CaburJet**.

- Material: PC/ABS halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0


For standard compliance see page 4




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		CABLE Ø mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
					min-MAX		
TMC16040WS	Wire-labelling cable tags diameter from 2.6 to 4.2 mm	ABS+PC	16	5,2	2,6-4,2	White	1080
TMC16040YS	Wire-labelling cable tags diameter from 2.6 to 4.2 mm	ABS+PC	16	5,2	2,6-4,2	Yellow	1080




TMC101632




TMC102044



TMC151632



TMC1512044



TMC16040




For a correct choice of the product, check the diameter of the cable which, for the same section, may vary depending on the type and manufacturer

White tags for terminal blocks, available in lengths from 8 to 10 mm, suited for use with all Cabur terminal blocks. To be used with **CaburJet**.

- Material: PC/ABS thickness 1.6 mm halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0

For standard compliance see page 4




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA	COLOUR	PCS BOX
			LENGTH	WIDTH	mm		
NU0800	TYPE I	PC/ABS	8	5	8x5	White	1500
NU0851S	TYPE II	PC/ABS	8	5	8x5	White	1500
NU0861	TYPE III	PC/ABS	8	5	8x5	White	1200
NU1051S	TYPE IV	PC/ABS	10	5	10x5	White	1500
NU1061S	TYPE V	PC/ABS	10	5	10x5	White	1200
NU1055	TYPE VI	PC/ABS	10	5	10x5	White	1350
NU1065	TYPE VII	PC/ABS	10	5	10x5	White	1200
SH004S	TYPE VIII	PC/ABS	10	4,2	10x4,2	White	1500


- TYPE I** tags for terminal blocks from Cabur Series CBC - CBD -HMM, universal, single tag mounting
- TYPE II** tags for Cabur terminal blocks CBC-CBD-HMM-EFC multiple mounting on CBC.2, single tags on all other sections
- TYPE III** tags for Cabur terminal blocks CBC-CBD-HMM multiple mounting on CBC.4, single tags on all other sections
- TYPE IV** tags for Cabur terminal blocks CBC-CBD-HMM_EFC multiple mounting on CBC.2, single tags on all other sections
- TYPE V** tags for Cabur terminal blocks CBC-CBD-HMM_EFC multiple mounting on CBC.4, single tags on all other sections
- TYPE VI** tags for Cabur terminal blocks CBC-CBD-HMM multiple mounting on CBD.2, single tags on all other sections
- TYPE VII** tags for Cabur terminal blocks CBC-CBD-HMM multiple mounting on CBD.4 single tags on all other sections
- TYPE VIII** pitch tags for Cabur HMM.1 terminal blocks




NU0800




NU0851S




NU0861




NU1051S




NU1061S



NU1055S*



NU1065S*



SH004S


For the correct choice of the appropriate tag, check in the table on page 33

White terminal block tags, available in lengths from 5 to 10 mm, appropriate for use on Contactclip, Entrelec, Klemmsan, Legrand, Morsettitalia, Phoenix, Wago, Weidmuller, and Wieland terminal blocks.

To be used with **CaburJet**.

- Material: PC/ABS thickness 1.6 mm halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0

For standard compliance see page 4




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
NUWDU50S	TYPE I	PC/ABS	10	5	5x10	white	1500
NUWDK50S	TYPE II	PC/ABS	10	5	5x10	white	1500
NUPUTUK50S	TYPE III	PC/ABS	10	5	5x10	white	1500
NU0550S	TYPE IV	PC/ABS	5	5	5x5	white	1500
NUL1061S	TYPE V	PC/ABS	10	5	5x10	white	1275
NUWG050	TYPE VI	PC/ABS	5	5	5x5	white	2400
NUWG051	TYPE VII	PC/ABS	10	5	5x10	white	1600

- TYPE I** tag for Weidmuller terminal blocks, WDU-ZDU series, Klemmsan, Contactclip, Connectwell, and Wago 870, multiple mounting on 2.5 sections, single tag on all other section
- TYPE II** tag for Weidmuller terminal blocks, WDK-ZDK series, multiple mounting on 2.5 sections, single tags on all other sections
- TYPE III** tag for Phoenix terminal blocks, UT-UK-ST series, multiple on Entrelec and Wago 280 2.5 sections, single tags on all other sections
- TYPE IV** tag for BPL-TPL terminal blocks, multiple mounting on WDU2.5
- TYPE V** tag for Legrand, Telemecanique-Schneider, Wieland terminal blocks, multiple mounting on 4 mm² sections, single tags on all other sections.
- TYPE VI** tag mounting pitch for WAGO 769 series, I/0750, Beckoff
- TYPE VII** universal tag for WAGO terminal blocks



NUWDU50S



NUWDK50S



NUPUTUK50S



NU0550S



NUL1061S



NUWG050




NUWG051 - NUWG051S

For the correct choice of the appropriate tag, check in the table on page 33


Appropriate for Siemens and Telemecanique series contactors
Can be printed with **CaburJet**.

- Material: PC/ABS thickness 1.6 mm halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0


For standard compliance see page 4




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
TA1808T	tag for Telemecanique contactors 9x20 mm	PC/ABS	9	20	9x20	white	375
TA207S	tag for Siemens Sirius 3R contactors 7x10 mm	PC/ABS	7	20	7x10	white	375
TA209S0	tag for Siemens, Moeller, Pilz, Festo contactors 9x20 mm	PC/ABS	9	20	9x20	white	375
TA209W	tag for slotted sleeve and rail 9x20 mm	PC/ABS	9	20	9x20	white	450
TA209Y	tag for slotted sleeve and rail 9x20 mm	PC/ABS	9	20	9x20	yellow	300
TA359W	tag for slotted sleeve TUB359 9x35 mm	PC/ABS	9	35	9x35	white	240
TAG209AW	adhesive tag for equipment 9x20 mm	PC/ABS	9	20	9x20	white	450
TAG209AY	adhesive tag for equipment 9x20 mm	PC/ABS	9	20	9x20	yellow	450



TA207S



TA209W




TA1808T



Polycarbonate labels, thickness 0.65 micron, adhesive, for use only with **CaburJet**.

- Material: polycarbonate
- Self-extinguishing of material: UL94-V0
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Adhesive: acrylic Lohmann DuploCOLL 50U E Lohmann DuploCOLL 100U
- Ageing and UV resistance: conformant with UNI EN ISO4892-1-2



CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
TA209AW	PC adhesive label for equipment single sheet 9x20 mm	PC/ABS	9	20	9x20	white	500
TA209AY	PC adhesive label for equipment single sheet 9x20 mm	PC/ABS	9	20	9x20	yellow	500
TA178AW	PC adhesive label for equipment single sheet 8x17 mm	PC	8	17	8x17	white	660
TA178AY	PC adhesive label for equipment single sheet 8x17 mm	PC	8	17	8x17	yellow	660
TA156AW	PC adhesive label for equipment single sheet 6x15 mm	PC	6	15	6x15	white	1050
TA156AY	PC adhesive label for equipment single sheet 6x15 mm	PC	6	15	6x15	yellow	1050
TA159AW	PC adhesive label for equipment single sheet 6x15 mm	PC	6	15	6x15	white	600
TA159AY	PC adhesive label for equipment single sheet 6x15 mm	PC	6	15	6x15	yellow	600
TA128AW	PC adhesive label for equipment single sheet 8x12 mm	PC	8	12	8x12	white	900
TA128AY	PC adhesive label for equipment single sheet 8x12 mm	PC	8	12	8x12	yellow	900
TA207AW	PC adhesive label for equipment single sheet 7x20 mm	PC	7	20	7x20	white	500
TA207AY	PC adhesive label for equipment single sheet 7x20 mm	PC	7	20	7x20	yellow	500
TA1517AW	PC white adhesive label for equipment single sheet 15x17 mm	PC	15	17	15x17	white	360
ST10512W	non-adhesive pc strip for BT DIN, Bticino, and Legrand 12x105 mm	PC	105	12	12x105	white	80
TA2715AW	PC adhesive label for equipment single sheet 15x27 mm	PC	15	27	15x27	white	200
TA2715AY	PC adhesive label for equipment single sheet 15x27 mm	PC	15	27	15x27	yellow	200
TA2715AM	PC adhesive label for equipment single sheet 15x27 mm	PC	15	27	15x27	metal	200
TA5015AW	PC adhesive label for equipment single sheet 15x50 mm	PC	15	50	15x50	white	100
TA5015AY	PC adhesive label for equipment single sheet 15x50 mm	PC	15	50	15x50	yellow	100
TA5015AM	PC adhesive label for equipment single sheet 15x50 mm	PC	15	50	15x50	metal	100
TA6715AW	PC adhesive label for equipment single sheet 15x67 mm	PC	15	67	15x67	white	50
TA6715AY	PC adhesive label for equipment single sheet 15x67 mm	PC	15	67	15x67	yellow	50
TA6715AM	PC adhesive label for equipment single sheet 15x67 mm	PC	15	67	15x67	metal	50


Tags for tag holders and rails, indispensable for identifying automated boards and panels. Available in white and yellow. Can be printed with **CaburJet**.

- Material: PC/ABS thickness 1.6 mm halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0


For standard compliance see page 4




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
TA2715W	tag for tag holders 27x15 mm	PC/ABS	27	15	27x15	white	270
TA2715Y	tag for tag holders 27x15 mm	PC/ABS	27	15	27x15	yellow	270
TA5015W	tag for tag holders 52x15 mm	PC/ABS	52	15	52x15	white	150
TA5015Y	tag for tag holders 52x15 mm	PC/ABS	52	15	52x15	yellow	150
TA6715W	tag for tag holders 67x15 mm	PC/ABS	67	15	67x15	white	75
TA6715Y	tag for tag holders 67x15 mm	PC/ABS	67	15	67x15	yellow	75



TA2715W



TA5015W




TA6715W

Rigid adhesive tags perfect for identifying automated boxes and panels. Available in white and yellow. Can be printed with **CaburJet**.

- Material: PC/ABS halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Adhesive: 3M468MP
- Self-extinguishing of material: UL94-V0

For standard compliance see page 4



CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
TAG2715AW	adhesive tag 27x15 mm	PC/ABS	27	15	27x15	white	270
TAG2715AY	adhesive tag 27x15 mm	PC/ABS	27	15	27x15	yellow	270
TAG5015AW	adhesive tag 52x15 mm	PC/ABS	52	15	52x15	white	150
TAG5015AY	adhesive tag 52x15 mm	PC/ABS	52	15	52x15	yellow	150
TAG6715AW	adhesive tag 67x15 mm	PC/ABS	67	15	67x15	white	75
TAG6715AY	adhesive tag 67x15 mm	PC/ABS	67	15	67x15	yellow	75

Strips for rails are created for identification of energy distribution boards with a length of 105 mm, corresponding to 6 DIN cards (17.5 mm).

Each card consists of 5 strips (30 DIN cards) and is special because it is pre-notched in the part underneath the individual cards (17.5 mm), so that the user can create individual 17.5 mm tags or multiples.

Available in white and yellow.


Can be printed with **CaburJet**.

- Material: PC/ABS thickness 1.6 mm halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Adhesive: 3M468 (when indicated)
- Self-extinguishing of material: UL94-V0




For standard compliance see page 4

CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA	COLOUR	PCS BOX
			LENGTH	WIDTH			
					mm		
ST105W	modular strip for rail BIN043015 - BIN100015 105x15 mm	PC/ABS	105	15	105x15	white	75
ST105Y	modular strip for rail BIN043015 - BIN100015 105x15 mm	PC/ABS	105	15	105x15	yellow	75
ST105AW	modular adhesive strip 105x15 mm	PC/ABS	105	15	105x15	white	75
ST105AY	modular adhesive strip 105x15 mm	PC/ABS	105	15	105x15	yellow	75



Detail of the lower surface of the strip.




Detail of the lower surface of the adhesive strip.

Appropriate for identifying energy distribution boards. Due to the high degree of adhesiveness, they are particularly recommended for use with boards painted in high-gloss. Only for printing with **CaburJet**.

- Material: polycarbonate
- Self-extinguishing of material: UL94-V0
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Halogen: HF
- Adhesive: acrylic Lohmann DuploCOLL 50U E Lohmann DuploCOLL 100U
- Ageing and UV resistance: conformant with UNI EN ISO4892-1-2

For standard compliance see page 4




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
TA2080AW	adhesive PC tag for equipment 20x80 mm	PC	20	80	20x80	white	40
TA2080AY	adhesive PC tag for equipment 20x80 mm	PC	20	80	20x80	yellow	40
TA2080AM	adhesive PC tag for equipment 20x80 mm	PC	20	80	20x80	metal	40
TA3070AW	adhesive PC tag for equipment 30x70 mm	PC	30	70	30x70	white	40
TA3070AY	adhesive PC tag for equipment 30x70 mm	PC	30	70	30x70	yellow	30
TA3070AM	adhesive PC tag for equipment 30x70 mm	PC	30	70	30x70	metal	30
TA4090AW	adhesive PC tag for equipment 40x90 mm	PC	40	90	40x90	white	20
TA4090AY	adhesive PC tag for equipment 40x90 mm	PC	40	90	40x90	yellow	20
TA4090AM	adhesive PC tag for equipment 40x90 mm	PC	40	90	40x90	metal	20
TA60100AW	adhesive PC tag for equipment 60x100 mm	PC	60	100	60x100	white	10
TA60100AY	adhesive PC tag for equipment 60x100 mm	PC	60	100	60x100	yellow	10
TA60100AM	adhesive PC tag for equipment 60x100 mm	PC	60	100	60x100	metal	10
TA80100AW	adhesive PC tag for equipment 80x100 mm	PC	80	100	80x100	white	10
TA80100AY	adhesive PC tag for equipment 80x100 mm	PC	80	100	80x100	yellow	10
TA80100AM	adhesive PC tag for equipment 80x100 mm	PC	80	100	80x100	metal	10
TA407AW	adhesive tag for PTMS tag holder 7x40 mm	PC	7	40	7x40	white	360
TA1640AW	adhesive tag for PTM tag holder 16x40 mm	PC	16	40	16x40	white	150

The tag part can be printed with **SmartPrint+, CaburJet**. Using MarkingPro or MarkingPro XT is possible to insert information, logos, and symbols with print characters.

- Material: PC/ABS thickness 1.6 mm halogen free
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.
- Self-extinguishing of material: UL94-V0

Trasparent Cover on page 71

For standard compliance see page 4



CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
TA100060WS	panel identification tag 60x100 mm	PC/ABS	100	60	60x100	white	10
TA100060YS	panel identification tag 60x100 mm	PC/ABS	100	60	60x100	yellow	10
TA100090WS	panel identification tag 90x100 mm	PC/ABS	100	90	90x100	white	10
TA100090YS	panel identification tag 90x100 mm	PC/ABS	100	90	90x100	yellow	10



Thermal Transfer Roll Printing Systems

SmartRoll Plus

Code: SMARTROLLPLUS

Marking: SMARTROLLPLUS

The new thermal transfer printer SmartRoll Plus is the quickest and easiest solution to guarantee fast production of labels, in roll version, perfectly defined thanks to its 300 dpi resolution.

In addition to printing speed, SmartRoll Plus also guarantees fast consumable replacement and is designed for high print volumes, adapting to any working environment.

Precise in all details, it guarantees maximum silence during performance.

Equipped with a colour touch screen display, it is the ideal solution for continuous and fast printing on tube cards for cable identification adhesive cable marker labels contactor/contactor tags

SmartRoll Plus, with its built-in Ethernet socket, can be shared online and used in parallel by multiple PCs, creating jobs with the dedicated Marking Pro XT software which requires no licence.



TECHNICAL DATA

Code	SMARTROLLPLUS
Dimensions	252 mm x 460 mm x 288 mm
Weight	10 kg
Display	Color display touch
Interfaces	USB 2.0, internal Ethernet, RS-232-C
Resolution	300 dpi
Printing speed	up to 300 mm/sec
Windows support	Vista, 7, 8, 8.1, 10, 11
Excercise temperature	5° / 40° C
Print area	108.4 mm
Ribbon	high resistance resin

PACK INCLUDE

- 1 Smartroll Plus printer
- 1 USB cable
- 1 alimentation cable
- 1 Marking Pro XT software with user manual includes
- 1 300m black ribbon RSR300BK

Monochromatic ribbons

Monochromatic resin ribbons for SmartRoll printer.

Rub resistance: CEI 16-7.



SMARTROLL+

Internal detail with ribbon and consumables.

CODE	DESCRIPTION	MATERIAL	DIMENSION		COLOUR	PCS PACK
			LENGTH	WIDTH		
RSR300BK	SmartRoll 300-meters Black Ribbon	resin	300 m	110 mm	Black	1
RSR300RD	SmartRoll 300-meters Ribbon	resin	300 m	110 mm	Red	1



300 meters long print ribbon, fundamental to guarantee indelibility and resistance of text to UV rays according to the legislation. For more information please see page 4.



Software for marking for SmartPrint+ and SmartRoll+ printing systems

MarKing Pro XT is a software application for printing characters and images on tags and cards. It can be used with the SmartPrint Plus and SmartRoll Plus printers.

The software can support the use of both devices, also at the same time, and using it does not require particular IT skills. The programme, which is easy to use and extremely versatile, allows the user to define the marking parameters, with character and symbol sequences that can be adjusted to meet the needs of the user, and prints them on Cabur tags, which can be selected from a database included in the software.

MarKing Pro XT allows direct extraction of data from Excel, csv, txt etc. files and supports the Unicode format. In addition, the software is capable of automatic importing of data for marking of terminal blocks.

Thanks to its intuitive interface and visual elements, MarKing Pro XT is easy to use, and enables previewing of the end result before printing. Cabur offers a marking service, which can be provided on the basis of files created in MarKing Pro XT by the customer. Send Cabur your MarKing Pro XT files to receive a quotation and service that provides the utmost in efficiency and guarantees reliable results.



Technical requirements for installation:

Platform: PC

Operating system:

- for use with SmartPrint: Microsoft® Windows™ 7 or later;

- for use with SmartRoll: Microsoft® Windows™ 7 or later;

Memory: min. 2 Gb RAM


Flat cable tags on rolls, available in lengths:
10 - 15 - 23 - 30 mm, in the colours white and yellow, for use with
TUBFL series sleeves. Can be printed with **SmartRoll+**.

- Material: Semi-rigid PVC thickness 0.4 mm
- Working temperature: -40°/+80°C
- Rub resistance: CEI 16-7.


For standard compliance see page 4

For use with TUB Series sleeves (see page 67)

Products compatible with the Rolly3000 printer
by Cembre spa.



CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
NUT10RW	Flat sleeve tag 4x10 mm	PVC	10	4	4x10	White	12000
NUT10RWC	Flat sleeve tag 4x10 mm	PVC	10	4	4x10	White	16356
NUT10RYC	Flat sleeve tag 4x10 mm	PVC	10	4	4x10	Yellow	16356
NUT12RWC	Flat sleeve tag 4x12 mm	PVC	12	4	4x12	White	12552
NUT12RYC	Flat sleeve tag 4x12 mm	PVC	12	4	4x12	Yellow	12552
NUT15RW	Flat sleeve tag 4x15 mm	PVC	15	4	4x15	White	10200
NUT15RWC	Flat sleeve tag 4x15 mm	PVC	15	4	4x15	White	12552
NUT15RYC	Flat sleeve tag 4x15 mm	PVC	15	4	4x15	Yellow	12552
NUT23RW*	Flat sleeve tag 4x23 mm	PVC	23	4	4x23	White	12000
NUT30RW*	Flat sleeve tag 4x30 mm	PVC	30	4	4x30	White	6000
NUT30RWC	Flat sleeve tag 4x30 mm	PVC	30	4	4x30	White	6270
NUT30RYC	Flat sleeve tag 4x30 mm	PVC	30	4	4x30	Yellow	6270




Cable-marking labels on rolls suitable for marking cables and sleeves.

Can be printed with **SmartRoll+**.

- Material: Opaque transparent polyester
- Working temperature: -40°C to +150°C
- Rub resistance: CEI 16-7.

For standard compliance see page 4




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA	COLOUR	PCS BOX
			LENGTH	WIDTH	mm		
ESA3815RW	adhesive cable-marking label, wrappable diameter 4.3-7mm	Opaque transparent polyester	38	15	10x15	White	6000
ESA3823RW	adhesive cable-marking label, wrappable diameter 4.3-7mm	Opaque transparent polyester	38	23	10x23	White	4800
ESA5015RW	adhesive cable-marking label, wrappable diameter 6-10 mm	Opaque transparent polyester	50	15	15x15	White	4500
ESA5023RW	adhesive cable-marking label, wrappable diameter 6-10 mm	Opaque transparent polyester	50	23	15x23	White	3600
ESA7515RW	adhesive cable-marking label, wrappable diameter 8-14mm	Opaque transparent polyester	75	15	25x15	White	3000
ESA7523RW	adhesive cable-marking label, wrappable diameter 8-14mm	Opaque transparent polyester	75	23	25x23	White	2400
ESA10015RW	adhesive cable-marking label, wrappable diameter 12-20mm	Opaque transparent polyester	100	15	25x15	White	2400
ESA10023RW	adhesive cable-marking label, wrappable diameter 12-20mm	Opaque transparent polyester	100	23	25x23	White	1920



Vinyl adhesive labels on rolls for use only with **SmartRoll+**.

- Material: Polyester
- Self-extinguishing: V0 sec. UL 94 - only white
- Working temperature: -40 to +150°C
- Rub resistance: CEI 16-7.

For standard compliance see page 4




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		PRINT AREA mm	COLOUR	PCS BOX
			LENGTH	WIDTH			
TA156RAW	polyester label for equipment 6x15 mm	Polyester	6	15	6x15	Yellow	10000
TA156RAY	polyester label for equipment 7x20 mm	Polyester	6	15	6x15	White	10000
TA207RAW	polyester label for equipment 7x20 mm	Polyester	7	20	7x20	Yellow	10000
TA207RAY	polyester label for equipment 8x17 mm	Polyester	7	20	7x20	White	10000
TA178RAW	polyester label for equipment 8x17 mm	Polyester	8	17	8x17	Yellow	10000
TA178RAY	polyester label for equipment 9x20 mm	Polyester	8	17	8x17	White	10000
TA209RAW	polyester label for equipment 9x20 mm	Polyester	9	20	9x20	Yellow	10000
TA209RAY	polyester label for equipment 19x38 mm	Polyester	9	20	9x20	White	10000
TA3819RAW	polyester label for equipment 25,7x50 mm	Polyester	19	38	19x38	Metal	2500
TA50257RAM	polyester label for equipments 50x30 mm	Polyester	25,7	50	25,7x50	White	4200
TA5030RAW	polyester label for equipments 50x30 mm	Polyester	30	50	30x50	Metal	2420
TA5030RAM	polyester label for equipment 60x100 mm	Polyester	30	50	30x50	White	2420
TA60100RAW	polyester label for equipment 60x100 mm	Polyester	60	100	60x100	Metal	1850
TA60100RAM	PVC label for equipment 22x110 mm	Adhesive PVC	60	100	60x100	White	1850
TAP11022RAW	PVC label for equipment 105x180 mm	Adhesive PVC	22	110	22x110	White	3000
TAP105180RAW	Checked adhesive tag with safety imprint 36,5x89 mm	Polyester	105	180	105x180	Metal	500
SAT89365RAM	targhetta adesiva con impronta di sicurezza a scacchiera 36,5x89 mm	Poliestere	36,5	89	36,5x89	Metallico	1000

Blank lined area for notes.


Manual Numbering

CABUR FAST3 to mark wires with a single character
Makes it possible to identify a wire by combining the various available characters.

- Material: polyamide - V2
- Wire cross-sections for identification: from 0.5 to 6 mm²



SEZIONE	DIMENSIONI mm			
Codice	A	B	P	H
S1	4,6	3	4,8	6,55
S2	5,4	3	6,2	9,4
S3	7,6	3	6,2	9,4




SYMBOL	SYMBOL COLOUR	SYMBOL BACKGROUND	CODE S1 CABLE SECTION 0,5-1,5 mm ²	CODE S2 CABLE SECTION 1,5-2,5 mm ²	CODE S3 CABLE SECTION 4-6 mm ²
0	white	black	CAF3N0S1	CAF3N0S2	CAF3N0S3
1	white	brown	CAF3N1S1	CAF3N1S2	CAF3N1S3
2	white	red	CAF3N2S1	CAF3N2S2	CAF3N2S3
3	black	orange	CAF3N3S1	CAF3N3S2	CAF3N3S3
4	black	yellow	CAF3N4S1	CAF3N4S2	CAF3N4S3
5	white	green	CAF3N5S1	CAF3N5S2	CAF3N5S3
6	black	blue	CAF3N6S1	CAF3N6S2	CAF3N6S3
7	white	purple	CAF3N7S1	CAF3N7S2	CAF3N7S3
8	black	grey	CAF3N8S1	CAF3N8S2	CAF3N8S3
9	black	white	CAF3N9S1	CAF3N9S2	CAF3N9S3
A	black	yellow	CAF3LAS1	CAF3LAS2	CAF3LAS3
B	black	yellow	CAF3LBS1	CAF3LBS2	CAF3LBS3
C	black	yellow	CAF3LCS1	CAF3LCS2	CAF3LCS3
D	black	yellow	CAF3LDS1	CAF3LDS2	CAF3LDS3
E	black	yellow	CAF3LES1	CAF3LES2	CAF3LES3
F	black	yellow	CAF3LFS1	CAF3LFS2	CAF3LFS3
G	black	yellow	CAF3LGS1	CAF3LGS2	CAF3LGS3
H	black	yellow	CAF3LHS1	CAF3LHS2	CAF3LHS3
I	black	yellow	CAF3LIS1	CAF3LIS2	CAF3LIS3
J	black	yellow	CAF3LJS1	CAF3LJS2	CAF3LJS3
K	black	yellow	CAF3LKS1	CAF3LKS2	CAF3LKS3
L	black	yellow	CAF3LLS1	CAF3LLS2	CAF3LLS3
M	black	yellow	CAF3LMS1	CAF3LMS2	CAF3LMS3
N	black	yellow	CAF3LNS1	CAF3LNS2	CAF3LNS3
O	black	yellow	CAF3LOS1	CAF3LOS2	CAF3LOS3
P	black	yellow	CAF3LPS1	CAF3LPS2	CAF3LPS3
Q	black	yellow	CAF3LQS1	CAF3LQS2	CAF3LQS3
R	black	yellow	CAF3LRS1	CAF3LRS2	CAF3LRS3
S	black	yellow	CAF3LSS1	CAF3LSS2	CAF3LSS3
T	black	yellow	CAF3LTS1	CAF3LTS2	CAF3LTS3
U	black	yellow	CAF3LUS1	CAF3LUS2	CAF3LUS3
V	black	yellow	CAF3LVS1	CAF3LVS2	CAF3LVS3
W	black	yellow	CAF3LWS1	CAF3LWS2	CAF3LWS3
X	black	yellow	CAF3LXS1	CAF3LXS2	CAF3LXS3
Y	black	yellow	CAF3LYS1	CAF3LYS2	CAF3LYS3
Z	black	yellow	CAF3LZS1	CAF3LZS2	CAF3LZS3
+	black	yellow	CAF3SPLS1	CAF3SPLS2	CAF3SPLS3
-	black	yellow	CAF3SMIS1	CAF3SMIS2	CAF3SMIS3
*	black	yellow	CAF3SXS1	CAF3SXS2	CAF3SXS3
(black	yellow	CAF3SPAS1	CAF3SPAS2	CAF3SPAS3
.	black	yellow	CAF3SPUS1	CAF3SPUS2	CAF3SPUS3
/	black	yellow	CAF3SBAS1	CAF3SBAS2	CAF3SBAS3
	black	yellow	CAF3SEAS1	CAF3SEAS2	CAF3SEAS3

Polyvinyl chloride rings, highly elastic, semi-cut.
Makes it possible to identify a wire by combining the various available characters.
Colours: black characters on white background.




CODE	DESCRIPTION	MATERIAL	MIN EXT ∅	MAX EXT ∅	BG COLOUR	CHR COLOUR	PCS X BOX
IDAC	-	PVC	-	0,8	white	black	1000
IDAC	-	PVC	-	1,5	white	black	1000
IDAC	-	PVC	-	2	white	black	1000
IDAC	-	PVC	-	2,5	white	black	1000
IDAC	-	PVC	-	3	white	black	1000
IDAC	-	PVC	-	3,5	white	black	500
IDAC	-	PVC	-	4,5	white	black	500
IDAC	-	PVC	-	6	white	black	500

HOW TO CREATE THE CODE FOR LETTERS AND NUMBERS



EXAMPLE To request the "5" number on a white ring diameter 0.8 the code will be IDAC5W08

COME FORMARE IL CODICE PER I SIMBOLI




EXAMPLE To request the "+" symbol on a white ring diameter 0.8 the code will be IDAC08WP

"Straddle" type tags, quick connect, which make it possible to create identification codes, including alphanumeric codes for circuits. The tags insert directly into polyamide terminal blocks. Melamine terminal blocks require special adaptors.



CODE	ID CODE TABLE (100 ELEMENTS)	MARKING	MATERIAL
CSC00	CSC	blank	-
CS000	CSC/00	0	-
CS111	CSC/11	1	-
CS222	CSC/22	2	-
CS333	CSC/33	3	-
CS444	CSC/44	4	-
CS555	CSC/55	5	-
CS666	CSC/66	6	-
CS777	CSC/77	7	-
CS888	CSC/88	8	-
CS999	CSC/99	9	-
CSC09	CSC/09	0-1-2-3-4-5-6-7-8-9	-
CSAAA	CSC/AA	A	-
CSBBB	CSC/BB	B	-
CSCCC	CSC/CC	C	-
CSDDD	CSC/DD	D	-
CSEEE	CSC/EE	E	-
CSFFF	CSC/FF	F	-
CSGGG	CSC/GG	G	-
CSHHH	CSC/HH	H	-
CSIII	CSC/II	I	-
CSJJJ	CSC/JJ	J	-
CSKKK	CSC/KK	K	-
CSLLL	CSC/LL	L	-
CSMMM	CSC/MM	M	-
CSNNN	CSC/NN	N	-
CSPPP	CSC/PP	P	-
CSQQQ	CSC/QQ	Q	-
CSRRR	CSC/RR	R	-
CSSSS	CSC/SS	S	-
CSTTT	CSC/TT	T	-
CSUUU	CSC/UU	U	-
CSVVV	CSC/VV	V	-
CSWWW	CSC/WW	W	-
CSXXX	CSC/XX	X	-
CSYYY	CSC/YY	Y	-
CSZZZ	CSC/ZZ	Z	-
CS00A	CSC/aa	a	-
CS00B	CSC/bb	b	-
CS00C	CSC/cc	c	-
CS00D	CSC/dd	d	-
CS00E	CSC/ee	e	-
CS00F	CSC/ff	f	-

CODE	ID CODE TABLE (100 ELEMENTS)	MARKING	MATERIAL
CS00G	CSC/gg	g	-
CS00H	CSC/hh	h	-
CS00I	CSC/ii	i	-
CS00J	CSC/jj	j	-
CS00K	CSC/kk	k	-
CS00L	CSC/ll	l	-
CS00M	CSC/mm	m	-
CS00N	CSC/nn	n	-
CS00O	CSC/oo	o	-
CS00P	CSC/pp	p	-
CS00Q	CSC/qq	q	-
CS00R	CSC/rr	r	-
CS00S	CSC/ss	s	-
CS00T	CSC/tt	t	-
CS00U	CSC/uu	u	-
CS00V	CSC/vv	v	-
CS00W	CSC/ww	w	-
CS00X	CSC/xx	x	-
CS00Y	CSC/yy	y	-
CS00Z	CSC/zz	z	-
CS0G1	CSC/G1	=	-
CS0G2	CSC/G2	+	-
CS0G3	CSC/G3	-	-
CS0G4	CSC/G4	~	-
CS0G5	CSC/G5	⊕	-
CS0G6	CSC/G6	⊥	-
CS0G7	CSC/G7	-	-
CS0G8	CSC/G8	/	-
CS0G9	CSC/G9	(-



Identifying tag

- Material: white PVC
- Bilingual Italian - English
- Appropriate for identification of wire bundles.



CODE	DESCRIPTION	MATERIAL	DIMENSION mm		COLOUR	PCS BOX
			LENGTH	WIDTH		
IDEN01	identification tag for wire bundles	PVC	100	40	White	100

Pens for CB/CTL writing

Thin, water-resistant, available in black and red, these are appropriate for marking tags that are not marked, including IDEN01-type identifying tags.




CODE	DESCRIPTION	MATERIAL	DIMENSION mm		COLOUR	PCS BOX
			LENGTH	WIDTH		
CT004	black pen	-	-	-	Black	12
CT006	red pen	-	-	-	Red	12

Blank lined area for notes.

Supports

Transparent PVC sleeve, width 4 mm, available in lengths from 12 to 23 mm, for use with **NUT** series tags and **CAB117** series tags. Appropriate for identification of wire diameters from 1 to 20 mm.

- Material: PVC (polyvinyl chloride)
- Self-extinguishing: UL94-V0
- Working temperature: -40°/+80°C



CODE	DESCRIPTION	MATERIAL	TAG SIZE IN mm		CABLE ϕ min	CABLE ϕ MAX	COLOUR	PCS BOX
			LENGTH	WIDTH	mm	mm		
TUB1200	transparent sleeve for rigid tags L 12 mm	PVC	12	4	1	2	transparent	1000
TUB1201	transparent sleeve for rigid tags L 12 mm	PVC	12	4	1,5	2,5	transparent	3000
TUB1202	transparent sleeve for rigid tags L 12 mm	PVC	12	4	2,5	4	transparent	3000
TUB1203	transparent sleeve for rigid tags L 12 mm	PVC	12	4	4	6	transparent	1000
TUB1204	transparent sleeve for rigid tags L 12 mm	PVC	12	4	6	9,5	transparent	500
TUB1205	transparent sleeve for rigid tags L 12 mm	PVC	12	4	10	14	transparent	500
TUB1206	transparent sleeve for rigid tags L 12 mm	PVC	12	4	14	20	transparent	200
TUB1500	transparent sleeve for rigid tags L 15 mm	PVC	15	4	1	2	transparent	1000
TUB1501	transparent sleeve for rigid tags L 15 mm	PVC	15	4	1,5	2,5	transparent	3000
TUB1502	transparent sleeve for rigid tags L 15 mm	PVC	15	4	2,5	4	transparent	3000
TUB1503	transparent sleeve for rigid tags L 15 mm	PVC	15	4	4	6	transparent	1000
TUB1504	transparent sleeve for rigid tags L 15 mm	PVC	15	4	6	9,5	transparent	500
TUB1505	transparent sleeve for rigid tags L 15 mm	PVC	15	4	10	14	transparent	500
TUB1506	transparent sleeve for rigid tags L 15 mm	PVC	15	4	14	20	transparent	200
TUB1800	transparent sleeve for rigid tags L 18 mm	PVC	18	4	1	2	transparent	1000
TUB1801	transparent sleeve for rigid tags L 18 mm	PVC	18	4	1,5	2,5	transparent	3000
TUB1802	transparent sleeve for rigid tags L 18 mm	PVC	18	4	2,5	4	transparent	3000
TUB1803	transparent sleeve for rigid tags L 18 mm	PVC	18	4	4	6	transparent	1000
TUB1804	transparent sleeve for rigid tags L 18 mm	PVC	18	4	6	9,5	transparent	500
TUB1805	transparent sleeve for rigid tags L 18 mm	PVC	18	4	10	14	transparent	500
TUB1806	transparent sleeve for rigid tags L 18 mm	PVC	18	4	14	20	transparent	200
TUB2300	transparent sleeve for rigid tags L 23 mm	PVC	23	4	1	2	transparent	1000
TUB2301	transparent sleeve for rigid tags L 23 mm	PVC	23	4	1,5	2,5	transparent	3000
TUB2302	transparent sleeve for rigid tags L 23 mm	PVC	23	4	2,5	4	transparent	3000
TUB2303	transparent sleeve for rigid tags L 23 mm	PVC	23	4	4	6	transparent	1000
TUB2304	transparent sleeve for rigid tags L 23 mm	PVC	23	4	6	9,5	transparent	500
TUB2305	transparent sleeve for rigid tags L 23 mm	PVC	23	4	10	14	transparent	500
TUB2306	transparent sleeve for rigid tags L 23 mm	PVC	23	4	14	20	transparent	100




For a correct choice of the product, check the diameter of the cable which, for the same section, may vary depending on the type and manufacturer

Transparent PVC sleeve, width 4 mm, available in lengths from 10 to 30 mm, for use with **NUTFL** series tags, **NUTRW** series tags and **NUT** series tags.

Suitable for identifying cable sections from a minimum of 0.25 mm² up to a maximum of 50 mm².

- Material: PVC (polyvinyl chloride)
- Working temperature: -40°/+80°C



CODE	DESCRIPTION	MATERIAL	TAG SIZE IN mm		CABLE Ø min	CABLE Ø MAX	COLOUR	PCS BOX
			LENGTH	WIDTH	mm	mm		
TUB1001FL	transparent sleeve for flat tags L 10 mm	PVC	10	4	1,5	2,5	transparent	3000
TUB1002FL	transparent sleeve for flat tags L 10 mm	PVC	10	4	2,5	4	transparent	3000
TUB1003FL	transparent sleeve for flat tags L 10 mm	PVC	10	4	4	6	transparent	1000
TUB1004FL	transparent sleeve for flat tags L 10 mm	PVC	10	4	6	9,5	transparent	500
TUB1005FL	transparent sleeve for flat tags L 10 mm	PVC	10	4	10	14	transparent	500
TUB1006FL	transparent sleeve for flat tags L 10 mm	PVC	10	4	14	20	transparent	200
TUB1201FL	transparent sleeve for flat tags L 12 mm	PVC	12	4	1,5	2,5	transparent	3000
TUB1202FL	transparent sleeve for flat tags L 12 mm	PVC	12	4	2,5	4	transparent	3000
TUB1203FL	transparent sleeve for flat tags L 12 mm	PVC	12	4	4	6	transparent	1000
TUB1204FL	transparent sleeve for flat tags L 12 mm	PVC	12	4	6	9,5	transparent	500
TUB1205FL	transparent sleeve for flat tags L 12 mm	PVC	12	4	10	14	transparent	500
TUB1206FL	transparent sleeve for flat tags L 12 mm	PVC	12	4	14	20	transparent	200
TUB1501FL	transparent sleeve for flat tags L 15 mm	PVC	15	4	1,5	2,5	transparent	3000
TUB1502FL	transparent sleeve for flat tags L 15 mm	PVC	15	4	2,5	4	transparent	3000
TUB1503FL	transparent sleeve for flat tags L 15 mm	PVC	15	4	4	6	transparent	1000
TUB1504FL	transparent sleeve for flat tags L 15 mm	PVC	15	4	6	9,5	transparent	500
TUB1505FL	transparent sleeve for flat tags L 15 mm	PVC	15	4	10	14	transparent	500
TUB1506FL	transparent sleeve for flat tags L 15 mm	PVC	15	4	14	20	transparent	200
TUB1801FL	transparent sleeve for flat tags L 18 mm	PVC	18	4	1,5	2,5	transparent	3000
TUB1802FL	transparent sleeve for flat tags L 18 mm	PVC	18	4	2,5	4	transparent	3000
TUB1803FL	transparent sleeve for flat tags L 18 mm	PVC	18	4	4	6	transparent	1000
TUB1804FL	transparent sleeve for flat tags L 18 mm	PVC	18	4	6	9,5	transparent	500
TUB1805FL	transparent sleeve for flat tags L 18 mm	PVC	18	4	10	14	transparent	500
TUB1806FL	transparent sleeve for flat tags L 18 mm	PVC	18	4	14	20	transparent	200
TUB2301FL	transparent sleeve for flat tags L 23 mm	PVC	23	4	1,5	2,5	transparent	3000
TUB2302FL	transparent sleeve for flat tags L 23 mm	PVC	23	4	2,5	4	transparent	3000
TUB2303FL	transparent sleeve for flat tags L 23 mm	PVC	23	4	4	6	transparent	1000
TUB2304FL	transparent sleeve for flat tags L 23 mm	PVC	23	4	6	9,5	transparent	500
TUB2305FL	transparent sleeve for flat tags L 23 mm	PVC	23	4	10	14	transparent	500
TUB2306FL	transparent sleeve for flat tags L 23 mm	PVC	23	4	14	20	transparent	100
TUB3001FL	transparent sleeve for flat tags L 30 mm	PVC	30	4	1,5	2,5	transparent	3000
TUB3002FL	transparent sleeve for flat tags L 30 mm	PVC	30	4	2,5	4	transparent	3000
TUB3003FL	transparent sleeve for flat tags L 30 mm	PVC	30	4	4	6	transparent	1000
TUB3004FL	transparent sleeve for flat tags L 30 mm	PVC	30	4	6	9,5	transparent	500
TUB3005FL	transparent sleeve for flat tags L 30 mm	PVC	30	4	10	14	transparent	500
TUB3006FL	transparent sleeve for flat tags L 30 mm	PVC	30	4	14	20	transparent	100

For a correct choice of the product, check the diameter of the cable which, for the same section, may vary depending on the type and manufacturer

Transparent PVC sleeve for use with plastic tie for fixed on cable


- Material: PVC (polyvinyl chloride)
- Self-extinguishing: UL94-V0
- Working temperature: -40°/+80°C



CODE	DESCRIPTION	MATERIAL	TAG SIZE IN mm		USE SP	USE CJ	COLOUR	PCS BOX
			LENGTH	WIDTH				
TUF12	slotted sleeve 12x4 mm	PVC	12	4	NUT12S/FL	NUT12S	transparent	2000
TUF18	slotted sleeve 18x4 mm	PVC	18	4	NUT18S/FL	NUT18S	transparent	2000
TUF23	slotted sleeve 23x4 mm	PVC	23	4	NUT23S/FL	NUT23S	transparent	1000
TUF30	slotted sleeve 30x4 mm	PVC	30	4	NUT30FL	-	transparent	1000
TUB209	slotted sleeve 20x9 mm	PVC	20	9	TAP209W/Y	TA209W/Y	transparent	1000
TUB359	slotted sleeve 35x9 mm	PVC	35	9	TAP359W/Y	TA359W	transparent	500
TUB2715	slotted sleeve 27x15 mm	PVC	27	15	TAP2715W/Y/M	TA2715W/Y	transparent	500
TUB5015	slotted sleeve 52x15 mm	PVC	52	15	TAP4915W/Y/M	TA5015W/Y	transparent	250
TUB6715	slotted sleeve 67x15 mm	PVC	67	15	TAP6715W/Y/M	TA6715W/Y	transparent	125

Adhesive PVC sleeve


- Material: PVC (polyvinyl chloride)
- Self-extinguishing: UL94-V0
- Working temperature: -40°/+80°C



CODE	DESCRIPTION	MATERIAL	TAG SIZE IN mm		USE SP	USE CJ	COLOUR	PCS BOX
			LENGTH	WIDTH				
TUA12	Adhesive sleeve 12x4 mm	adhesive PVC	12	4	NUT12S/FL	NUT12S	transparent	1000
TUA15	Adhesive sleeve 15x4 mm	adhesive PVC	15	4	NUT15S/FL	NUT15S	transparent	1000
TUA18	Adhesive sleeve 18x4 mm	adhesive PVC	18	4	NUT18S/FL	NUT18S	transparent	1000
TUA23	Adhesive sleeve 23x4 mm	adhesive PVC	23	4	NUT23S/FL	NUT23S	transparent	1000
TUA30	Adhesive sleeve 30x4 mm	adhesive PVC	30	4	NUT30FL	-	transparent	1000

Rails in rigid, grey PVC with adhesive or perforated for tags h9mm
Available in 500 mm and 1,000 mm sizes.

Two different fit for SmartPrint tags and CaburJet tags



BIN5009A

CODE	DESCRIPTION	MATERIAL	SIZE IN mm		USE SP	USE CJ	COLOUR	PCS BOX
			LENGTH	WIDTH				
BIN5009A	adhesive rail	adhesive PVC	500	9	-	TA209W/Y	Grey	20
BIN10009A	adhesive rail	adhesive PVC	1000	9	-	TA209W/Y	Grey	20
BIN5009AHP	adhesive rail	adhesive PVC	500	9	-	TA209W/Y	Grey	20
BIN10009AHP	adhesive rail	adhesive PVC	1000	9	-	TA209W/Y	Grey	20
SBIN5009A	Smart adhesive rail	adhesive PVC	500	9	TAP209W/Y	-	Grey	20
SBIN10009A	Smart adhesive rail	adhesive PVC	1000	9	TAP209W/Y	-	Grey	20
SBIN5009AHP	Smart high-resistance adhesive rail	adhesive PVC	500	9	TAP209W/Y	-	Grey	20
SBIN10009AHP	Smart high-resistance adhesive rail	adhesive PVC	1000	9	TAP209W/Y	-	Grey	20
SBIN10009F	perforated rail	PVC	1000	9	TAP209W/Y	-	Grey	20

Rails in rigid, black PVC with adhesive for tags and strips. Available in 430 mm (24 DIN cards) 650 mm and 1,000 mm sizes.

Transparent cover available in 430mm, 650mm and 1000mm

Two different fit for SmartPrint tags and CaburJet tags




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		USE SP	USE CJ	COLOUR	PCS BOX
			LENGTH	WIDTH				
BIN043015	adhesive rail for tags and strips	adhesive PVC	430	15	-	OK	black	30
CBIN043015	cover for BIN043015	PVC	430	15	-	OK	transparent	30
BIN065015	adhesive rail for tags and strips	adhesive PVC	650	15	-	OK	black	30
CBIN065015	cover for BIN065015	PVC	650	15	-	OK	transparent	30
BIN100015	adhesive rail for tags and strips	adhesive PVC	1000	15	-	OK	black	30
BIN100015HP	high-resistance adhesive rail for tags and strips	adhesive PVC	1000	15	-	OK	black	30
CBIN100015	cover for BIN100015	PVC	1000	15	-	OK	transparent	30
SBIN43015A	Smart adhesive rail for tags and strips	adhesive PVC	430	15	OK	-	black	30
SCBIN43015	Smart cover for SBIN43015 mm	PVC	430	15	OK	-	transparent	30
SBIN65015A	Smart adhesive rail for tags and strips	adhesive PVC	650	15	OK	-	black	30
SCBIN65015	Smart cover for SBIN65015 mm	PVC	650	15	OK	-	transparent	30
SBIN100015A	Smart adhesive rail for tags and strips	adhesive PVC	1000	15	OK	-	black	30
SBIN100015AHP	Smart high-resistance adhesive rail for tags and strips	adhesive PVC	1000	15	OK	-	black	30
SBIN100015F	perforated rail for tags and strips	PVC	1000	15	OK	-	black	30
SCBIN100015	Smart cover for SBIN100015 mm	PVC	1000	15	OK	-	transparent	30

Tags holders for push buttons


- Material: PA6 polyamide
- Working temperature: -40°/+80°C
- Melting point: 220°C
- Halogen: HB



PT3017B



PT5217B



PT7017B



PTD022



PTD225

CODE	DESCRIPTION	MATERIAL	TAG SIZE IN mm		USE SP	USE CJ	COLOUR	PCS BOX
			LENGTH	WIDTH				
PT3017B	tag holder for tags	PA6 polyamide	27	15	TAP2715W/Y/M	TA2715W/Y	black	270
PT5217B	tag holder for tags	PA6 polyamide	50	15	TAP4915W/Y/M	TA5015W/Y	black	150
PT7017B	tag holder for tags	PA6 polyamide	67	15	TAP6715W/Y/M	TA6715W/Y	black	75
PTD022	tag holder for push-buttons Ø 22	PA6 polyamide	27	15	TAP2715W/Y/M	TA2715W/Y	black	270
PTD225	tag holder for push-buttons Ø 22.5 specific for telemechanique zb4	PA6 polyamide	27	15	TAP2715W/Y/M	TA2715W/Y	black	270

Adhesive tags holders for push buttons

- Material: PA6 polyamide
- Working temperature: -40°/+80°C
- Melting point: 220°C
- Halogen: HB


For the correct choice of the appropriate tag, check in the table on page 33




PT3017BA



PT5217BA



PT7017BA



PTD022A



PTD225A

CODE	DESCRIPTION	MATERIAL	TAG SIZE IN mm		USE SP	USE CJ	COLOUR	PCS BOX
			LENGTH	WIDTH				
PT3017BA	adhesive tag holder for tags	PA6 polyamide	27	15	TAP2715W/Y/M	TA2715W/Y	black	270
PT5217BA	adhesive tag holder for tags	PA6 polyamide	50	15	TAP4915W/Y/M	TA5015W/Y	black	150
PT7017BA	adhesive tag holder for tags	PA6 polyamide	67	15	TAP6715W/Y/M	TA6715W/Y	black	75
PTD022A	adhesive tag holder for push-buttons Ø 22	PA6 polyamide	27	15	TAP2715W/Y/M	TA2715W/Y	black	270
PTD225A	adhesive tag holder for push-buttons Ø 22.5	PA6 polyamide	27	15	TAP2715W/Y/M	TA2715W/Y	black	270

Trasparente cover for TA10060 and TA10090 tags.

- Material: trasparente polycarbonato
- Working temperature: -40°/+80°C



CODE	DESCRIPTION	MATERIAL	SIZE IN mm		USE SP	USE CJ	COLOUR	PCS BOX
			LENGTH	WIDTH				
VET100060	clear cover for panel identification tag	PC	100	60	TA100060WS/YS	TA100060WS/YS	transparent	10
VET100090	clear cover for panel identification tag	PC	100	90	TA100090WS/YS	TA100090WS/YS	transparent	10
VET3070	clear cover for panel identification tag 30x70mm	Methacrylate	70	30	TAP3070AW	-	transparent	30
VET4090	clear cover for panel identification tag 40x90mm	Methacrylate	90	40	TAP4090AW	-	transparent	20
VET60100	clear cover for panel identification tag 60x100mm	Methacrylate	100	60	TAP60100AW	-	transparent	10
VET80100	clear cover for panel identification tag 80x100mm	Methacrylate	100	80	TAP80100AW	-	transparent	10

Transparent (protective) clear covers for tags

- Material: trasparente polycarbonato
- Working temperature: -40°/+80°C




CODE	DESCRIPTION	MATERIAL	SIZE IN mm		USE SP	USE CJ	COLOUR	PCS BOX
			LENGTH	WIDTH				
VET2715	clear cover for tag holders	PC	27	15	-	-	transparent	270
VET5015	clear cover for tag holders	PC	52	15	-	-	transparent	150
VET6715	clear cover for tag holders	PC	67	15	-	-	transparent	75

Tags appropriate for insertion in TIM tag holders: TA5015W-TAP4915W and TA5015Y-TAP4915Y.

This special product, to be inserted into the tag holder housing of terminal blocks and terminal brackets of the BT/DIN/PO-BT/3-BTU types, permits perfect positioning of the tag itself.



TIM02



TIM02



PTMS



PTM

CODE	DESCRIPTION	MATERIAL	SIZE mm		USE		COLOUR	PCS BOX
			LUNGH	LARGH	SMARTPRINT	CABURJET		
TIM02	tag for identification of groups of terminal blocks	-	50	15	TAP4915W/Y	TA5015W/Y	black	10
PTMS	tag holder for guide	-	40	7	TAP407AW	TA407AW	black	10
PTM	tag holder for guide	-	40	16	TAP1640AW	TA1640AW	black	10
TH02	tag holder 2 level marking terminal block	PA6 polyamide	-	-	NU1051S NU0851S	NU1061 NU0861	black	50
TH03	tag holder 3 level marking terminal block	PA6 polyamide	-	-	NU1051S NU0851S	NU1061 NU0861	black	50



TH02



TH03

PTM and PTMS series plate holders are used to hooked to the omega DIN rail and are used to identify the group of clamps, they are compatible with the tags: TAP407AW/Y and TAP1640AW/Y for SmartPrint and TA407A and TA1640A for CaburJet.


TH02 and TH03 are holder for tags are housed directly on all Cabur terminal block and are used to better identify the connections, they accept the cabur tags NU0851S-NU1051S and NU1061S.

Accessories

Terminals with sleeves and insulated collars

Series: WP

To connect wires, a complete line of terminals with sleeves, single slot.
Tin-plated electrolytic copper sleeve, insulated with polypropylene.



CODE	DESCRIPTION	COLOUR	SECTION	D1	D2	D3	L1	L2	S1	S2	PCS PCK.
			mm ²	mm	mm	mm	mm	mm	mm	mm	
WP30002	terminal blocks 0.5-14 x 8	White	0,5	1	2,6	-	14	8	0,15	0,25	500
WP30003	terminal blocks 0.5-16 x 10	White	0,5	1	2,6	-	16	10	0,15	0,25	500
WP30005	terminal blocks 0.75-14 x 8	Grey	0,75	1,2	2,8	-	14	8	0,15	0,25	500
WP30006	terminal blocks 0.75-16 x 10	Grey	0,75	1,2	2,8	-	16	10	0,15	0,25	500
WP30009	terminal blocks 1-14 x 8	Red	1	1,4	3	-	14	8	0,15	0,25	500
WP30010	terminal blocks 1-18 x 12	Red	1	1,4	3	-	18	12	0,15	0,25	500
WP30013	terminal blocks 1.5-14 x 8	Black	1,5	1,7	3,5	-	14	8	0,15	0,25	500
WP30014	terminal blocks 1.5-18 x 12	Black	1,5	1,7	3,5	-	18	12	0,15	0,25	500
WP30016	terminal blocks 2.5-14 x 8	Blue	2,5	2,2	4,2	-	15	8	0,15	0,25	500
WP30017	terminal blocks 2.5-19 x 12	Blue	2,5	2,2	4,2	-	19	12	0,15	0,25	500
WP30019	terminal blocks 4.0-16 x 8	Grey	4	2,8	4,8	-	16	8	0,2	0,3	500
WP30020	terminal blocks 4.0-20 x 12	Grey	4	2,8	4,8	-	20	12	0,2	0,3	500
WP30022	terminal blocks 6.0-20 x 12	Yellow	6	3,5	6,3	-	20	12	0,2	0,3	100
WP30023	terminal blocks 6.0-26 x 18	Yellow	6	3,5	6,3	-	26	18	0,2	0,3	100
WP30024	terminal blocks 10-22 x 12	Red	10	4,5	7,6	-	22	12	0,2	0,4	100
WP30025	terminal blocks 100-28 x 18	Red	10	4,5	7,6	-	28	18	0,2	0,4	100
WP30026	terminal blocks 16-22 x 12	Blue	16	5,8	8,8	-	22	12	0,2	0,4	100
WP30027	terminal blocks 160-28 x 18	Blue	16	5,8	8,8	-	28	18	0,2	0,4	100
WP30028	terminal blocks 25-30 x 16	Yellow	25	7,3	11,2	-	30	16	0,2	0,4	50
WP30029	terminal blocks 250-36 x 22	Yellow	25	7,3	11,2	-	36	22	0,2	0,4	50
WP30030	terminal blocks 35-30 x 16	Red	35	8,3	12,7	-	30	16	0,2	0,4	50
WP30031	terminal blocks 350-39 x 25	Red	35	8,3	12,7	-	39	25	0,2	0,4	50
WP30032	terminal blocks 50-36 x 20	Blue	50	10,3	15	-	36	20	0,3	0,5	50
WP30033	terminal blocks 500-41 x 25	Blue	50	10,3	15	-	41	25	0,3	0,5	50


Terminals with sleeves and insulated collars

Series: WP

The double slot series is made of tin-plated electrolytic copper with the insulated part in polypropylene, resistant up to 105°C.

These terminals were designed for use in connections where a quick and safe connection is required. In fact, the current trend towards miniaturisation of electrical equipment makes these terminals particularly useful and economical.

The special large housing slot is easily able to hold the bulk created by two wires.



CODE	DESCRIPTION	COLOUR	SECTION	D1	D2	D3	L1	L2	S1	S2	PCS PCK.
			mm ²	mm	mm	mm	mm	mm	mm	mm	
WP90001	-	white	2,0 x 0,5	1,1,5	2,5	4,7	15,7	8,7	0,15	0,3	500
WP90002	-	grey	2,0 x 0,75	1,8	2,8	5,0	15,5	8,9	0,15	0,3	500
WP90003	-	red	2,0 x 1,0	2,3	3,2	5,5	15,8	8,0	0,15	0,3	500
WP90004	-	black	2,0 x 1,5	2,3	3,5	6,5	16,0	8,0	0,15	0,3	500
WP90005	-	blue	2,0 x 2,5	2,9	4,3	7,5	18,3	10,0	0,20	0,4	500
WP90006	-	grey	2,0 x 4,0	3,8	4,9	8,8	23,3	12,5	0,20	0,4	100
WP90007	-	yellow	2,0 x 6,0	-	-	-	-	12	-	-	100
WP90008	-	red	2,0 x 10	-	-	-	-	14	-	-	100

Terminals with uninsulated sleeves

Made of tin-plated electrolytic copper.



CODE	DESCRIPTION	SECTION	LENGTH	PCS PCK.
WPN10508	uninsulated terminal block 0.5-8	0,5	8	1000
WPN10758	uninsulated terminal block 0.75-8	0,75	8	1000
WPN11010	uninsulated terminal block 1-10	1	10	1000
WPN11510	uninsulated terminal block 1.5-10	1,5	10	1000
WPN12510	uninsulated terminal block 2.5-10	2,5	10	1,000*
WPN14012	uninsulated terminal block 4.0-12	4	12	1000**
WPN16012	uninsulated terminal block 6.0-12	6	12	500
WPN11015	uninsulated terminal block 10-15	10	15	500
WPN11615	uninsulated terminal block 16-15	16	15	500
WPN12515	uninsulated terminal block 25-15	25	15	100

Nota1: * appropriate for use with Cabur CBC.2 terminal blocks

Nota2: ** appropriate for use with Cabur CBC.4 terminal blocks

Tin-plated copper eyelets, with PVC insulation
Tin-plated copper forks, with PVC insulation



Eyelets

CODE	TYPE	COLOUR	SECTION	PITCH	PCS PCK.
			mm ²		
WPO4020	Eyelet	Red	1,5	M3.5	100
WPO4021	Eyelet	Red	1,5	M4	100
WPO4022	Eyelet	Red	1,5	M5	100
WPO4023	Eyelet	Red	1,5	M6	100
WPO4024	Eyelet	Red	1,5	M8	100
WPO4025	Eyelet	Red	1,5	M10	100
WPO4026	Eyelet	Blue	2,5	M3	100
WPO4027	Eyelet	Blue	2,5	M3.5M	100
WPO4028	Eyelet	Blue	2,5	M4	100
WPO4029	Eyelet	Blue	2,5	M5	100
WPO4030	Eyelet	Blue	2,5	M6	100
WPO4031	Eyelet	Blue	2,5	M8	100
WPO4032	Eyelet	Blue	2,5	M10	100
WPO4033	Eyelet	Yellow	4,0	M4	100
WPO4034	Eyelet	Yellow	4,0	M5	100
WPO4035	Eyelet	Yellow	4,0	M6	100
WPO4036	Eyelet	Yellow	4,0	M8	100
WPO4037	Eyelet	Yellow	4,0	M10	100
WPO4038	Eyelet	Yellow	4,0	M12	100
WPO4039	Eyelet	Yellow	6,0	M4	100
WPO4040	Eyelet	Yellow	6,0	M5	100
WPO4041	Eyelet	Yellow	6,0	M6	100
WPO4042	Eyelet	Yellow	6,0	M8	100
WPO4043	Eyelet	Yellow	6,0	M10	100
WPO4044	Eyelet	Yellow	6,0	M12	100

Tin-plated copper eyelets, with PVC insulation
Tin-plated copper forks, with PVC insulation



Forks

CODE	TYPE	COLOUR	SECTION	PITCH	PCS PCK.
			mm ²		
WPF5016	Fork	Red	1,5	M3	100
WPF5017	Fork	Red	1,5	M3.5	500
WPF5018	Fork	Red	1,5	M4	100
WPF5019	Fork	Red	1,5	M5	100
WPF5020	Fork	Red	1,5	M6	500
WPF5021	Fork	Blue	2,5	M3	100
WPF5022	Fork	Blue	2,5	M3.5	500
WPF5023	Fork	Blue	2,5	M4	100
WPF5024	Fork	Blue	2,5	M5	100
WPF5025	Fork	Blue	2,5	M6	500
WPF5026	Fork	Yellow	4,0	M4	500
WPF5027	Fork	Yellow	4,0	M5	500
WPF5028	Fork	Yellow	4,0	M6	500
WPF5029	Fork	Yellow	4,0	M8	500
WPF5030	Fork	Yellow	6,0	M4	100
WPF5031	Fork	Yellow	6,0	M4	100
WPF5032	Fork	Yellow	6,0	M6	100
WPF5033	Fork	Yellow	6,0	M8	100

Tool designed for use by the installer. The matrices move parallel to each other and generate a force of 10,000 N.
The entire tool is covered with a plastic body that makes it ergonomic and comfortable to use.



CODE	DESCRIPTION	SECTION	PIECES PER BOX
UMCT3149	Crimp tool	-	1
UMCT3127	Ferrules	0,2 - 10	1
UMCT3153	Ferrules	16 - 25	1
UMCT3153	Ferrules	16 - 25	1
UMCT3154	Ferrules	35 - 50	1
UMCT3129	Ring and spade tongue terminals	1,5 - 2,5	1
UMCT3128	Ring and spade tongue terminals	4-6	1

How to replace the UMTC



- open the pliers as wide as possible (fig.1);
- slowly bring the two levers of the pliers together, until the locking/release mechanism makes three clicks (fig.2);
- observe the anchorage stud on the matrix (fig.2);
- insert the matrix, moving the anchorage stud towards the internal part of the pliers chamber (fig.3);
- make sure that the plastic tooth has locked the matrix in place or that it has risen (fig.4);
- press the two levers of the pliers, closing them as tightly as possible (fig.4);
- release the handles; the pliers should open automatically and completely (fig.5);
- if, when the pliers are closing, you realise that the crimping is not successful or the crimp tool is blocked for any reason, it can be released by pressing and releasing the handles alternatively a few times and simultaneously using your thumb to press the release lever on the internal part of the handle (fig.6).

Screwdrivers to activate springs - terminal blocks Series: H
The ergonomic handle guarantees comfort for the entire duration of the work. In addition, each handle has a transparent anti-slip rubber insert, which ensures a good hold over the tool.

CODE	DIMENSIONS	LENGTH
CCH02	0.5 x 3 x 80 mm	160 mm
CCH06	1 x 5.5 x 125 mm	220 mm



CCH/2,5-4



CCH/6

Insulated screwdrivers for voltage up to 1,000 V
The ergonomic handle guarantees comfort for the entire duration of the work. In addition, each handle has a transparent anti-slip rubber insert, which ensures a good hold over the tool.

CODE	DIMENSIONS	LENGTH
CCV03	0.4 x 2.5 x 75 mm	160 mm
CCV04	0.8 x 4 x 100 mm	195 mm
CCV05	1 x 5.5 x 125 mm	220 mm



CCV/2,5



CCV/4



CCV/5

For protection of wires or wire bundles.

Sleeve, made of extruded single wire with polyester incorporated.

- For installation and maintenance
- For insulation, wiring, protection
- For home, auto, industrial, and nautical use
- Working temperature: from -55°C to +130°C
- Melting point: +255°C
- Self-extinguishing: UL94-V2
- Colours: Grey-Black




CODE	DESCRIPTION	COLOUR	NOMINAL DIAMETER	MT PCK.
			mm ²	
CT03100G	braided sheath HB94 2-6	grey	3	100
CT06100G	braided sheath HB94 5-12	grey	6	100
CT08100G	braided sheath HB94 6-14	grey	8	100
CT10100G	braided sheath HB94 8-18	grey	10	100
CT12050G	braided sheath HB94 10-21	grey	12	50
CT15050G	braided sheath HB94 13-25	grey	15	50
CT20025G	braided sheath HB94 18-29	grey	20	25
CT25025G	braided sheath HB94 22-36	grey	25	25
CT30025G	braided sheath HB94 27-45	grey	30	25
CT40025G	braided sheath HB94 35-55	grey	40	25
CT05025G	braided sheath HB94 45-65	grey	50	25
CT03100B	braided sheath HB94 2-6	black	3	100
CT06100B	braided sheath HB94 5-12	black	6	100
CT08100B	braided sheath HB94 6-14	black	8	100
CT10100B	braided sheath HB94 8-18	black	10	100
CT12050B	braided sheath HB94 10-21	black	12	50
CT15050B	braided sheath HB94 13-25	black	15	50
CT20025B	braided sheath HB94 18-29	black	20	25
CT25025B	braided sheath HB94 22-36	black	25	25
CT30025B	braided sheath HB94 27-45	black	30	25
CT40025B	braided sheath HB94 35-55	black	40	25
CT05025B	braided sheath HB94 45-65	black	50	25




For protection of wires or wire bundles.

Sleeve, made of extruded single wire with polyester incorporated.

- For installation and maintenance
- For insulation, wiring, protection
- For home, auto, industrial, and nautical use
- Working temperature: from -55°C to +130°C
- Melting point: +255°C
- Self-extinguishing: UL94-V2
- Colours: Grey-Black



CODE	DESCRIPTION	COLOUR	NOMINAL DIAMETER	MT PCK.
			mm ²	
CTB06015G	minibox braided sheath	grey	6	15
CTB10015G	minibox braided sheath	grey	10	15
CTB12015G	minibox braided sheath	grey	12	15
CTB15050G	minibox braided sheath	grey	15	15
CTB20010G	minibox braided sheath	grey	20	10
CTB25010G	minibox braided sheath	grey	25	10
CTB30005G	minibox braided sheath	grey	30	5
CTB40005G	minibox braided sheath	grey	40	5
CTB05005G	minibox braided sheath	grey	50	5
CTB06015B	minibox braided sheath	black	6	15
CTB10015B	minibox braided sheath	black	10	15
CTB12015B	minibox braided sheath	black	12	15
CTB15050B	minibox braided sheath	black	15	15
CTB20010B	minibox braided sheath	black	20	10
CTB25010B	minibox braided sheath	black	25	10
CTB30005B	minibox braided sheath	black	30	5
CTB40005B	minibox braided sheath	black	40	5
CTB05005B	minibox braided sheath	black	50	5



To combine, cover, and protect conductors, terminations, and components.

The shrinking operation is achieved with a temperature of over 70 degrees, obtained with a hot-air dryer or an indirect flame. The sleeves adhere perfectly to the object(s) that need to be covered, united, or protected.

- For insulation, wiring, protection
- For home, auto, industrial, and nautical use
- Working temperature: -55°C to +125°C
- Shrink temperature: +70°C
- Shrink ratio: 2:1



CODE	DESCRIPTION	COLOUR	NOMINAL DIAMETER	MT PCK.
			mm ²	
GTE016200B	polyolefin econ self-ext UL 2:1 125°	black	1,6	150
GTE024200B	polyolefin econ self-ext UL 2:1 125°	black	2,4	150
GTE032200B	polyolefin econ self-ext UL 2:1 125°	black	3,2	150
GTE048100B	polyolefin econ self-ext UL 2:1 125°	black	4,8	75
GTE064100B	polyolefin econ self-ext UL 2:1 125°	black	6,4	75
GTE095100B	polyolefin econ self-ext UL 2:1 125°	black	9,5	75
GTE127100B	polyolefin econ self-ext UL 2:1 125°	black	12,7	50
GTE190100B	polyolefin econ self-ext UL 2:1 125°	black	19	30
GTE254050B	polyolefin econ self-ext UL 2:1 125°	black	25,4	30
GTE381050B	polyolefin econ self-ext UL 2:1 125°	black	38,1	30
GTE508050B	polyolefin econ self-ext UL 2:1 125°	black	50,8	30
GTF012150B	polyolefin flex self-ext UL 2:1 125°	black	1,2	150
GTF016150B	polyolefin flex self-ext UL 2:1 125°	black	1,6	150
GTF024150B	polyolefin flex self-ext UL 2:1 125°	black	2,4	150
GTF032150B	polyolefin flex self-ext UL 2:1 125°	black	3,2	150
GTF048075B	polyolefin flex self-ext UL 2:1 125°	black	4,8	75
GTF064075B	polyolefin flex self-ext UL 2:1 125°	black	6,4	75
GTF095075B	polyolefin flex self-ext UL 2:1 125°	black	9,5	75
GTF127050B	polyolefin flex self-ext UL 2:1 125°	black	12,7	50
GTF190060B	polyolefin flex self-ext UL 2:1 125°	black	19	60
GTF254030B	polyolefin flex self-ext UL 2:1 125°	black	25,4	30
GTF381030B	polyolefin flex self-ext UL 2:1 125°	black	38,1	30
GTF508030B	polyolefin flex self-ext UL 2:1 125°	black	50,8	30
GTF762015B	polyolefin flex self-ext UL 2:1 125°	black	76,2	15
GTF101615B	polyolefin flex self-ext UL 2:1 125°	black	101,6	15
GTF012150W	polyolefin flex self-ext UL 2:1 125°	white	1,2	150
GTF016150W	polyolefin flex self-ext UL 2:1 125°	white	1,6	150
GTF024150W	polyolefin flex self-ext UL 2:1 125°	white	2,4	150
GTF032150W	polyolefin flex self-ext UL 2:1 125°	white	3,2	150
GTF048075W	polyolefin flex self-ext UL 2:1 125°	white	4,8	75
GTF064075W	polyolefin flex self-ext UL 2:1 125°	white	6,4	75
GTF095075W	polyolefin flex self-ext UL 2:1 125°	white	9,5	75



To combine, cover, and protect conductors, terminations, and components.

The shrinking operation is achieved with a temperature of over 70 degrees, obtained with a hot-air dryer or an indirect flame. The sleeves adhere perfectly to the object(s) that need to be covered, united, or protected.

- For insulation, wiring, protection
- For home, auto, industrial, and nautical use
- Working temperature: -55°C to +125°C
- Shrink temperature: +70°C
- Shrink ratio: 2:1



CODE	DESCRIPTION	COLOUR	NOMINAL DIAMETER	MT PCK.
			mm ²	
GTF190030W	polyolefin flex self-ext UL 2:1 125°	white	19	30
GTF254030W	polyolefin flex self-ext UL 2:1 125°	white	25,4	30
GTF381030W	polyolefin flex self-ext UL 2:1 125°	white	38,1	30
GTF508030W	polyolefin flex self-ext UL 2:1 125°	white	50,8	30
GTF012150T	polyolefin flex self-ext UL 2:1 125°	transparent	1,2	150
GTF016150T	polyolefin flex self-ext UL 2:1 125°	transparent	1,6	150
GTF024150T	polyolefin flex self-ext UL 2:1 125°	transparent	2,4	150
GTF032150T	polyolefin flex self-ext UL 2:1 125°	transparent	3,2	150
GTF048075T	polyolefin flex self-ext UL 2:1 125°	transparent	4,8	75
GTF064075T	polyolefin flex self-ext UL 2:1 125°	transparent	6,4	75
GTF095075T	polyolefin flex self-ext UL 2:1 125°	transparent	9,5	75
GTF127050T	polyolefin flex self-ext UL 2:1 125°	transparent	12,7	50
GTF190030T	polyolefin flex self-ext UL 2:1 125°	transparent	19	30
GTF254030T	polyolefin flex self-ext UL 2:1 125°	transparent	25,4	30
GTF381030T	polyolefin flex self-ext UL 2:1 125°	transparent	38,1	30
GTF508030T	polyolefin flex self-ext UL 2:1 125°	transparent	50,8	30
GTF016150GV	polyolefin self-ext UL 2:1 135°	yellow-green	1,6	150
GTF024150GV	polyolefin self-ext UL 2:1 135°	yellow-green	2,4	150
GTF032150GV	polyolefin self-ext UL 2:1 135°	yellow-green	3,2	150
GTF048075GV	polyolefin self-ext UL 2:1 135°	yellow-green	4,8	75
GTF064075GV	polyolefin self-ext UL 2:1 135°	yellow-green	6,4	75
GTF095075GV	polyolefin self-ext UL 2:1 135°	yellow-green	9,5	60
GTF127050GV	polyolefin self-ext UL 2:1 135°	yellow-green	12,7	60
GTF190030GV	polyolefin self-ext UL 2:1 135°	yellow-green	19	30
GTF254030GV	polyolefin self-ext UL 2:1 135°	yellow-green	25,4	30
GTF381030GV	polyolefin self-ext UL 2:1 135°	yellow-green	38,1	30
GTF508030GV	polyolefin self-ext UL 2:1 135°	yellow-green	50,8	30
GTA030150B	polyolefin-adhes. double wall self-ext UL 3:1 125°	black	3	150
GTA048100B	polyolefin-adhes. double wall self-ext UL 3:1 125°	black	4,8	100
GTA060075B	polyolefin-adhes. double wall self-ext UL 3:1 125°	black	6	75
GTA090050B	polyolefin-adhes. double wall self-ext UL 3:1 125°	black	9	50
GTA120025B	polyolefin-adhes. double wall self-ext UL 3:1 125°	black	12	25
GTA190025B	polyolefin-adhes. double wall self-ext UL 3:1 125°	black	19	25
GTA240025B	polyolefin-adhes. double wall self-ext UL 3:1 125°	black	24	25
GTA300025B	polyolefin-adhes. double wall self-ext UL 3:1 125°	black	30	25
GTA400025B	polyolefin-adhes. double wall self-ext UL 3:1 125°	black	40	25
GTBOXB016X15	minibox polyolefin self-ext UL 2:1 125°	blue	1,6	15

To combine, cover, and protect conductors, terminations, and components.

The shrinking operation is achieved with a temperature of over 70 degrees, obtained with a hot-air dryer or an indirect flame. The sleeves adhere perfectly to the object(s) that need to be covered, united, or protected.

- For insulation, wiring, protection
- For home, auto, industrial, and nautical use
- Working temperature: -55°C to +125°C
- Shrink temperature: +70°C
- Shrink ratio: 2:1



CODE	DESCRIPTION	COLOUR	NOMINAL DIAMETER	MT PCK.
			mm ²	
GTBOXB024X15	minibox polyolefin self-ext UL 2:1 125°	blue	2,4	15
GTBOXB032X15	minibox polyolefin self-ext UL 2:1 125°	blue	3,2	15
GTBOXB048X10	minibox polyolefin self-ext UL 2:1 125°	blue	4,8	10
GTBOXB064X10	minibox polyolefin self-ext UL 2:1 125°	blue	6,4	10
GTBOXB095X10	minibox polyolefin self-ext UL 2:1 125°	blue	9,5	10
GTBOXB127X10	minibox polyolefin self-ext UL 2:1 125°	blue	12,7	10
GTBOXB190X05	minibox polyolefin self-ext UL 2:1 125°	blue	19	5
GTBOXB254X05	minibox polyolefin self-ext UL 2:1 125°	blue	25,4	5
GTBOXN016X15	minibox polyolefin self-ext UL 2:1 125°	black	1,6	15
GTBOXN024X15	minibox polyolefin self-ext UL 2:1 125°	black	2,4	15
GTBOXN032X15	minibox polyolefin self-ext UL 2:1 125°	black	3,2	15
GTBOXN048X10	minibox polyolefin self-ext UL 2:1 125°	black	4,8	10
GTBOXN064X10	minibox polyolefin self-ext UL 2:1 125°	black	6,4	10
GTBOXN095X10	minibox polyolefin self-ext UL 2:1 125°	black	9,5	10
GTBOXN127X10	minibox polyolefin self-ext UL 2:1 125°	black	12,7	10
GTBOXN190X05	minibox polyolefin self-ext UL 2:1 125°	black	19	5
GTBOXN254X05	minibox polyolefin self-ext UL 2:1 125°	black	25,4	5
GTBOXG016X15	minibox polyolefin self-ext UL 2:1 125°	yellow-green	1,6	15
GTBOXG024X15	minibox polyolefin self-ext UL 2:1 125°	yellow-green	2,4	15
GTBOXG032X15	minibox polyolefin self-ext UL 2:1 125°	yellow-green	3,2	15
GTBOXG048X10	minibox polyolefin self-ext UL 2:1 125°	yellow-green	4,8	10
GTBOXG064X10	minibox polyolefin self-ext UL 2:1 125°	yellow-green	6,4	10
GTBOXG095X10	minibox polyolefin self-ext UL 2:1 125°	yellow-green	9,5	10
GTBOXG127X10	minibox polyolefin self-ext UL 2:1 125°	yellow-green	12,7	10
GTBOXG190X05	minibox polyolefin self-ext UL 2:1 125°	yellow-green	19	5
GTBOXG254X05	minibox polyolefin self-ext UL 2:1 125°	yellow-green	25,4	5



Warning labels

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN101	voltage label in va l=34 mm pk. 70 pcs. (1 sh)	vinyl	5
ETVIN102	voltage label in va l=51 mm pk. 32 pcs. (1 sh)	vinyl	5
ETVIN103	voltage label in va l=64 mm pk. 18 pcs. (1 sh)	vinyl	5
ETVIN104	voltage label in va l=98 mm pk. 8 pcs. (1 sh)	vinyl	5
ETPC101	voltage label in pc l=34 mm pk. 70 pcs. (1 sh)	polycarbonate	5
ETPC102	voltage label in pc l=51 mm pk. 32 pcs. (1 sh)	polycarbonate	5
ETPC103	voltage label in pc l=102 mm pk. 8 pcs. (1 sh)	polycarbonate	5
ETPC104	voltage label in pc l=136 mm pk. 3 pcs. (1 sh)	polycarbonate	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN108	VA danger label l=34 mm pk.70 pcs. (1 sh)	vinyl	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN105	220 volt label + sign l=34 mm pk. 49 pcs. (1 sh)	vinyl	5
ETVIN106	220 volt label + sign l=51 mm pk. 20 pcs. (1 sh)	vinyl	5
ETVIN107	220 volt label + sign l=102 mm pk. 6 pcs. (1 sh)	vinyl	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN109	380 volt label + sign l=34 mm pk. 49 pcs. (1 sh)	vinyl	5
ETVIN110	380 volt label + sign l=68 mm pk. 12 pcs. (1 sh)	vinyl	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN111	400 volt label + sign l=68 mm pk. 12 pcs. (1 sh)	vinyl	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN112	12 volt label 68 x 12 mm pk. 44 pcs. (1 sh)	vinyl	5

12 VOLT

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN113	24 volt label 68 x 12 mm pk. 44 pcs. (1 sh)	vinyl	5
ETPC105	24 volt label in pc 51 x 9 mm pk. 75 pcs. (1 sh)	polycarbonate	5

24 VOLT

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN114	48 volt label 68 x 12 mm pk. 44 pcs. (1 sh)	vinyl	5

48 VOLT

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN115	110 volt label 68 x 12 mm pk. 44 pcs. (1 sh)	vinyl	5

110 VOLT

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN116	220 volt label 68 x 12 mm pk. 44 pcs. (1 sh)	vinyl	5
ETPC106	220 volt label in pc 51 x 9 mm pk. 75 pcs. (sh)	polycarbonate	5

220 VOLT

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN117	230 volt label 68 x 12 mm pk. 44 pcs. (1 sh)	vinyl	5

230 VOLT

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN118	380 volt label 68 x 12 mm pk. 44 pcs. (1 sh)	vinyl	5
ETVIN119	380 volt label 136 x 24 mm pk. 14 pcs. (1 sh)	vinyl	5
ETPC107	380 volt label in pc 51 x 9 mm pk. 75 pcs. (sh)	polycarbonate	5

380 VOLT

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN120	400 volt label 68 x 12 mm pk. 44 pcs. (1 sh)	vinyl	5
ETPC108	400 volt label in pc 136 x 24 mm pk. 14 pcs. (1 sh)	polycarbonate	5

400 VOLT

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN121	500 volt label 68 x 12 mm pk. 44 pcs. (1 sh)	vinyl	5

500 VOLT

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETPC109	600 volt label in pc 136 x 24 mm pk. 14 pcs. (1 sh)	vinyl	5

600 VOLT

WARNING LABELS

WARNING LABELS FOR FACTORIES, BUILDING SITES, PANELS AND INDUSTRIAL PLANTS



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN124	220 volt label + sign 70 x 30 mm pk. 18 pcs. (1 sh)	vinyl	5
ETPC115	220 volt label in pc + sign 70 x 30 mm pk. 18 pcs. (1 sh)	polycarbonate	5
ETPC116	220 volt label in pc + sign 52 x 22.5 mm pk. 35 pcs. (1 sh)	polycarbonate	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN125	230 volt label + sign 70 x 30 mm pk. 18 pcs. (1 sh)	vinyl	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN126	380 volt label + sign 70 x 30 mm pk. 18 pcs. (1 sh)	vinyl	5
ETPC117	380 volt label in pc + sign 70 x 30 mm pk. 18 pcs. (1 sh)	polycarbonate	5
ETVIN129	380 volt label + sign 140 x 60 mm pk. 6 pcs. (1 sh)	vinyl	5
ETPC118	380 volt label in pc + sign 52 x 22.5 mm pk. 35 pcs. (1 sh)	polycarbonate	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN127	400 volt label + sign 70 x 30 mm pk. 18 pcs. (1 sh)	vinyl	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN128	danger: cut power label 100 x 60 mm pk. 7 pcs. (1 sh)	vinyl	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN149	earth connection label Ø 13 b/y pk. 208 pcs. (1 sh)	vinyl	5
ETVIN150	earth connection label Ø 26 b/y pk. 66 pcs. (1 sh)	vinyl	5
ETVIN151	earth connection label Ø 39 b/y pk. 30 pcs. (1 sh)	vinyl	5



CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN162	round label for emergency button. Eng. Ø 60 pk. 12 pcs. (1 sh)	vinyl	5
ETPC121	round label in pc for emergency button Eng. Ø 60 pk. 12 pcs. (1 sh)	polycarbonate	5



WARNING LABELS FOR FACTORIES, WORKSITES AND INDUSTRIAL PLANTS

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETFX135	Forex tag danger and prohibition l=350 mm pk. 1 pcs.	Forex	5



WARNINGS

CODE	DESCRIPTION	MATERIAL	SHEETS PK.
ETVIN136	CE label Ø 13 mm b/w pk. 208 pcs. (1 sh)	vinyl	5
ETVIN137	N label Ø 20 mm w/u pk. 98 pcs. (1 sh)	vinyl	5
ETVIN138	L1 label Ø 20 mm w/b pk. 98 pcs. (1 sh)	vinyl	5
ETVIN139	L2 label Ø 20 mm w/u pk. 98 pcs. (1 sh)	vinyl	5
ETVIN140	L3 label Ø 20 mm w/b pk. 98 pcs. (1 sh)	vinyl	5
ETVIN141	L+ label Ø 20 mm w/b pk. 98 pcs. (1 sh)	vinyl	5
ETVIN142	L- label Ø 20 mm w/b pk. 98 pcs. (1 sh)	vinyl	5
ETVIN143	earth label Ø 20 mm b/yg pk. 98 pcs. (1 sh)	vinyl	5
ETVIN144	PE label Ø 20 mm b/yg pk. 98 pcs. (1 sh)	vinyl	5
ETVIN145	CE label Ø 48 x 39 mm b/w pk. 25 pcs. (1 sh)	vinyl	5
ETVIN146	earth connection label Ø 13 mm w/u 208 pcs. (1 sh)	vinyl	5
ETVIN147	earth connection label Ø 26 mm w/u 66 pcs. (1 sh)	vinyl	5
ETVIN148	earth connection label Ø 39 mm w/u 30 pcs. (1 sh)	vinyl	5



Blank lined area for notes.

Pre-printed tags and accessory services


CNU/8/51 for HORIZONTAL and VERTICAL printing

- Marking tags suitable for marking all types of terminal blocks (screw-tightening and spring-clamp) in tables of 100 elements in packs of 500 tags
- In white polycarbonate with black printing, to be applied directly into position either before or after preparing the rail assembly.
- **Tag dimensions: 8 x 5.1 mm. Pitch on CBC.2 and HMM.2/GR.**
- **Mounting of single tag on all Cabur terminal blocks.**




CODE FOR TAGS WITH VERTICAL NUMBERS	CODE FOR TAGS WITH HORIZONTAL NUMBERS	DESCRIPTION	CHARACTER	QUANTITY PK.
NU0851S	NU0851S	TAGS BLANK	-	1500
NU0851001V	NU0851001	TAG.NO. 1 to 50	1 - 50	500
NU0851010V	NU0851010	TAG.NO. 10	10	500
NU0851011V	NU0851011	TAG. NO. 11	11	500
NU0851012V	NU0851012	TAG. NO. 12	12	500
NU0851013V	NU0851013	TAG. NO. 13	13	500
NU0851014V	NU0851014	TAG. NO. 14	14	500
NU0851015V	NU0851015	TAG. NO. 15	15	500
NU0851016V	NU0851016	TAG. NO. 16	16	500
NU0851017V	NU0851017	TAG. NO. 17	17	500
NU0851018V	NU0851018	TAG. NO. 18	18	500
NU0851019V	NU0851019	TAG. NO. 19	19	500
NU0851020V	NU0851020	TAG. NO. 20	20	500
NU085102AV	NU085102A	TAGS. MARKED 2A	2A	500
NU0851051V	NU0851051	TAGS from 51 to 100	51 - 100	500
NU08510L1V	NU08510L1	TAGS. MARKED L1	L1	500
NU08510L2V	NU08510L2	TAGS. MARKED L2	L2	500
NU08510L3V	NU08510L3	TAGS. MARKED L3	L3	500
NU08510NIV	NU08510NI	TAGS. MARKED NI	NI	500
NU08510PEV	NU08510PE	TAGS. MARKED PE	PE	500
NU08510R1V	NU08510R1	TAGS. MARKED R1	R1	500
NU08510S1V	NU08510S1	TAGS. MARKED S1	S1	500
NU08510S2V	NU08510S2	TAGS. MARKED S2	S2	500
NU08510S3V	NU08510S3	TAGS. MARKED S3	S3	500
NU08510U1V	NU08510U1	TAGS. MARKED U1	U1	500
NU08510U2V	NU08510U2	TAGS. MARKED U2	U2	500
NU08510V	NU08510	TAGS NO. 0	0	500
NU08510V1V	NU08510V1	TAGS. MARKED V1	V1	500
NU08510V2V	NU08510V2	TAGS. MARKED V2	V2	500
NU08510W1V	NU08510W1	TAGS. MARKED W1	W1	500
NU08510W2V	NU08510W2	TAGS. MARKED W2	W2	500
NU0851101V	NU0851101	TAGS. from 101 to 150	101 - 105	500
NU085110V	NU085110	TAGS. MARKED =	=	500
NU085111V	NU085111	TAGS. MARKED +	+	500
NU085112V	NU085112	TAGS. MARKED -	-	500
NU085114V	NU085114	TAGS EARTH	⊕	500
NU0851151V	NU0851151	TAGS from 151 to 200	151 - 200	500
NU085115V	NU085115	TAG EARTH CIRCLE	⊕	500
NU08511V	NU08511	TAGS. NO. 1	1	500
NU0851201V	NU0851201	TAGS from 201 to 250	201 - 250	500
NU0851251V	NU0851251	TAGS from 251 to 300	251 - 300	500
NU08512V	NU08512	TAGS. NO. 2	2	500
NU0851301V	NU0851301	TAGS from 301 to 350	301 - 350	500
NU0851351V	NU0851351	TAGS from 351 to 400	351 - 400	500
NU08513V	NU08513	TAGS. NO. 3	3	500
NU0851401V	NU0851401	TAGS from 401 to 450	401 - 450	500
NU0851451V	NU0851451	TAGS from 451 to 500	451 - 500	500
NU08514V	NU08514	TAGS. NO 4	4	500
NU0851501V	NU0851501	TAGS from 501 to 550	501 - 550	500

Writing type




HORIZONTAL

Writing type



VERTICAL



Card CNU/8/51
Code NU0851


CNU/8/51 for HORIZONTAL and VERTICAL printing

- Marking tags suitable for marking all types of terminal blocks (screw-tightening and spring-clamp) in tables of 100 elements in packs of 500 tags
- In white polycarbonate with black printing, to be applied directly into position either before or after preparing the rail assembly.
- **Tag dimensions: 8 x 5.1 mm. Pitch on CBC.2 and HMM.2/GR.**
- **Mounting of single tag on all Cabur terminal blocks.**

CODE FOR TAGS WITH VERTICAL NUMBERS	CODE FOR TAGS WITH HORIZONTAL NUMBERS	DESCRIPTION	CHARACTER	QUANTITY PK.
NU0851510V	NU0851510	TAGS from 1 to 10	1 - 10	500
NU0851520V	NU0851520	TAGS from 11 to 20	11 - 20	500
NU0851530V	NU0851530	TAGS from 21 to 30	21 - 30	500
NU0851540V	NU0851540	TAGS from 31 to 40	31 - 40	500
NU0851550V	NU0851550	TAGS from 41 to 50	41 - 50	500
NU0851551V	NU0851551	TAGS from 551 to 600	551 - 600	500
NU0851560V	NU0851560	TAGS from 51 to 60	51 - 60	500
NU0851570V	NU0851570	TAGS from 61 to 70	61 - 70	500
NU0851580V	NU0851580	TAGS from 71 to 80	71 - 80	500
NU0851590V	NU0851590	TAGS from 81 to 90	81 - 90	500
NU08515V	NU08515	TAGS. NO 5	5	500
NU0851600V	NU0851600	TAGS from 91 to 100	91 - 100	500
NU0851601V	NU0851601	TAGS from 601 to 650	601 - 650	500
NU0851651V	NU0851651	TAGS from 651 to 700	651 - 700	500
NU08516V	NU08516	TAGS. NO. 6	6	500
NU0851701V	NU0851701	TAGS from 701 to 750	701 - 750	500
NU0851751V	NU0851751	TAGS from 751 to 800	751 - 800	500
NU08517V	NU08517	TAGS. NO. 7	7	500
NU0851801V	NU0851801	TAGS from 801 to 850	801 - 850	500
NU0851851V	NU0851851	TAGS from 851 to 900	851 - 900	500
NU08518V	NU08518	TAGS. NO. 8	8	500
NU0851901V	NU0851901	TAGS from 901 to 950	901 - 950	500
NU0851951V	NU0851951	TAGS from 951 to 1,000	951 - 000	500
NU08519V	NU08519	TAGS. NO. 9	9	500
NU0851AV	NU0851A	TAGS A	A	500
NU0851BV	NU0851B	TAGS B	B	500
NU0851CV	NU0851C	TAGS C	C	500
NU0851DV	NU0851D	TAGS D	D	500
NU0851EV	NU0851E	TAGS E	E	500
NU0851FV	NU0851F	TAGS F	F	500
NU0851GV	NU0851G	TAGS G	G	500
NU0851HV	NU0851H	TAGS H	H	500
NU0851IV	NU0851I	TAGS I	I	500
NU0851JV	NU0851JV	TAGS J	J	500
NU0851KV	NU0851KV	TAGS K	K	500
NU0851LV	NU0851L	TAGS L	L	500
NU0851MV	NU0851M	TAGS M	M	500
NU0851NV	NU0851N	TAGS N	N	500
NU0851OV	NU0851O	TAGS O	O	500
NU0851PV	NU0851P	TAGS P	P	500
NU0851QV	NU0851Q	TAGS Q	Q	500
NU0851RV	NU0851R	TAGS R	R	500
NU0851SV	NU0851SI	TAGS S	S	500
NU0851TV	NU0851T	TAGS T	T	500
NU0851UV	NU0851UV	TAGS U	U	500
NU0851VV	NU0851V	TAGS V	V	500
NU0851WV	NU0851W	TAGS W	W	500
NU0851XV	NU0851X	TAGS X	X	500
NU0851YV	NU0851Y	TAGS Y	Y	500
NU0851ZV	NU0851Z	TAGS Z	Z	500




Writing type



HORIZONTAL

Writing type



VERTICAL



Mounting on Cabur terminal blocks.

Special numbering for terminal block marking

Cabur can supply, on request, special marking tags with numbers, letters, symbols and customised logos in packs of 500 tags, printed using the CaburJet System.

Request special marking by specifying the following on the order:

- A** - Item code, selected from those found in the table (e.g. NU0851SP)
- B** - Number of tags ordered (min. 500 pcs. / 1 pk.)
- C** - Writing type (horizontal or vertical)
- D** - Content (text, numbers, symbols) to be printed on the tags (e.g. A1B)

To optimise the service, as an alternative or in addition to that required at points c) and d), we recommend sending Cabur a MarKing Pro file created with the specific requirements of the order.

For example, by ordering:



Code: NU0851SP

Quantity: 1000


Writing type: horizontal

Content: ABC


You will receive 2 packs of 500 tags each of CNU/8/51, personalised as requested.




NU0800SP-NU0851SP-NU0861SP




NU1051SP-NU1061SP-NU1055SP-NU1065SP



SH004SP




NUWDU50SP



NUWDK50SP



NUPUTUK50S



NUL1061SP



NUWG051SP

SPECIAL NUMBERING

CODE	ID CODE	DESCRIPTION
NU0800SP	NU0800SP	CNU/8/00 - special marking
NU0851SP	NU0851SP	CNU/8/51 - special marking
NU0861SP	NU0861SP	CNU/8/61 - special marking
NU1051SP	NU1051SP	CNU/10/51 - special marking
NU1061SP	NU1061SP	CNU/10/61 - special marking
SH004SP	SH004SP	SHZ.1 - special marking
SH004S	SH2.1	Blank tag spring-clamp terminal blocks sect 1.5 mm
SN008	SNZ/4/00	Blank strips
SN004SP	SNZ/4/SP	SN004SP - special numbering
NUWDU50SP	NUWDU50SP	NUWDU50 - special numbering
NUWDK50SP	NUWDK50SP	NUWDK50 - special numbering
NUPUTUK50SP	NUPUTUK50SP	NUPUTUK50 - special numbering
NUL1061SP	NUL1061	NUL1061 - special numbering
NU1055SP	NU1055SP	CNU/10/55 - special numbering
NU1065SP	NU1065SP	CNU/10/65 - special numbering
NUWG051SP	NUWG051SP	NUWG051SP - special numbering

N.B. please contact our sales office for information about availability

Special numbering for wire marking

Cabur can supply, on request, special marking tags for wires, with numbers, letters, symbols and customised logos in packs of 500 tags, printed using the CaburJet System.

Request special numberings for wire marking, by specifying the following on the order:

- A** - Item code, selected from those found in the table (e.g. NUT15SP)
- B** - Number of tags ordered (min. 500 pcs. / 1 pk.)
- C** - Content (text, numbers, symbols) to be printed on the tags (e.g. A1B)

To optimise the service, as an alternative to or in addition to that required at point c), we recommend sending Cabur a MarKing Pro file created with the specific requirements of the order.



For example, by ordering:

Code: NUT15SP

Quantity: 1500

Content: ABC

An order will be placed for 3 packs of 500 tabs each of NUT15, customised as requested.




Mounting on Cabur terminal blocks

Writing type




HORIZONTAL


SPECIAL NUMBERING		
CODE	ID CODE	DESCRIPTION
NUT12SP	NUT12SP	NUT12SP - special numbering
NUT12YSP	NUT12YSP	NUT12YSP - special numbering
NUT15SP	NUT15SP	NUT15SP - special numbering
NUT15YSP	NUT15YSP	NUT15YSP - special numbering
NUT18SP	NUT18SP	NUT18SP - special numbering
NUT18YSP	NUT18YSP	NUT18YSP - special numbering
NUT23SP	NUT23SP	NUT23SP - special numbering
NUT23YSP	NUT23YSP	NUT23YSP - special numbering




TAG CARD L. 12 mm



TAG CARD L. 15 mm



TAG CARD L. 18 mm



TAG CARD L. 23 mm

B		CAF3LSS2	60	CAF3SPLS1	60	CSC00	62
BIN5009A	69	CAF3LSS3	60	CAF3SPLS2	60	CSC09	62
BIN5009AHP	69	CAF3LTS1	60	CAF3SPLS3	60	CSCCC	62
BIN10009A	69	CAF3LTS2	60	CAF3SPUS1	60	CSDDD	62
BIN10009AHP	69	CAF3LTS3	60	CAF3SPUS2	60	CSEEE	62
BIN043015	69	CAF3LUS1	60	CAF3SPUS3	60	CSFFF	62
BIN065015	69	CAF3LUS2	60	CAF3SXS1	60	CSGGG	62
BIN100015	69	CAF3LUS3	60	CAF3SXS2	60	CSHHH	62
BIN100015HP	69	CAF3LVS1	60	CAF3SXS3	60	CSIII	62
C		CAF3LVS2	60	CBIN043015	69	CSJJJ	62
CABURJET	38	CAF3LVS3	60	CBIN065015	69	CSKKK	62
CAF3LAS1	60	CAF3LWS1	60	CBIN100015	69	CSLLL	62
CAF3LAS2	60	CAF3LWS2	60	CCH02	79	CSMMM	62
CAF3LAS3	60	CAF3LWS3	60	CCH06	79	CSNNN	62
CAF3LBS1	60	CAF3LXS1	60	CCV03	79	CSPPP	62
CAF3LBS2	60	CAF3LXS2	60	CCV04	79	CSQQQ	62
CAF3LBS3	60	CAF3LXS3	60	CCV05	79	CSRRR	62
CAF3LCS1	60	CAF3LYS1	60	CLNRJET	39	CSSSS	62
CAF3LCS2	60	CAF3LYS2	60	CS000	62	CSTTT	62
CAF3LCS3	60	CAF3LYS3	60	CS00A	62	CSUUU	62
CAF3LDS1	60	CAF3LZS1	60	CS00B	62	CSVVV	62
CAF3LDS2	60	CAF3LZS2	60	CS00C	62	CSWWW	62
CAF3LDS3	60	CAF3LZS3	60	CS00D	62	CSXXX	62
CAF3LES1	60	CAF3N0S1	60	CS00E	62	CSYYY	62
CAF3LES2	60	CAF3N0S2	60	CS00F	62	CSZZZ	62
CAF3LES3	60	CAF3N0S3	60	CS00G	62	CT004	63
CAF3LFS1	60	CAF3N1S1	60	CS00G1	62	CT006	63
CAF3LFS2	60	CAF3N1S2	60	CS00G2	62	CT03100B	80
CAF3LFS3	60	CAF3N1S3	60	CS00G3	62	CT03100G	80
CAF3LGS1	60	CAF3N2S1	60	CS00G4	62	CT05025B	80
CAF3LGS2	60	CAF3N2S2	60	CS00G5	62	CT05025G	80
CAF3LGS3	60	CAF3N2S3	60	CS00G6	62	CT06100B	80
CAF3LHS1	60	CAF3N3S1	60	CS00G7	62	CT06100G	80
CAF3LHS2	60	CAF3N3S2	60	CS00G8	62	CT08100B	80
CAF3LHS3	60	CAF3N3S3	60	CS00G9	62	CT08100G	80
CAF3LIS1	60	CAF3N4S1	60	CS00H	62	CT10100B	80
CAF3LIS2	60	CAF3N4S2	60	CS00I	62	CT10100G	80
CAF3LIS3	60	CAF3N4S3	60	CS00J	62	CT12050B	80
CAF3LJS1	60	CAF3N5S1	60	CS00K	62	CT12050G	80
CAF3LJS2	60	CAF3N5S2	60	CS00L	62	CT15050B	80
CAF3LJS3	60	CAF3N5S3	60	CS00M	62	CT15050G	80
CAF3LKS1	60	CAF3N6S1	60	CS00N	62	CT20025B	80
CAF3LKS2	60	CAF3N6S2	60	CS00O	62	CT20025G	80
CAF3LKS3	60	CAF3N6S3	60	CS00P	62	CT25025B	80
CAF3LLS1	60	CAF3N7S1	60	CS00Q	62	CT25025G	80
CAF3LLS2	60	CAF3N7S2	60	CS00R	62	CT30025B	80
CAF3LLS3	60	CAF3N7S3	60	CS00S	62	CT30025G	80
CAF3LMS1	60	CAF3N8S1	60	CS00T	62	CT40025B	80
CAF3LMS2	60	CAF3N8S2	60	CS00U	62	CT40025G	80
CAF3LMS3	60	CAF3N8S3	60	CS00V	62	CTB05005B	81
CAF3LNS1	60	CAF3N9S1	60	CS00W	62	CTB05005G	81
CAF3LNS2	60	CAF3N9S2	60	CS00X	62	CTB06015B	81
CAF3LNS3	60	CAF3N9S3	60	CS00Y	62	CTB06015G	81
CAF3LOS1	60	CAF3SBAS1	60	CS00Z	62	CTB10015B	81
CAF3LOS2	60	CAF3SBAS2	60	CS111	62	CTB10015G	81
CAF3LOS3	60	CAF3SBAS3	60	CS222	62	CTB12015B	81
CAF3LPS1	60	CAF3SEAS1	60	CS333	62	CTB12015G	81
CAF3LPS2	60	CAF3SEAS2	60	CS444	62	CTB15050B	81
CAF3LPS3	60	CAF3SEAS3	60	CS555	62	CTB15050G	81
CAF3LQS1	60	CAF3SMIS1	60	CS666	62	CTB20010B	81
CAF3LQS2	60	CAF3SMIS2	60	CS777	62	CTB20010G	81
CAF3LQS3	60	CAF3SMIS3	60	CS888	62	CTB25010B	81
CAF3LRS1	60	CAF3SPAS1	60	CS999	62	CTB25010G	81
CAF3LRS2	60	CAF3SPAS2	60	CSAAA	62	CTB30005B	81
CAF3LRS3	60	CAF3SPAS3	60	CSBBB	62	CTB30005G	81
CAF3LSS1	60						

CTB40005B	81	ETVIN126	88	GTE190100B	82	NU0851BV	93
CTB40005G	81	ETVIN127	88	GTE254050B	82	NU0851CV	93
E		ETVIN128	88	GTE381050B	82	NU0851DV	93
ESA3815RW	56	ETVIN129	88	GTE508050B	82	NU0851EV	93
ESA3815W	16	ETVIN136	89	GTF012150B	82	NU0851FV	93
ESA3815Y	16	ETVIN137	89	GTF012150T	83	NU0851GV	93
ESA3823RW	56	ETVIN138	89	GTF012150W	82	NU0851HV	93
ESA3823W	16	ETVIN139	89	GTF016150B	82	NU0851IV	93
ESA3823Y	16	ETVIN140	89	GTF016150GV	83	NU0851JV	93
ESA5015RW	56	ETVIN141	89	GTF016150T	83	NU0851KV	93
ESA5015W	16	ETVIN142	89	GTF016150W	82	NU0851LV	93
ESA5015Y	16	ETVIN143	89	GTF024150B	82	NU0851MV	93
ESA5023RW	56	ETVIN144	89	GTF024150GV	83	NU0851NV	93
ESA5023W	16	ETVIN145	89	GTF024150T	83	NU0851OV	93
ESA5023Y	16	ETVIN146	89	GTF024150W	82	NU0851PV	93
ESA7515RW	56	ETVIN147	89	GTF032150B	82	NU0851QV	93
ESA7515W	16	ETVIN148	89	GTF032150GV	83	NU0851RV	93
ESA7515Y	16	ETVIN149	88	GTF032150T	83	NU0851S	17 43 92
ESA7523RW	56	ETVIN150	88	GTF032150W	82	NU0851SMD	31
ESA7523W	16	ETVIN151	88	GTF048075B	82	NU0851SP	94
ESA7523Y	16	ETVIN162	88	GTF048075GV	83	NU0851SV	93
ESA10015RW	56	G		GTF048075T	83	NU0851TV	93
ESA10015W	16	GTA030150B	83	GTF048075W	82	NU0851UV	93
ESA10015Y	16	GTA048100B	83	GTF064075B	82	NU0851VV	93
ESA10023RW	56	GTA060075B	83	GTF064075GV	83	NU0851WV	93
ESA10023W	16	GTA090050B	83	GTF064075T	83	NU0851XV	93
ESA10023Y	16	GTA120025B	83	GTF064075W	82	NU0851YV	93
ETFX135	88	GTA190025B	83	GTF095075B	82	NU0851ZV	93
ETPC101	86	GTA240025B	83	GTF095075GV	83	NU0861	43
ETPC102	86	GTA300025B	83	GTF095075T	83	NU0861SP	94
ETPC103	86	GTA400025B	83	GTF095075W	82	NU1035S	17
ETPC104	86	GTBOXB016X15	83	GTF101615B	82	NU1035SMD	31
ETPC105	87	GTBOXB024X15	84	GTF127050B	82	NU1051S	17 43
ETPC106	87	GTBOXB032X15	84	GTF127050GV	83	NU1051SMD	31
ETPC107	87	GTBOXB048X10	84	GTF127050T	83	NU1051SP	94
ETPC108	87	GTBOXB064X10	84	GTF190030B	82	NU1055	43
ETPC109	87	GTBOXB095X10	84	GTF190030GV	83	NU1055S*	17
ETPC115	88	GTBOXB127X10	84	GTF190030T	83	NU1055SP	94
ETPC116	88	GTBOXB190X05	84	GTF190030W	83	NU1061S	17 43
ETPC117	88	GTBOXB254X05	84	GTF190060B	82	NU1061SMD	31
ETPC118	88	GTBOXG016X15	84	GTF254030B	82	NU1061SP	94
ETPC121	88	GTBOXG024X15	84	GTF254030GV	83	NU1065	43
ETVIN101	86	GTBOXG032X15	84	GTF254030T	83	NU1065S*	17
ETVIN102	86	GTBOXG048X10	84	GTF254030W	83	NU1065SP	94
ETVIN103	86	GTBOXG064X10	84	GTF381030B	82	NU08510L1V	92
ETVIN104	86	GTBOXG095X10	84	GTF381030GV	83	NU08510L2V	92
ETVIN105	86	GTBOXG127X10	84	GTF381030T	83	NU08510L3V	92
ETVIN106	86	GTBOXG190X05	84	GTF381030W	83	NU08510NIV	92
ETVIN107	86	GTBOXG254X05	84	GTF508030B	82	NU08510PEV	92
ETVIN108	86	GTBOXN016X15	84	GTF508030GV	83	NU08510R1V	92
ETVIN109	86	GTBOXN024X15	84	GTF508030T	83	NU08510S1V	92
ETVIN110	86	GTBOXN032X15	84	GTF508030W	83	NU08510S2V	92
ETVIN111	86	GTBOXN048X10	84	GTF762015B	82	NU08510S3V	92
ETVIN112	87	GTBOXN064X10	84	I		NU08510U1V	92
ETVIN113	87	GTBOXN095X10	84	IDAC	61	NU08510U2V	92
ETVIN114	87	GTBOXN127X10	84	IDEN01	63	NU08510V	92
ETVIN115	87	GTBOXN190X05	84	INKBJET	39	NU08510V1V	92
ETVIN116	87	GTBOXN254X05	84	N		NU08510V2V	92
ETVIN117	87	GTE016200B	82	NU0550S	18 44	NU08510W1V	92
ETVIN118	87	GTE024200B	82	NU0550SMD	31	NU08510W2V	92
ETVIN119	87	GTE032200B	82	NU0800	43	NU08511V	92
ETVIN120	87	GTE048100B	82	NU0800SP	94	NU08512V	92
ETVIN121	87	GTE064100B	82	NU0835S	17	NU08513V	92
ETVIN124	88	GTE095100B	82	NU0835SMD	31	NU08514V	92
ETVIN125	88	GTE127100B	82	NU0851AV	93	NU08515V	93

NU08516V	93	NUT12RYC	55	PT3017BA	70	SIM18103Y	29
NU08517V	93	NUT12S	13 41	PT5217AMD	32	SIM23103SG	29
NU08518V	93	NUT12SMD	30	PT5217B	70	SIM23103W	29
NU08519V	93	NUT12SP	95	PT5217BA	70	SIM23103Y	29
NU085102AV	92	NUT12YS	13 41	PT7017AMD	32	SIM23109SG	29
NU085110V	92	NUT12YSP	95	PT7017B	70	SIM23109W	29
NU085111V	92	NUT15FL	14	PT7017BA	70	SIM23109Y	29
NU085112V	92	NUT15FLY	14	PTD022	70	SMARTPOWER	10
NU085114V	92	NUT15RW	55	PTD022A	70	SMARTPRINTPLUS	8
NU085115V	92	NUT15RWC	55	PTD022AMD	32	SMARTPRINTPLUSKT	10
NU0851001V	92	NUT15RYC	55	PTD225	70	SMARTROLL	52
NU0851010V	92	NUT15S	13 41	PTD225A	70	SMARTROLLPLUS	52
NU0851011V	92	NUT15SMD	30	PTD225AMD	32	SMARTTROLLEY	10
NU0851012V	92	NUT15SP	95	PTM	72	SN004SP	94
NU0851013V	92	NUT15YS	13 41	PTMS	72	SN008	94
NU0851014V	92	NUT15YSP	95	R		SPPKITLIGHT	10
NU0851015V	92	NUT18FL	14	RSP300BK	10	ST105AW	48
NU0851016V	92	NUT18FLY	14	RSP300BL	10	ST105AY	48
NU0851017V	92	NUT18S	13 41	RSP300GR	10	ST105W	48
NU0851018V	92	NUT18SMD	30	RSP300RD	10	ST105Y	48
NU0851019V	92	NUT18SP	95	RSP300WH	10	ST10512W	46
NU0851020V	92	NUT18YS	13 41	RSR300BK	53	T	
NU0851051V	92	NUT18YSP	95	RSR300RD	53	TA128AW	46
NU0851101V	92	NUT23FL	14	S		TA128AY	46
NU0851151V	92	NUT23FLY	14	SAT209AM	28	TA156AW	46
NU0851201V	92	NUT23RW*	55	SAT209AW	28	TA156AY	46
NU0851251V	92	NUT23S	13 41	SAT2715AM	28	TA156RAW	57
NU0851301V	92	NUT23SP	95	SAT2715AW	28	TA156RAY	57
NU0851351V	92	NUT23YS	13 41	SAT50105AM	28	TA159AW	46
NU0851401V	92	NUT23YSP	95	SAT50105AW	28	TA159AY	46
NU0851451V	92	NUT30FL	14	SAT60100AM	28	TA178AW	46
NU0851501V	92	NUT30FLY	14	SAT60100AW	28	TA178AY	46
NU0851510V	93	NUT30RW*	55	SAT80100AM	28	TA178RAW	57
NU0851520V	93	NUT30RWC	55	SAT80100AW	28	TA178RAY	57
NU0851530V	93	NUT30RYC	55	SAT89365RAM	57	TA207AW	46
NU0851540V	93	NUWDK50S	18 44	SBIN5009A	69	TA207AY	46
NU0851550V	93	NUWDK50SMD	31	SBIN5009AHP	69	TA207RAW	57
NU0851551V	93	NUWDK50SP	94	SBIN10009A	69	TA207RAY	57
NU0851560V	93	NUWDU50S	18 44	SBIN10009AHP	69	TA207S	45
NU0851570V	93	NUWDU50SMD	31	SBIN10009F	69	TA209AW	46
NU0851580V	93	NUWDU50SP	94	SBIN43015A	69	TA209AY	46
NU0851590V	93	NUWG051SP	94	SBIN65015A	69	TA209RAW	57
NU0851600V	93	NUWGO50	44	SBIN100015A	69	TA209RAY	57
NU0851601V	93	NUWGO51	44	SBIN100015AHP	69	TA209SO	45
NU0851651V	93	NUWGO51S	18	SBIN100015F	69	TA209W	45
NU0851701V	93	NUWGO51SMD	31	SCBIN43015	69	TA209Y	45
NU0851751V	93	P		SCBIN65015	69	TA359W	45
NU0851801V	93	PLT00	11	SCBIN100015	69	TA407AW	49
NU0851851V	93	PLT01	11	SH004S	17 43 94	TA1517AW	46
NU0851901V	93	PLT02	11	SH004SMD	31	TA1640AW	49
NU0851951V	93	PLT03	11	SH004SP	94	TA1808T	45
NUL1061S	18 44	PLT04	11	SIM1230SG	29	TA2080AM	49
NUL1061SMD	31	PLT05	11	SIM1230W	29	TA2080AW	49
NUL1061SP	94	PLT06	11	SIM1230Y	29	TA2080AY	49
NUPUTUK50S	18 44	PLT07	11	SIM1350SG	29	TA2715AM	46
NUPUTUK50SMD	31	PLT08	11	SIM1350W	29	TA2715AW	46
NUPUTUK50SP	94	PLT09	11	SIM1350Y	29	TA2715AY	46
NUT10FL	14	PLT11	11	SIM2550SG	29	TA2715W	47
NUT10FLY	14	PLT12	11	SIM2550W	29	TA2715Y	47
NUT10RW	55	PLT13	11	SIM2550Y	29	TA3070AM	49
NUT10RWC	55	PLT15	11	SIM13109SG	29	TA3070AW	49
NUT10RYC	55	PLT16	11	SIM13109W	29	TA3070AY	49
NUT12FL	14	PLT17	11	SIM13109Y	29	TA3819RAW	57
NUT12FLY	14	PT3017AMD	32	SIM18103SG	29	TA4090AM	49
NUT12RWC	55	PT3017B	70	SIM18103W	29	TA4090AW	49

INDEX BY CODE



TA4090AY	49	TAM8715W	24	TAP3520AB	26	TAP80100AW	26
TA5015AM	46	TAM8715Y	24	TAP3520ABL	26	TAP80100AY	26
TA5015AW	46	TAM10512AW	24	TAP3520AG	26	TAP105120AM	26
TA5015AY	46	TAM10512W	24	TAP3520AR	26	TAP105120AW	26
TA5015W	47	TAM10715AM	24	TAP3520AW	26	TAP105120AY	26
TA5015Y	47	TAM10715AW	24	TAP4090AM	26	TAP105180RAW	57
TA5030RAM	57	TAM10715AY	24	TAP4090AW	26	TAV128AW	21
TA5030RAW	57	TAM10715M	24	TAP4090AY	26	TAV128AY	21
TA6715AM	46	TAM10715W	24	TAP4915AM	23	TAV156AW	21
TA6715AW	46	TAM10715Y	24	TAP4915AW	23	TAV156AY	21
TA6715AY	46	TAME2715W	27	TAP4915AY	23	TAV159AW	21
TA6715W	47	TAME3070T	27	TAP4915M	22	TAV159AY	21
TA6715Y	47	TAME3070W	27	TAP4915W	22	TAV178AW	21
TA50257RAM	57	TAME3474T	27	TAP4915WN	22	TAV178AY	21
TA60100AM	49	TAME4915W	27	TAP4915Y	22	TAV207AW	21
TA60100AW	49	TAME6715W	27	TAP5020AB	26	TAV207AY	21
TA60100AY	49	TAME60100T	27	TAP5020ABL	26	TAV209AW	21
TA60100RAM	57	TAME60100W	27	TAP5020AG	26	TAV209AY	21
TA60100RAW	57	TAME80100T	27	TAP5020AR	26	TAV359AM	21
TA80100AM	49	TAME80100W	27	TAP5020AW	26	TAV359AW	21
TA80100AW	49	TAP128AW	22	TAP5050AM	23	TAV359AY	21
TA80100AY	49	TAP128AY	22	TAP5050AW	23	TAV2550AM	21
TA100060WS	25 50	TAP156AW	22	TAP5050AY	23	TAV2550AY	21
TA100060YS	25 50	TAP156AY	22	TAP5085W	23	TAV2715AW	21
TA100090WS	25 50	TAP159AW	22	TAP6715AM	23	TAV2715AY	21
TA100090YS	25 50	TAP159AY	22	TAP6715AW	23	TAV4915AW	21
TAC5313WT	23	TAP159W	22	TAP6715AY	23	TAV4915AY	21
TAC6615WT	23	TAP178AW	22	TAP6715M	22	TAV6715AW	21
TAEM062Y	28	TAP178AY	22	TAP6715W	22	TAV6715AY	21
TAEM090Y	28	TAP179W	22	TAP6715WN	22	TAV60100AB	27
TAF5512W	16	TAP179Y	22	TAP6715Y	22	TAV60100AG	27
TAF5512Y	16	TAP207AW	22	TAP7020AB	26	TAV60100AM	27
TAG209AW	45	TAP207AY	22	TAP7020ABL	26	TAV60100AR	27
TAG209AY	45	TAP209AW	22	TAP7020AG	26	TAV60100AW	27
TAG2715AW	47	TAP209AY	22	TAP7020AR	26	TAV60100AY	27
TAG2715AY	47	TAP209W	22	TAP7020AW	26	TAV105120AB	27
TAG5015AW	47	TAP209Y	22	TAP9015AB	23	TAV105120AW	27
TAG5015AY	47	TAP359AW	22	TAP9015ABL	23	TH02	72
TAG6715AW	47	TAP359AY	22	TAP9015AR	23	TH03	72
TAG6715AY	47	TAP359W	22	TAP9015AW	23	TIM02	72
TAM1715B	24	TAP359Y	22	TAP9030AB	26	TMC16040WS	15 42
TAM1715M	24	TAP407AW	23	TAP9030ABL	26	TMC16040YS	15 42
TAM1715RE	24	TAP730W	22	TAP9030AR	26	TMC101632SMD	30
TAM1715W	24	TAP730Y	22	TAP9030AW	26	TMC101632WS	15
TAM1715Y	24	TAP1640AW	23	TAP10015AB	23	TMC101632YS	15
TAM3515AW	24	TAP2080AM	26	TAP10015ABL	23	TMC102044SMD	30
TAM3515B	24	TAP2080AW	26	TAP10015AR	23	TMC102044WS	15
TAM3515M	24	TAP2080AY	26	TAP10015AW	23	TMC102044YS	15
TAM3515RE	24	TAP2525AW	23	TAP10020AB	26	TMC151632WS	15
TAM3515W	24	TAP2525AY	23	TAP10020ABL	26	TMC151632YS	15
TAM3515Y	24	TAP2715AM	23	TAP10020AG	26	TMC152044WS	15
TAM5215AW	24	TAP2715AW	23	TAP10020AR	26	TMC152044YS	15
TAM5215B	24	TAP2715AY	23	TAP10020AW	26	TMM40105AW	20
TAM5215M	24	TAP2715M	22	TAP11022RAW	57	TMM40105AY	20
TAM5215RE	24	TAP2715W	22	TAP50105AB	26	TMM50105AW	20
TAM5215W	24	TAP2715WN	22	TAP50105AM	26	TMM50105AY	20
TAM5215Y	24	TAP2715Y	22	TAP50105AW	26	TMM62105AW	20
TAM7015AW	24	TAP2718AW	23	TAP50105AY	26	TMM62105AY	20
TAM7015B	24	TAP2718M	22	TAP60100AB	26	TMM62105W	20
TAM7015M	24	TAP2718W	22	TAP60100AG	26	TMM62105Y	20
TAM7015RE	24	TAP2718Y	22	TAP60100AM	26	TMM81105AW	20
TAM7015W	24	TAP3070AB	26	TAP60100AR	26	TMM81105AY	20
TAM7015Y	24	TAP3070AM	26	TAP60100AW	26	TMM97105AW	20
TAM8715AW	24	TAP3070AW	26	TAP60100AY	26	TMM97105AY	20
TAM8715M	24	TAP3070AY	26	TAP80100AM	26	TMM97105W	20


TMM97105Y	20	TUB2302FL	67	WP90002	75
TMM102105AW	20	TUB2303	66	WP90003	75
TMM102105AY	20	TUB2303FL	67	WP90004	75
TMM102105W	20	TUB2304	66	WP90005	75
TMM102105Y	20	TUB2304FL	67	WP90006	75
TMM105105AW	20	TUB2305	66	WP90007	75
TMM105105AY	20	TUB2305FL	67	WP90008	75
TMM105105W	20	TUB2306	66	WPF5016	77
TMM105105Y	20	TUB2306FL	67	WPF5017	77
TUA12	68	TUB2715	68	WPF5018	77
TUA15	68	TUB3001FL	67	WPF5019	77
TUA18	68	TUB3002FL	67	WPF5020	77
TUA23	68	TUB3003FL	67	WPF5021	77
TUA30	68	TUB3004FL	67	WPF5022	77
TUB209	68	TUB3005FL	67	WPF5023	77
TUB359	68	TUB3006FL	67	WPF5024	77
TUB1001FL	67	TUB5015	68	WPF5025	77
TUB1002FL	67	TUB6715	68	WPF5026	77
TUB1003FL	67	TUF12	68	WPF5027	77
TUB1004FL	67	TUF18	68	WPF5028	77
TUB1005FL	67	TUF23	68	WPF5029	77
TUB1006FL	67	TUF30	68	WPF5030	77
TUB1200	66	U		WPF5031	77
TUB1201	66	UMCT3127	78	WPF5032	77
TUB1201FL	67	UMCT3128	78	WPF5033	77
TUB1202	66	UMCT3129	78	WPN10508	75
TUB1202FL	67	UMCT3149	78	WPN10758	75
TUB1203	66	UMCT3153	78	WPN11010	75
TUB1203FL	67	UMCT3154	78	WPN11015	75
TUB1204	66	V		WPN11510	75
TUB1204FL	67	VET2715	71	WPN11615	75
TUB1205	66	VET3070	71	WPN12510	75
TUB1205FL	67	VET4090	71	WPN12515	75
TUB1206	66	VET5015	71	WPN14012	75
TUB1206FL	67	VET6715	71	WPN16012	75
TUB1500	66	VET60100	71	WPO4020	76
TUB1501	66	VET80100	71	WPO4021	76
TUB1501FL	67	VET100060	71	WPO4022	76
TUB1502	66	VET100090	71	WPO4023	76
TUB1502FL	67	W		WPO4024	76
TUB1503	66	WP30002	74	WPO4025	76
TUB1503FL	67	WP30003	74	WPO4026	76
TUB1504	66	WP30005	74	WPO4027	76
TUB1504FL	67	WP30006	74	WPO4028	76
TUB1505	66	WP30009	74	WPO4029	76
TUB1505FL	67	WP30010	74	WPO4030	76
TUB1506	66	WP30013	74	WPO4031	76
TUB1506FL	67	WP30014	74	WPO4032	76
TUB1800	66	WP30016	74	WPO4033	76
TUB1801	66	WP30017	74	WPO4034	76
TUB1801FL	67	WP30019	74	WPO4035	76
TUB1802	66	WP30020	74	WPO4036	76
TUB1802FL	67	WP30022	74	WPO4037	76
TUB1803	66	WP30023	74	WPO4038	76
TUB1803FL	67	WP30024	74	WPO4039	76
TUB1804	66	WP30025	74	WPO4040	76
TUB1804FL	67	WP30026	74	WPO4041	76
TUB1805	66	WP30027	74	WPO4042	76
TUB1805FL	67	WP30028	74	WPO4043	76
TUB1806	66	WP30029	74	WPO4044	76
TUB1806FL	67	WP30030	74		
TUB2300	66	WP30031	74		
TUB2301	66	WP30032	74		
TUB2301FL	67	WP30033	74		
TUB2302	66	WP90001	75		



AUTOMATION
AND CONTROL
SOLUTIONS



INDUSTRIAL
CONNECTIVITY
SOLUTIONS



E-MOBILITY
AND RENEWABLE
ENERGY SOLUTIONS



INDUSTRIAL
MARKING
SOLUTIONS



D051G26A - 10/25

Cabur Srl

Headquarters (Italia)

17041 - Altare (SV)

Località Isola Grande, 45

T. +39 019 58999.1

F. +39 019 58999233

www.cabur.it

info@cabur.it

Cabur Romania Srl

Romanian Branch

Strada Calea Plevnei nr. 139

Corp B camera 25,26 sector 6

Bucaresti

T. +40 (21)31.17.140

F. +40 (21)31.17.140

www.cabur.eu

info.romania@cabur.eu